

Terminal, iPo plug-in terminal, installation terminal, N conductor isolating terminal, 2.5 mm², blue



Model			
product brand name	SETRON		
General technical data			
insulation material	thermoplastic		
terminal contact spacing	5.2 mm		
Product details			
product component			
• test separator	No		
Connections			
connectable conductor cross-section solid			
• minimum	0.14 mm ²		
• maximum	4 mm ²		
connectable conductor cross-section stranded			
• minimum	1.5 mm ²		
• maximum	0.14 mm ²		
connectable conductor cross-section finely stranded			
• with core end processing minimum	0.14 mm ²		
• with core end processing maximum	2.5 mm ²		
• without core end processing minimum	0.14 mm ²		
• without core end processing maximum	4 mm ²		
Mechanical Design			
length	59.5 mm		
fastening method	others		
Approvals Certificates			
General Product Approval	Declaration of Con- formity	other	Environment

[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

[Environmental Con-
firmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH6001-0BF01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8WH6001-0BF01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH6001-0BF01

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/19/2023 

