


Product datasheet

Specifications



SPRINKLER KIT JOINT PACK KS T3

KSB1000ZB2

EAN Code: 3606485067421

Main

Range of product	Canalis
Product name	KS
Product or component type	Sprinkler proofing device
Product compatibility	KS
[Ie] rated operational current	1000 A 500 A 800 A 630 A
Offer type	Spare part
Colour	White (RAL 9001)

Complementary

Device application	Medium power distribution
[Ue] rated operational voltage	230...690 V
Control type	Without
Number of circuits	1
Width	324 mm
Depth	132 mm
Height	200 mm
Net weight	1 kg

Environment

IK degree of protection	IK08 conforming to IEC 62262
IP degree of protection	IP55 conforming to IEC 60529
Standards	IEC 60439-2 IEC 61439-6

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.500 cm
Package 1 Width	23.200 cm
Package 1 Length	33.000 cm
Package 1 Weight	2.600 kg

Unit Type of Package 2	PAL
Number of Units in Package 2	3
Package 2 Height	85.000 cm
Package 2 Width	92.000 cm
Package 2 Length	62.000 cm
Package 2 Weight	81.200 kg

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free product

PVC free

Yes

Silicone-free

Yes

Use Longer

Lifetime extension

Repair

No

Use Again

Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins