

Ultrane 546

DESCRIPTION AND GENERAL PROPERTIES

- **Material** Polyurethane foam
- **Length (cm)** 22-27
- **Thickness (mm)** Light Weight
- **Wrist** Knitted wrist
- **Colour/Color** Grey / Red
- **Interior finish** Seamless textile support
- **Exterior finish** Ventilated back
- **Size / EAN** 6 7 8 9 10 11
- **Packaging** 1 pair/bag - 12 pairs/bag - 96 pairs/carton
- **Complementary information** Contains traces of DMF in compliance with occupational exposure limits
Silicone Free



PERFORMANCE RESULTS

Certification category 2



4131

Legends



MECHANICAL HAZARDS EN 388

PERFORMANCE LEVELS

0-4 0-5 0-4 0-4
 └─ Blade cut resistance
 └─ Abrasion resistance
 └─ Tear resistance
 └─ Puncture resistance



HEAT AND FIRE EN 407

PERFORMANCE LEVELS

0-4 0-4 0-4 0-4 0-4 0-4
 └─ Burning behaviour
 └─ Contact heat resistance
 └─ Convective heat resistance
 └─ Radiant heat resistant
 └─ Resistance to small drops of molten metal
 └─ Resistance to large quantities of molten metal



LOW CHEMICAL PROTECTION EN 374



MICRO-ORGANISMS EN 374



SPECIFIC CHEMICAL PROTECTION EN 374

Letter Code	Chemical product
A	Methanol
B	Acetone
C	Acetonitrile
D	Dichloromethane
E	Carbon Disulfide
F	Toluene
G	Diethylamine
H	Tetrahydrofurane
I	Ethyl acetate
J	n-Heptane
K	Sodium hydroxide 40%
L	Sulphuric acid 96%



RADIOACTIVE CONTAMINATION EN 421



COLD HAZARDS EN 511

PERFORMANCE LEVELS

0-4 0-4 0 or 1
 └─ Convective cold resistance
 └─ Contact cold resistance
 └─ Water permeability

For more details: www.mapa-pro.com

DESCRIPTION AND GENERAL PROPERTIES

- High durability at fingertips, crotch and palm for aggressive environment and repetitive operations
- High breathability guarantee
- Anatomical shape : close fit for precision

MAIN FIELDS OF USE

Automotive/mechanical industry

- Fitting small screws and fasteners
- Assembly of small parts
- Automotive assembly
- Finishing work
- Precision assembly

Other industries

- Handling of « aggressive » parts
- Packaging

INSTRUCTIONS FOR USE

Instructions for use

- It is recommended to check that the gloves are suitable for the intended use, because the conditions of use in the workplace may differ from the tests performed in the laboratory.
- It is recommended to not use them next to moving machinery
- It is not recommended for persons sensitised to natural latex(wrist with elastic natural rubber).
- Put the gloves on dry, clean hands.

Storage conditions

Store the gloves in their original packaging protected from heat, light and humidity.

Laundering conditions

Caution : using the gloves or submitting them to a cleaning or laundering process that is not specifically recommended can alter their performance levels.

Drying conditions

Ensure the inside of the gloves is dry before putting them on again.

LEGISLATION

This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council. This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).

- CE-Type Examination Certificate

0075/014/162/04/16/0381- EXT 01/04/16

- Issued by the notified body nr

CTC - 4 rue Hermann Frenkel - 69367 Lyon Cedex 07 - France

0075