DS201 L C16 APR30-L



DS201 L C16 APR30-L - RCBO



__

General Information

Extended Product Type	DS201 L C16 APR30-L
Product ID	2CSR245441R1164
EAN	8012542163206
Catalog Description	DS201 L C16 APR30-L - RCBO
Long Description	The DS201 series RCBO is a 1P+N in two-modules device for the protection of end user single-phase circuits against overload and short-circuit currents; provides an optimal trade-off between safety and continuity of service, thanks to the resistance to unwanted trippings; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA); protection and isolation of resistive and inductive loads. This product is suitable for installations where neutral on the left is needed.

_

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85363030

Popular Downloads

Data Sheet, Technical Information	1TXH000159C0301
Instructions and Manuals	9AKK106354A0766

_

Dimensions

Product Net Width	0.035 m
Product Net Height	0.085 m
Product Net Depth / Length	0.069 m
Product Net Weight	0.239 kg

Technical

Standards	IEC 61009-1 IEC 61009-2-1 EN 61009-1 EN 61009-2-1
Type of Residual Current	A type
Rated Residual Current	30 mA
Tripping Characteristic	С
Rated Current (I _n)	16 A

Number of Poles	1+N
Number of Protected Poles	1
Rated Short-Circuit Capacity (I _{cn})	(230 / 400 V AC) 4.5 kA
Position of Neutral Terminals	Left
Position of Neutral Terminals Power Loss	Left 3.4 W

_

Environmental

Ambient Air Temperature	Operation -25 +55 °C Storage -40 +70 °C
RoHS Status	Following EU Directive 2011/65/EU

_

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106713A5588
Environmental Information	refer to RoHS information
Instructions and Manuals	9AKK106354A0766
RoHS Information	2CSC422002K2701

_

Container Information

Package Level 1 Units	5 piece
Package Level 1 Width	0.253 m
Package Level 1 Height	0.088 m
Package Level 1 Depth / Length	0.108 m
Package Level 1 Gross Weight	1.446 kg
Package Level 1 EAN	8012542163213

_

Classifications

Object Classification Code	Q
ETIM 4	EC000905 - Earth leakage circuit breaker
ETIM 5	EC000905 - Earth leakage circuit breaker
ETIM 6	EC000905 - Earth leakage circuit breaker
ETIM 7	EC000905 - Earth leakage circuit breaker

_

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Residual\ Current\ Devices\ RCDs\ \rightarrow\ Residual\ Current\ Circuit\ Breakers\ with\ Overcurrent\ Protection\ RCBO$

