

# Mini DisplayPort to DisplayPort Multi-Monitor Splitter - 4-Port MST Hub


Product ID: MSTMDP124DP



This MST hub lets you connect four monitors to your Mini DisplayPort™ (mDP) 1.2 equipped Windows® tablet, laptop or desktop.

## Increase productivity with multiple screens

The newest generations of computers are more portable than ever, which often means that you're left with fewer video outputs and smaller integrated screens. This MST hub solves both of these problems by letting you connect four additional displays to your computer, which makes multitasking much easier.



### Connect to any display

With the MST hub, you can use Mini DisplayPort video adapters and cable adapters that enable you to connect HDMI, VGA or DVI displays. This ensures that your MST hub will be compatible with virtually any television, monitor or projector. The hub is VESA and DisplayPort certified to support DP 1.2 enabled systems, for seamless integration with your existing video equipment.



### Configure your displays for any environment

Using the MST hub, you can extend your desktop onto additional monitors and stream independent content to each display, giving you the freedom to multitask and increase your productivity. You can also mirror the same image onto multiple displays for remote viewing applications such as digital signage.



## Enjoy amazing video quality, without draining system resources

MST technology uses your existing video card to minimize the use of system resources while delivering Ultra HD 4K resolutions. This unprecedented performance makes MST perfect for high-resolution applications such as graphic design, gaming and medical imaging.

*Note: When using a DisplayPort 1.1 video card the MSTMDP124DP will act as a splitter, automatically mirroring your video source across all displays. Resolution limitations apply.*

The MSTMDP124DP supports plug-and-play installation for a hassle-free setup, and is backed by a StarTech.com 3-year warranty and free lifetime technical support.

*Notes: MST shares 21.6 Gbps across all attached displays. Higher resolutions can restrict the available bandwidth with the remaining ports, please see our guideline below for determining an ideal resolution for your setup. Certain graphics adapters have limited MST support and will only output to three displays in total. If more than three monitors are attached, the fourth will be disabled.*

*The Surface Pro 3, Surface Pro 4, and Surface Book only support the use of three displays in total. If this device is used with the Surface Pro 3, and three external monitors, the built-in touch screen on your Surface will be disabled.*

### Average resolution bandwidth allocation

1920x1080 (High-definition 1080p) @60hz - 22%

1920x1200 @60hz - 30%

2560x1440 @60hz - 35%

2560x1600 @60hz - 38%

3840 x 2160 (Ultra HD 4K) @30hz - 38%

Note: Exceeding 100% will reduce functionality.

Examples of supported resolution configurations

Screen 1 Resolution	Screen 2 Resolution	Screen 3 Resolution	Screen 4 Resolution	Total % of Bandwidth
1920x1080 @60hz (22%)	1920x1080 @60hz (22%)	1920x1080 @60hz (22%)	1920x1080 @60hz (22%)	88%
1920x1200 @60hz (30%)	1920x1080 @60hz (22%)	1920x1080 @60hz (22%)	1920x1080 @60hz (22%)	96%
3840x2160 @30hz (38%)	1920x1080 @60hz (22%)	1920x1080 @60hz (22%)	off	82%
3840x2160 @30hz (38%)	1920x1200 @60hz (30%)	1920x1080 @60hz (22%)	off	90%

**Examples of unsupported resolution configurations**

Screen 1 Resolution	Screen 2 Resolution	Screen 3 Resolution	Screen 4 Resolution	Total % of Bandwidth
2560x1600 @60hz (38%)	2560x1600 @60hz (38%)	1920x1200 @60hz (30%)	1920x1200 @60hz (30%)	136%
3840x2160 @30hz (38%)	2560x1600 @60hz (38%)	1920x1200 @60hz (30%)	1920x1200 @60hz (30%)	136%
3840x2160 @30hz (38%)	2560x1600 @60hz (38%)	2560x1440 @60hz (35%)	1920x1200 @60hz (30%)	141%
3840x2160 @30hz (38%)	3840x2160 @30hz (38%)	3840x2160 @30hz (38%)	off	114%

### Certifications, Reports and Compatibility



### Applications

- Add additional displays to your Surface Pro 3
- Build a four-display video wall to present entertainment to your patrons with an impressive display at a restaurant or shopping center
- Use one screen for reference data such as websites, while composing in another screen
- Dock your mDP 1.2 device and add four high-resolution displays to your workstation
- Create a panoramic video wall for digital signage applications
- Edit images, video or audio clips across four additional displays in any orientation or resolution
- Span a spreadsheet or worksheet across multiple displays, to avoid side-scrolling

### Features

- Maximize your productivity by connecting four independent displays to your computer using the MST hub
- Connect to almost any television, monitor or projector with support for low-cost adapters
- Newly engineered chipset for increased compatibility with Microsoft Surface Pro 4
- Increase external video performance with support for resolutions up to 4K
- VESA and DisplayPort certified
- Compatible with mDP 1.2 graphics cards such as AMD Radeon with Eyefinity Technology
- Plug-and-play installation

<b>Hardware</b>	Warranty	3 Years
	Active or Passive Adapter	Active
	Audio	Yes
	AV Input	Mini DisplayPort - 1.2
	AV Output	DisplayPort - 1.2
	Chipset ID	MegaChips - STDP4320
	Ports	4
<b>Performance</b>	Audio Specifications	DisplayPort - 5.1 Channel Audio
	Maximum Cable Distance To Display	6.6 ft [2 m]
	Maximum Digital Resolutions	3840 x 2160 (Ultra HD 4K) @30hz
	Supported Resolutions	1024x768 1280x720 (High-definition 720p) 1920x1080 (High-definition 1080p) 1920x1200 2560x1440 2560x1600 3840 x 2160 (Ultra HD 4K) @30hz
	Wide Screen Supported	Yes
<b>Connector(s)</b>	Connector A	1 - Mini-DisplayPort (20 pin) Male Input
	Connector B	4 - DisplayPort (20 pin) Female Output
<b>Software</b>	OS Compatibility	Windows 10 (32/64) Windows 8/8.1 (32/64) Windows 7(32/64)
<b>Power</b>	Center Tip Polarity	Positive
	Input Current	0.5 A
	Input Voltage	100 - 240 AC
	Output Current	3A
	Output Voltage	5 DC
	Plug Type	N
	Power Consumption (In Watts)	15
	Power Source	AC Adapter Included
<b>Environmental</b>	Operating Temperature	0°C to 45°C (32°F to 113°F)
	Storage Temperature	-20°C to 70°C (-4°F to 158°F)

<b>Physical Characteristics</b>	Cable Length	7.5 in [19 cm]
	Color	Black
	Material	Plastic
	Product Height	0.6 in [1.5 cm]
	Product Length	15.2 in [38.6 cm]
	Product Width	2.6 in [65 mm]
	Weight of Product	4.5 oz [127 g]
<b>Packaging Information</b>	Package Height	2.5 in [64 mm]
	Package Length	9.6 in [24.4 cm]
	Package Width	6 in [15.3 cm]
	Shipping (Package) Weight	4.2 oz [118 g]
<b>What's in the Box</b>	Included in Package	1 - 4-Port Multi Monitor Mini DisplayPort™ MST Hub 1 - Universal power adapter (NA/EU/UK/AUS) 1 - Quick install guide

Product appearance and specifications are subject to change without notice.