

Product data sheet

Specifications



Axes of PLAZT door (180° opening)

NSYAEDPLA005

Main

Range	PanelSeT
Product or component type	Hinge pin
Application	Multi-purpose
Nominal dimensions of the housing	-
Mounting location	On door
Range compatibility	PanelSeT PLAZT version
Device composition	2 x pin
Quantity per set	Set of 1

Complementary

Operating angle	180 °
-----------------	-------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.000 cm
Package 1 Width	7.000 cm
Package 1 Length	1.500 cm
Package 1 Weight	50.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	50
Package 2 Height	29.000 cm
Package 2 Width	28.000 cm
Package 2 Length	20.000 cm
Package 2 Weight	2.790 kg

Contractual warranty

Warranty (in months)	18
----------------------	----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	1341ad4e-77b9-40e3-bab0-32043fbc5959
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No

Image of product in real life situation

