

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: TITAN CARGO MC 10W-40

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS (UK) PLC.

New Century Street ST1 5HU Hanley

Telephone: +44 (0) 1782 203700

Contact Person:Product Safety departmentE-mail:product.safety@fuchs.comTelephone:+44 (0) 1782 203700

1.4 Emergency telephone number: UK NHS: Dial 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation GB-CLP.

Classification according to GB-CLP.

Health Hazards

Skin sensitizer Category 1 H317: May cause an allergic skin reaction.

Hazard summary

Physical Hazards: No data available.

2.2 Label Elements

Contains: Calcium sulfonate, borated

Calcium Sulfonate

Issue Date: 15.02.2021

Revision Date: 12.07.2024

Version: 3.1

Print date: 13.07.2024



Product name: TITAN CARGO MC 10W-40



Signal Words: Warning

Hazard Statement(s): H317: May cause an allergic skin reaction.

Precautionary Statements

Prevention: P280: Wear protective gloves/ protective clothing.

Response: P333+P313: If skin irritation or rash occurs: Get medical ad-

vice/attention.

Supplemental label information

EUH208: Contains: Calcium sulfonate, borated, Calcium Sulfonate. May

produce an allergic reaction.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective

equipment (item 8) are kept.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	UK-REACH Regis- tration No.	Notes
base oil, low viscous	EINECS: 276-738-4	20,00% - <50,00%		
Base oil, low viscous	EINECS: 265-158-7	1,00% - <10,00%		
ZnDTP	EINECS: 272-238-5	1,00% - <2,50%		
Calcium sulfonate, borated	Polymer	1,00% - <2,00%		
Calcium Sulfonate	Polymer	0,10% - <1,00%		

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Issue Date: 15.02.2021 Revision Date: 12.07.2024 Print date: 13.07.2024

SDS_GB - EN - 000000000602019264

Version: 3.1

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Product name: TITAN CARGO MC 10W-40

Classification

Chemical name	Identifier	Classification		
base oil, low viscous	EINECS: 276-738-4	GBCLP: Asp. Tox. 1;H304		
Base oil, low viscous	EINECS: 265-158-7	GBCLP: Asp. Tox. 1;H304		
ZnDTP	EINECS: 272-238-5	GBCLP: Eye Dam. 1;H318, Aquatic Chronic 2;H411		
Calcium sulfonate, borated	Polymer	GBCLP: , Skin Sens. 1B;H317, Repr. 2;H361d		
Calcium Sulfonate	Polymer	GBCLP: Skin Sens. 1B;H317		

GB-CLP

specific concentration limit

Chemical name		specific concentra- tion limit		Category	Hazard state- ments
Calcium sulfonate, borated	,	,	Toxic to reproduction Skin sensitizer	2 1B	H361d H317

For the wording of the listed hazard statements refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Nota L/ Nota N of Annex VI of Regulation GB-CLP.

SECTION 4: First aid measures

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

Issue Date: 15.02.2021 Revision Date: 12.07.2024

Print date: 13.07.2024 SDS_GB - EN - 00000000602019264



Product name: TITAN CARGO MC 10W-40

5.1 Extinguishing media

Suitable extinguishing me-

dia:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or mix-

ture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire-fighting proce-

dures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter

drains.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities:

Do not heat up to temperatures close to the flash point.

7.3 Specific end use(s): Not applicable

Issue Date: 15.02.2021 Revision Date: 12.07.2024

SDS_GB - EN - 000000000602019264

Version: 3.1 Print date: 13.07.2024



Product name: TITAN CARGO MC 10W-40

Storage Class: 10, Combustible liquids

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain air-

borne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equip-

ment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad-

hered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Avoid contact with skin and eyes. Goggles/face shield are recommended. If

risk of splashing, wear safety goggles or face shield.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufactur-

er of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser pock-

ets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing va-

pour/ aerosol.

Thermal hazards: Not known.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot-

wear that cannot be cleaned.

Environmental Controls: No data available.

Issue Date: 15.02.2021 Revision Date: 12.07.2024

Print date: 13.07.2024 SDS_GB - EN - 00000000602019264



Product name: TITAN CARGO MC 10W-40

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state:liquidForm:liquidColor:Brown

Odor: Characteristic

pH: substance/mixture is non-soluble (in water)

Freezing point: not determined Boiling Point: not determined

Flash Point: 231 °C

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas): not determined

Explosion Limit - Upper (%):

Explosion Limit - Lower (%):

Vapor pressure:

Relative vapor density:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Density: 0,87 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water: Insoluble in water Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Auto-ignition temperature:not determinedDecomposition Temperature:not determinedKinematic viscosity:97 mm2/s (40 °C)

Explosive properties:Value not relevant for classification **Oxidizing properties:**Value not relevant for classification

Particle characteristics: Not applicable

9.2 Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

n Thermal decomposition or combustion may liberate carbon oxides and oth-

Products: er toxic gases or vapors.

Issue Date: 15.02.2021 Revision Date: 12.07.2024 Print date: 13.07.2024

SDS_GB - EN - 000000000602019264

Version: 3.1



Product name: TITAN CARGO MC 10W-40

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

base oil, low viscous LD 50 (Rat): > 5.000 mg/kg (OECD 401)

Dermal

Product: Not classified for acute toxicity based on available data.

Inhalation

Product: Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Based on available data, the classification criteria are not met.

Serious Eye Damage/Eye Irritation:

Product:

Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are met.

Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

Other adverse effects: No data available.

Issue Date: 15.02.2021 Revision Date: 12.07.2024

Print date: 13.07.2024



Product name: TITAN CARGO MC 10W-40

SECTION 12: Ecological information

General information: Not applicable

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Aquatic Invertebrates Specified substance(s)

base oil, low viscous EL50 (Water Flea, 48 h): > 10.000 mg/l (OECD 202)

ZnDTP EC 50 (Water Flea, 48 h): 1,2 mg/l

Chronic Toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

base oil, low viscous NOEC (Fish, 14 d): > 1.000 mg/l

Aquatic Invertebrates Specified substance(s)

base oil, low viscous NOEC (Water Flea, 21 d): 10 mg/l (OECD 211)

Toxicity to Aquatic Plants Specified substance(s)

base oil, low viscous NOEC (Alga, 72 h): > 100 mg/l (OECD 201)

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

12.3 Bioaccumulative potential

Product: Not applicable for mixtures

12.4 Mobility in soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: No data available.

Water Hazard Class

(WGK):

WGK 2: significantly water-endangering.

Issue Date: 15.02.2021
Revision Date: 12.07.2024

Version: 3.1

Print date: 13.07.2024



9/10

Product name: TITAN CARGO MC 10W-40

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Do not empty into drains; dispose of this material and its container in a safe

way. When storing used products, ensure that the waste categories and

mixing instructions are observed.

List of Waste (LoW) Codes

13 02 05*: mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

ADR/RID

14.1 UN number or ID number:

14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s):

Hazard No. (ADR):

Tunnel restriction code:

14.4 Packing Group:

14.5 Environmental hazards:

14.6 Special precautions for user:

IMDG

14.1 UN number or ID number:

14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s):

EmS No.:

14.3 Packing Group:

14.5 Environmental hazards:

14.6 Special precautions for user:

IATA

14.1 UN number or ID number:

14.2 Proper Shipping Name:

14.3 Transport Hazard Class(es):

Class: Non-dangerous goods

Label(s):

14.4 Packing Group:

14.5 Environmental hazards:

14.6 Special precautions for user:

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

Issue Date: 15.02.2021 Revision Date: 12.07.2024

Version: 3.1 Print date: 13.07.2024



Product name: TITAN CARGO MC 10W-40

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

GB Regulations

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019:

none

The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020:

none

15.2 Chemical safety as-

sessment:

No Chemical Safety Assessment has been carried out.

DIRECTIVE Control of Major Accident Hazards Regulations 2015:

Not applicable

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child.
H411 Toxic to aquatic life with long lasting effects.

Other information: The classification complies with the current GB lists; however, it has been

supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: On the basis of test data; Calculation Method; Bridging Principle "Substantially simi-

lar mixtures"; Expert Judgement

Revision Date: 12.07.2024

Disclaimer: The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no sig-

nature.

Issue Date: 15.02.2021 Revision Date: 12.07.2024

Print date: 13.07.2024 SDS_GB - EN - 000000000602019264 Version: 3.1