


# Rittal – The System.

Faster – better – everywhere.



## VX 8660.006

### Base/plinth corner pieces with base/plinth trim panels, front and rear

State: 9/12/2025 (Source: [rittal.com/uk-en](https://www.rittal.com/uk-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# VX 8660.006 - Base/plinth corner pieces with base/plinth trim panels, front and rear for base/plinth system VX, sheet steel

Base/plinth corner pieces with trim panels for flexible cable entry.



## Features

|                 |                                                                                                                                                                                     |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model No.       | VX 8660.006                                                                                                                                                                         |
| Benefits        | Reliable – Excellent stability of the base/plinth<br>Flexible – Countless interior installation options with VX accessories<br>Simple – Flush termination between the baying points |
| Material        | Base/plinth corner piece: Sheet steel<br>Base/plinth trim panel front/rear: Sheet steel<br>Corner and baying cover: Plastic                                                         |
| Colour          | RAL 9005                                                                                                                                                                            |
| Supply includes | 4 corner covers<br>Assembly parts<br>4 base/plinth corner pieces, 100 mm high<br>2 base/plinth trim panels, front/rear, 100 mm high                                                 |
| Note            | Side base/plinth trim panels finish off a base/plinth unit or provide additional stabilisation between base/plinths or enable interior configuration of the base/plinth             |
| Dimensions      | Height: 100 mm                                                                                                                                                                      |

# Features

|                               |                                                                                                                 |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------|
| To fit                        | Enclosure type: VX<br>VX IT<br>VX SE<br>TX CableNet<br>TS<br>TS IT<br>TP<br>PC<br>IW<br>CX<br>Width: = 1,100 mm |
| Type rating to UL 50E         | Type 1<br>Type 12                                                                                               |
| Weight/pack                   | 6.6 kg                                                                                                          |
| Packs of                      | 2 pc(s).                                                                                                        |
| Net weight                    | 6.4                                                                                                             |
| Gross weight                  | 6.6                                                                                                             |
| PCF per pack (cradle-to-gate) | 25.1 kg CO2 eq (Cat B)                                                                                          |
| Note on PCF category          | Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared  |
| Customs tariff number         | 94039910                                                                                                        |
| EAN                           | 4028177978164                                                                                                   |
| ETIM 9                        | EC000721                                                                                                        |
| ETIM 8                        | EC000721                                                                                                        |
| ECLASS 8.0                    | 27182003                                                                                                        |

# Approvals

|              |                  |
|--------------|------------------|
| Approvals    | UL + C-UL - FTTA |
| Explanations | PCF-declaration  |