

Product data sheet

Miniature connectors




Product description **Snap-In Twin distributors, Y-distributor, Contacts: 3, unshielded, pluggable, IP67, UL 2238, VDE**

Area **Snap-In IP67**
 Series **720**
 Part no. **79 9179 000 03**


Illustration




Pin assignment plans



Scale drawing



Contact arrangement (Plug-in side)



Technical data

General features

Part no.	79 9179 000 03
Connector design	Twin distributors, Y-distributor
Version	Twin distributors
Connector locking system	snap-in
Termination	pluggable
Degree of protection	IP67
Temperature range from/to	-25 °C / 85 °C
Mechanical operation	> 500 Mating cycles
Weight (g)	33.00
Customs tariff number	85444290
Country of Origin	DE

Electrical parameters

Rated voltage	250 V
---------------	-------



Product data sheet

Miniature connectors



Product description	Snap-In Twin distributors, Y-distributor, Contacts: 3, unshielded, pluggable, IP67, UL 2238, VDE
Area	Snap-In IP67
Series	720
Part no.	79 9179 000 03

Rated impulse voltage	2500 V
Rated current	7.0 A
Pollution degree	2
Overvoltage category	II
Insulating material group	II
EMC compliance	unshielded

Material

Housing material	PA
Contact body material	PA
Contact material	CuZn (brass) / CuSn (bronze)
Contact plating	Au (gold)
REACH SVHC	CAS 7439-92-1 (Lead)
SCIP number	eea5ea36-ab3c-44dd-9e67-c4fba994a029

Authorization/approvals

Approvals	UL 2238, VDE
-----------	--------------

Classifications

eCl@ss 11.1	27-06-03-11
ETIM 9.0	EC002638

Declarations of conformity

Low Voltage Directive	2014/35/EU (EN 60529:1991 2014/35/EU;EN 60204-1:2018)
-----------------------	---



Product description	Snap-In Twin distributors, Y-distributor, Contacts: 3, unshielded, pluggable, IP67, UL 2238, VDE
Area	Snap-In IP67
Series	720
Part no.	79 9179 000 03

General Disclaim Notice

The connector must not be plugged or unplugged under load. Non-observance and improper use can result in personal injury.

The connectors have been developed for applications in plant engineering, control and electrical equipment construction. The user is responsible for checking whether the connectors can also be used in other areas of application.

Connectors which are used in circuits with voltages dangerous to the touch may only be installed and used by, or under the supervision of, persons with electrical engineering training, taking into account the applicable regulations and standards.

The user must take suitable safety precautions to ensure that the connector cannot be accidentally disconnected.

Plug connectors with enclosure protection IP67 and IP68 are not suitable for use under water. When used outdoors, the plug connectors must be protected separately against corrosion. For further information on the IP protection classes, please refer to the "Technical Information" download centre.

Please observe the pollution degree and the overvoltage category. For further information, please refer to the download center "Technical Information".