

Product data sheet

Specifications



Repacked, low voltage relay, Acti9 iRBN, 5mA (5VAC), 5mA (5VDC), 230VAC

A9A15393W



This repacked option saves 0.57 over the standard condition

Main

Device application	Low level interface relay
Function available	Actuation of low-amperage electronic circuits upon receiving LV order
Range	Acti9
Product name	Acti9 iRBN
Product or component type	Relay
Device short name	iRBN
Signal contacts composition	1 C/O
[Uc] control circuit voltage	230 V AC 50/60 Hz

Complementary

[Ie] rated operational current	2 A at 250 V AC 0.005 A at 5 V AC 0.005 A at 5 V DC
[Ui] rated insulation voltage	4000 V
Local signalling	LED (green) for power ON
Supply holding power	2.5 VA
Supply inrush power	5 VA
Mounting mode	Fixed
Mounting support	35 mm symmetrical DIN rail
9 mm pitches	2
Electrical durability	100000 cycles
Connections - terminals	Tunnel type terminals

Environment

Standards	IEC 529 IEC 255-100
-----------	------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	7.000 cm
Package 1 Length	9.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	66.000 g
Unit Type of Package 2	S01
Number of Units in Package 2	24
Package 2 Height	15.000 cm
Package 2 Width	15.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	1.770 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Lower carbon footprint

0.6 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

SCIP Number

429095ee-388a-4184-bea4-16f87e374975

EU RoHS Directive

[Compliant By Exemption](#)

REACH Regulation

[Reference contains Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins