

Intertek



Intertek

The **ASTA Diamond Mark** is a symbol of electrical safety. It provides evidence for customers and authorities that Intertek has independently tested and certified the product's compliance to applicable safety standards, also that Intertek monitors production and testing to ensure subsequent production continues to comply with stated standards.

This Licence is valid until the review date or earlier if preceded by the withdrawal of the Approval Standard or otherwise withdrawn by the Certification Body. Current validity status can be confirmed by contacting:
Intertek
Hilton House,
Corporation Street,
Rugby, CV21 2DN
United Kingdom
Tel: +44 (0)1788 578435
asta@intertek.com

Details of Approved variants, components and sites are given on Endorsements to this Licence (6 pages)

ASTA Licence

This Licence authorises use of the

ASTA Diamond Mark

Licence No. 275

Organisation:

Holder Industries Limited

Block D, 1/F., Chung Hing Industrial Mansion, 2-4 Luk Hop Street,
San Po Kong, Kowloon, Hong Kong

Product:

Designation:

Shuttered Socket-outlet

1891, 1892, PC2871, PC2872

2871, 2872, 2871M, 2872M

2891, 2892, 2971, 2972, 2991, 2992, 2992M

H1871, H1872, H2871, H2872, H2971, H2972

1871, 1871M, 1872, 1872M, 2971M

HO2972M, 2872/TE, H2872/TE, H2872M/TE

H2872/TE-N, H2871N, 2972/TE, 2972M/TE,

H2972/TE

Colour(s):

250 Volts a.c. 50 Hz

Single and multiple

Unfused

As Endorsements

13 Amperes

Switched and unswitched

Fixed, flush, with and without indicator lamp

Approval Standard:

BS 1363-2: 1995 + A4: 2012

Issue number:

14

Review date:

30th June 2019

Factory Reference:

LQ-75



010

R W Hayward

Name

Signature

14th August 2014

Date

ASTA Certificates, ASTA Licences and ASTA Test Reports

ASTA Certificates, ASTA Licences and ASTA Test Reports are issued by Intertek for the exclusive use of the party applying for the Certificate, Licence or Test Report and any related testing. Intertek assumes no liability to any parties other than those with which it has an agreement and then only in accordance with the agreed Terms and Conditions.

The Applicant is authorised to copy or distribute ASTA Certificates, ASTA Licences and ASTA Test Reports provided the entire contents are included, or Certificate Front Sheets accompanied by any associated pages on which are stated the assigned rated characteristics and no part is obscured or illegible, or Licence front sheets. Permission must be obtained from Intertek before any other kind of reproduction is made.

The holder of an ASTA Certificate may claim in Trade Journals, Catalogues, Technical Articles etc., and without the prior approval of Intertek that the product identified in an ASTA Certificate is ASTA Certified.

The holder of an ASTA Licence may claim in Trade Journals, Catalogues, Technical Articles etc., and without the prior approval of Intertek that the product identified in an ASTA Licence is ASTA Approved.

To minimise the possibility of any misunderstanding such claims must clearly identify the product(s) certified or approved, the ratings verified by ASTA and the Standard against which certification/approval has been made.

Any other use of the Intertek or ASTA names must first be approved in writing by Intertek. Test results and ratings proven by testing included in ASTA Certificates and ASTA Test Reports relate specifically to the sample(s) tested.

Types of ASTA Certificates

Certificates are issued when samples of a particular product design have been tested satisfactorily against the requirements of a National, European, International or ASTA Standard. Several forms of Certificate are available, including:

Certificate of Complete Compliance

Verifies compliance with all the requirements of a Standard

Certificate of Type/Verification Tests

Verifies complete series of type/verification tests prescribed in a Standard has been made successfully.

Certificate of Selected Type/Verification Tests

Verifies specified type/verification tests have been made successfully

Supplementary Certificate

Extends the scope of an existing Certificate to cover changes in rating or in design

ASTA Test Report

An ASTA Test Report is issued when tests otherwise satisfactory cannot be included in a Certificate for one or more reasons, e.g. verification of non-standard ratings

ASTA Licences and ASTA Diamond Mark

The use of the ASTA Diamond Mark on products is authorised by an ASTA Licence. Products covered by an ASTA Licence can be referred to as ASTA Approved. Requirements for ASTA Licences include testing for full compliance with relevant standards and satisfactory, on-going assessment of production. Validity and use of ASTA Licences are subject to compliance with Intertek ASTA & BEAB Marks Certification Regulations.

Authenticity

Authenticity of any ASTA document can be confirmed by contacting Intertek's Rugby office, telephone +44 1788 578435 or asta@intertek.com

ASTA Licence No. 275, Endorsement 1 of 6

Product: Shuttered Socket-outlet

Designation: 1891, 1892, PC2871, PC2872

2871, 2872, 2871M, 2872M

2891, 2892, 2971, 2972, 2991, 2992, 2992M

H1871, H1872, H2871, H2872, H2971, H2972

1871, 1871M, 1872, 1872M, 2971M

HO2972M, 2872/TE, H2872/TE, H2872M/TE

H2872M/TE-N, H2871N, 2972/TE, 2972M/TE, H2972/TE

Approved sites for manufacture/production:

Components & Assembly – Holder Electrical Accessories (Dongguan) Limited
Sha Jiao Administration District
Hu Men
Tai Ping
Dong Guan City
Guangdong Province
Peoples Republic of China

Conditions for maintenance of Licence:

- 1) Compliance with Certification Regulations.
- 2) Inspection of manufacturing facilities each year with satisfactory outcome.
- 3) Surveillance testing of production samples at required intervals with satisfactory outcome.
- 4) Satisfactory actions in the event of any compliance and/or safety issues becoming known after product has been supplied.
- 5) Prompt payment of invoices.

Licence Renewal:

Licence fee will be invoiced annually during the month of December.

The Licence document will be reissued following any changes advised or variants tested. A fee may be charged for reissue.

Surveillance samples:

Samples are required to be tested in accordance with Intertek surveillance testing programmes.

Samples should preferably be selected during scheduled Factory inspection visits.

The fee for testing will be invoiced at the time of testing. A summary of testing will be provided.

Use of the ASTA Mark:

The ASTA Mark may be used on the product and in marketing material relating to the product, as permitted by the Certification Regulations.

The Licence number should be marked on the product (mandatory on BS 1363 plugs, where feasible on other products) in a form agreed by Intertek, such as:

“Approved by ASTA Licence no. 275”.

Marketing of product with alternative designation(s) or brand name(s):

This Licence relates only to products specifically described herein. Any alternative designations and/or brand names should be advised to Intertek. The Licence will then be reissued accordingly. Alternative brand names (if applicable) are shown on an Annex to this Licence.

ASTA Licence No. 275, Endorsement 2 of 6

Product: Shuttered Socket-outlet

Designation: 1891, 1892, PC2871, PC2872

2871, 2872, 2871M, 2872M

2891, 2892, 2971, 2972, 2991, 2992, 2992M

H1871, H1872, H2871, H2872, H2971, H2972

1871, 1871M, 1872, 1872M, 2971M

HO2972M, 2872/TE, H2872/TE, H2872M/TE

H2872M/TE-N, H2871N, 2972/TE, 2972M/TE, H2972/TE

Compliance Testing:

Reason for test	ASTA Certificate
Complete compliance	12622
Modification – modified backplate	S13351
Modification – alternative faceplate	S13887
Modification – alternative configurations and designations	S14058
Modification – alternative faceplate	S14102
Modification – alternative components	S15697
Modification – alternative rocker for switch	S15698
Complete compliance and new variants 2871, 2872 etc.	16830
Supplementary tests to prove compliance with BS 1363-2: 1995 Amendment No. 2	S16964
Complete compliance – 2971 and 2972 variants Supplementary tests to prove 1871, 1871MPI, 1871MPC, 1872, 1872MPI, 1872MPC variants	17554
Modification – clearance with alternative terminal screw for Model 2992	17586
Modification - alternative urea supplier	
Complete compliance – H1871 to H2972 variants	
Supplementary tests to prove steel faceplate 2992MG/FE	S17882
Complete compliance for Model HO2972M and supplementary compliance test for model 2971M to BS 1363-2:1995 +A4:2012	19243
Modification – alternative earth strap	S19311
Complete compliance – 2872/TE, H2872/TE, H2872M/TE variants to BS 1363-2: 1995 + A4: 2012	19329
Complete compliance – 2972/TE, 2972M/TE, H2972/TE	19677
Supplementary compliance to update all approved models to BS 1363-2: 1995 + A4: 2012 and addition of Models H2871N & H2872/TE-N with neon indicators	S19749

ASTA Licence No. 275, Endorsement 3 of 6

Product: Shuttered Socket-outlet

Designation: 1891, 1892, PC2871, PC2872

2871, 2872, 2871M, 2872M

2891, 2892, 2971, 2972, 2991, 2992, 2992M

H1871, H1872, H2871, H2872, H2971, H2972

1871, 1871M, 1872, 1872M, 2971M

HO2972M, 2872/TE, H2872/TE, H2872M/TE

H2872M/TE-N, H2871N, 2972/TE, 2972M/TE, H2972/TE

Product Variations:

250 V, 13A, one and two gang, unfused, fixed

Product Designation	Gangs	Switch	Neon	Faceplate	Insert	Base
1891	1	No	No	White Urea	N/a	Black PA66
1891M--	1	No	No	Metal	Black or white PBT	Black PA66
1892	2	No	No	White Urea	N/a	Black PA66
1892M--	2	No	No	Metal	Black or white PBT	Black PA66
2891	1	Yes 1 pole	No	White Urea	N/a	Black PA66
2891W	As 2891, but with a wide rocker					
2891M--	1	Yes 1 pole	No	Metal	Black or white PBT	Black PA66
2892	2	Yes 1 pole	No	White Urea	N/a	Black PA66
2892W	As 2892, but with a wide rocker					
2892M--	2	Yes 1 pole	No	Metal	Black or white PBT	Black PA66

Suffix key for decorative faceplate types for items above

Items with suffix "M--" have decorative faceplates, including brass, steel and plated steel. Other variations with matching characteristics are also permitted. Sockets are also available with a powder coated steel faceplate and powder coated steel backbox for surface mounting. Sockets suffix –MD have a woodgrain decoration on a urea faceplate.

Example - 2892MCB = 2 gang, switched, no indicator with brass, round edged faceplate, with black or white insert and black base

Product: Shuttered Socket-outlet

Designation: 1891, 1892, PC2871, PC2872

2871, 2872, 2871M, 2872M

2891, 2892, 2971, 2972, 2991, 2992, 2992M

H1871, H1872, H2871, H2872, H2971, H2972

1871, 1871M, 1872, 1872M, 2971M

HO2972M, 2872/TE, H2872/TE, H2872M/TE

H2872M/TE-N, H2871N, 2972/TE, 2972M/TE, H2972/TE

Product Variations:

250 V, 13A, one and two gang, unswitched, unfused, fixed, flush mounting

Product Designation	Gangs	Switch	Neon	Faceplate	Insert	Base
1871	1	No	No	White Urea	N/a	Black PC
1872	2	No	No	White Urea	N/a	Black PC
1871M--	1	No	No	Metal or PC	White PC	Black PC
1872M--	2	No	No	Metal or PC	White PC	Black PC

Product Variations:

250 V, 13A, one and two gang, switched, one pole, unfused, fixed, flush mounting

Product Designation	Gangs	Switch	Neon	Faceplate	Insert	Base
PC2871	1	Yes	No	White PC	N/a	Black PA66
PC2872	2	Yes	No	White PC	N/a	Black PA66
2871	1	Yes	No	White Urea	N/a	Black PA66
2872	2	Yes	No	White Urea	N/a	Black PA66
2871M--	1	Yes	No	Metal or PC	White PC	Black PA66
2872M--	2	Yes	No	Metal or PC	White PC	Black PA66

Suffix key for decorative faceplate types for items above

Items with suffix "M--" have decorative faceplates, including brass, steel and plated steel. Other variations with matching characteristics are also permitted. Sockets are also available with a powder coated steel faceplate and powder coated steel backbox for surface mounting.

Product: Shuttered Socket-outlet

Designation: 1891, 1892, PC2871, PC2872

2871, 2872, 2871M, 2872M

2891, 2892, 2971, 2972, 2991, 2992, 2992M

H1871, H1872, H2871, H2872, H2971, H2972

1871, 1871M, 1872, 1872M, 2971M

HO2972M, 2872/TE, H2872/TE, H2872M/TE

H2872M/TE-N, H2871N, 2972/TE, 2972M/TE, H2972/TE

Product Variations:

250 V, 13A, one and two gang, switched, unfused, fixed, flush mounting

Product Designation	Gangs	Switch	Neon	Faceplate	Insert	Base
2971	1	Yes 2 pole	No	White Urea	N/a	Black PC
2972	2	Yes 2 pole	No	White Urea	N/a	Black PC
2971M--	1	Yes 2 pole	No	Metal or PC	White PBT	Black PC
2972M--	2	Yes 2 pole	No	Metal or PC	White PC	Black PC

Product Variations:

250 V, 13A, one and two gang, switched, unfused, fixed, flush mounting

Product Designation	Gangs	Switch	Neon	Faceplate	Insert	Base
2991	1	Yes 2 pole	No	White Urea	N/a	Black PA66
2992	2	Yes 2 pole	No	White Urea	N/a	Black PA66
2991M--	1	Yes 2 pole	No	Metal	White PBT	Black PA66
2992M--	2	Yes 2 pole	No	Metal	White PBT	Black PA66
HO2972M	2	Yes 2 pole	No	Metal	White PC	Black PC

Suffix key for decorative faceplate types for items above

Items with suffix "M--" have decorative faceplates, including brass, steel and plated steel. Other variations with matching characteristics are also permitted. Sockets are also available with a powder coated steel faceplate and powder coated steel backbox for surface mounting.

Product: Shuttered Socket-outlet

Designation: 1891, 1892, PC2871, PC2872

2871, 2872, 2871M, 2872M

2891, 2892, 2971, 2972, 2991, 2992, 2992M

H1871, H1872, H2871, H2872, H2971, H2972

1871, 1871M, 1872, 1872M, 2971M

HO2972M, 2872/TE, H2872/TE, H2872M/TE

H2872M/TE-N, H2871N, 2972/TE, 2972M/TE, H2972/TE

Product Variations:

250 V, 13A, one and two gang, unfused, fixed, flush mounting

Product Designation	Gangs	Switch	Neon	Faceplate	Insert	Base
H1871	1	No	No	White Urea	N/a	Black PC
H1872	2	No	No	White Urea	N/a	Black PC
H2871	1	Yes 1 pole	No	White Urea	N/a	Black PC
H2871N	1	Yes 1 pole	Yes	White Urea	N/a	Black PC
H2872	2	Yes 1 pole	No	White Urea	N/a	Black PC
H2971	1	Yes 2 pole	No	White Urea	N/a	Black PC
H2972	2	Yes 2 pole	No	White Urea	N/a	Black PC

Product Variations

250V, 13A, two gangs, unfused, fixed, flush mounting with twin earth strips

Product Designation	Gangs	Switch	Neon	Faceplate	Insert	Base
2872/TE	2	Yes 1 pole	No	White Urea	N/a	Black PC
2972/TE	2	Yes 2 pole	No	White Urea	N/a	Black PC
H2872/TE	2	Yes 1 pole	No	White Urea	N/a	Black PC
H2872/TE-N	2	Yes 1 pole	Yes	White Urea	N/a	Black PC
H2972/TE	2	Yes 2 pole	No	White Urea	N/a	Black PC
H2872M/TE	2	Yes 1 pole	No	Metal	White PC	Black PC
2972M/TE	2	Yes 2 pole	No	Metal	White PC	Black PC

Items with suffix "M--" have decorative faceplates, including brass, steel and plated steel. Other variations with matching characteristics are also permitted.

Endorsement to ASTA Licence 275 issue number: 14 dated 12th August 2014

Contact: asta@intertek.com

Website: www.intertek.com