



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


| LOC | | DIST | | REVISIONS | | | | |
|-----|-----|-------------|---------------------------|-----------|-----|------|--|--|
| P | LTR | DESCRIPTION | | DATE | DWN | APVD | | |
| CM | 00 | G3 | REVISED PER ECO-11-014117 | 14JUL11 | HMR | SM | | |

| YES | DIM A | NO. OF CIRCUITS | PART NO. |
|-----|--------------|-----------------|------------|
| YES | 71.12[2.800] | 28 | 5-643815-8 |
| YES | 68.58[2.700] | 27 | 5-643815-7 |
| YES | 66.04[2.600] | 26 | 5-643815-6 |
| YES | 63.50[2.500] | 25 | 5-643815-5 |
| YES | 60.96[2.400] | 24 | 5-643815-4 |
| YES | 58.42[2.300] | 23 | 5-643815-3 |
| YES | 55.88[2.200] | 22 | 5-643815-2 |
| YES | 53.34[2.100] | 21 | 5-643815-1 |
| YES | 50.80[2.000] | 20 | 5-643815-0 |
| YES | 48.26[1.900] | 19 | 4-643815-9 |
| YES | 45.72[1.800] | 18 | 4-643815-8 |
| YES | 43.18[1.700] | 17 | 4-643815-7 |
| YES | 40.64[1.600] | 16 | 4-643815-6 |
| YES | 38.10[1.500] | 15 | 4-643815-5 |
| YES | 35.56[1.400] | 14 | 4-643815-4 |
| YES | 33.02[1.300] | 13 | 4-643815-3 |
| YES | 30.48[1.200] | 12 | 4-643815-2 |
| YES | 27.94[1.100] | 11 | 4-643815-1 |
| YES | 25.40[1.000] | 10 | 4-643815-0 |
| YES | 22.86[.900] | 9 | 3-643815-9 |
| YES | 20.32[.800] | 8 | 3-643815-8 |
| YES | 17.78[.700] | 7 | 3-643815-7 |
| YES | 15.24[.600] | 6 | 3-643815-6 |
| YES | 12.70[.500] | 5 | 3-643815-5 |
| YES | 10.16[.400] | 4 | 3-643815-4 |
| YES | 7.62[.300] | 3 | 3-643815-3 |
| YES | 5.08[.200] | 2 | 3-643815-2 |

| NO | DIM A | NO. OF CIRCUITS | PART NO. | REMARKS |
|----------|--------------|-----------------|------------|--------------------------|
| NO | 71.12[2.800] | 28 | 2-643815-8 | SUPERSEDED BY 5-643815-8 |
| NO | 68.58[2.700] | 27 | 2-643815-7 | SUPERSEDED BY 5-643815-7 |
| NO | 66.04[2.600] | 26 | 2-643815-6 | SUPERSEDED BY 5-643815-6 |
| NO | 63.50[2.500] | 25 | 2-643815-5 | SUPERSEDED BY 5-643815-5 |
| NO | 60.96[2.400] | 24 | 2-643815-4 | OBSOLETE |
| NO | 58.42[2.300] | 23 | 2-643815-3 | SUPERSEDED BY 5-643815-3 |
| NO | 55.88[2.200] | 22 | 2-643815-2 | SUPERSEDED BY 5-643815-2 |
| NO | 53.34[2.100] | 21 | 2-643815-1 | SUPERSEDED BY 5-643815-1 |
| NO | 50.80[2.000] | 20 | 2-643815-0 | |
| NO | 48.26[1.900] | 19 | 1-643815-9 | SUPERSEDED BY 4-643815-9 |
| NO | 45.72[1.800] | 18 | 1-643815-8 | SUPERSEDED BY 4-643815-8 |
| NO | 43.18[1.700] | 17 | 1-643815-7 | OBSOLETE |
| NO | 40.64[1.600] | 16 | 1-643815-6 | |
| NO | 38.10[1.500] | 15 | 1-643815-5 | SUPERSEDED BY 4-643815-5 |
| NO | 35.56[1.400] | 14 | 1-643815-4 | |
| NO | 33.02[1.300] | 13 | 1-643815-3 | SUPERSEDED BY 4-643815-3 |
| NO | 30.48[1.200] | 12 | 1-643815-2 | SUPERSEDED BY 4-643815-2 |
| NO | 27.94[1.100] | 11 | 1-643815-1 | |
| NO | 25.40[1.000] | 10 | 1-643815-0 | |
| NO | 22.86[.900] | 9 | 643815-9 | |
| NO | 20.32[.800] | 8 | 643815-8 | |
| NO | 17.78[.700] | 7 | 643815-7 | |
| NO | 15.24[.600] | 6 | 643815-6 | |
| NO | 12.70[.500] | 5 | 643815-5 | |
| NO | 10.16[.400] | 4 | 643815-4 | |
| NO | 7.62[.300] | 3 | 643815-3 | |
| NO | 5.08[.200] | 2 | 643815-2 | |
| LEADFREE | DIM A | NO. OF CIRCUITS | PART NO. | |



- 1 MATERIAL: CONNECTOR - NYLON UL94V-2 (BLUE).
CONTACTS - 0.30[.012] THICK COPPER ALLOY
BRIGHT TIN-LEAD .00203[.000080] MIN THICKNESS
FOR 643815-2 THRU 2-643815-8.
MATTE WHISKER MITIGATED TIN .00203[.000080] MIN THICKNESS
OVER NICKEL UNDERPLATE FOR 3-643815-2 THRU 5-643815-8.
- 2. CONTACTS ACCEPT 26 AWG WIRE WITH 1.52[.060] MAX INSULATION DIAMETER.
- 3. CONTACTS MUST ACCEPT 0.64±0.03[.025] POST AND REMAIN LOCKED IN POSITION.
- 4 IDENTIFICATION NUMBER FOR LAST CIRCUIT MAY NOT APPEAR ON ALL ASSEMBLIES.
- 5. DIMENSIONS IN BRACKETS ARE IN INCHES.
- 6. HOUSING FEATURES ARE: CLOSED END WITH LOCKING RAMP AND WITH POLARIZING TAB.
- 7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



| | | | | |
|--|---------------------|----------------------------------|-----------|------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S. CARPENTER 11JUN2003 | | |
| DIMENSIONS: mm [INCHES] | | CHK D. BOSSI 11JUN2003 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD D. BOSSI 11JUN2003 | NAME | |
| 0 PLC ± | 1 PLC ± | 108-1050 | | |
| 2 PLC ± | 3 PLC ± 0.13 [.005] | APPLICATION SPEC | | |
| 4 PLC ± | ANGLES ± | 114-1019 | | |
| MATERIAL | FINISH | SIZE | CAGE CODE | DRAWING NO |
| 1 | 1 | A2 | 00779 | C=643815 |
| CUSTOMER DRAWING | | SCALE | SHEET | REV |
| | | 5:1 | 1 of 1 | G3 |