

Fiche technique du produit

Spécifications



Harmony - étiquette - 30x40 - métallique - texte AUTO-MAIN noir

ZBYM2166

Statut commercial: Commercialisé

Principales

Type de produit ou équipement Plaque étiquette

Catégorie d'accessoire / de pièce détachée Divers

Batteries & durée de fonctionnement

Matière	Métal
Composition de l'appareil	Étiquette repérée Plaque de légende
Destination d'accessoire / de pièce détachée	Unités à tête carrée de commande et signalisation Ø 22 mm Pour tête standard
Compatibilité de gamme	Harmony XB5N/XB7N Harmony XB4R
Dimension du porte étiquette	30 x 50 mm
Marquage	Noir ARRIBA
Langue utilisateur	Français

Emballage

Type d'emballage 1	PCE
Nb produits dans l'emballage 1	1
Hauteur de l'emballage 1	11,0 cm
Largeur de l'emballage 1	0,1 cm
Longueur de l'emballage 1	15,0 cm
Poids de l'emballage 1	4,0 g
Type d'emballage 2	BAG
Nb produits dans l'emballage 2	10
Hauteur de l'emballage 2	11,0 cm
Largeur de l'emballage 2	0,1 cm
Longueur de l'emballage 2	15,0 cm
Poids de l'emballage 2	41,0 g

Garantie contractuelle

Garantie 18 mois



Schneider Electric vise à atteindre le statut de Net Zero d'ici 2050 grâce à des partenariats avec la chaîne logistique, des matériaux à faible impact et une circularité via notre campagne en cours "Use Better, Use Longer, Use Again" pour prolonger la durée de vie des produits et leur recyclabilité.

[Environmental Data expliquées >](#)

Use Better

Matières et Substances

Emballage sans plastique	Non
--------------------------	-----

Use Again

Réemballer et réusiner

Reprise	No
---------	----

Offer Marketing Illustration

Product benefits / Features

Technical Benefits

Harmony XB5

Conformity with IEC,
UL, CSA, CCC EAC, and
JIS standards, as well as
CE marking and marine
approvals



Operating temperature
from -40°C to 70°C

Up to IP66, 67, 69,
69K, and type
4X protection ratings



Shock protection level
up to IK06

High vibration resistance
with shake-proof
terminal screws

Secure switching of
inductive or heavy DC
loads directly – 100 000
operations at 10A, 24V dc

Offer Marketing Illustration

Product benefits / Features

Features
Harmony XB5



-  Quick and easy assembly and disassembly
-  Excellent mechanical connection with operator head
-  Various types of connection: screw clamp, connector, Faston connector, spring terminal, or printed circuit board
-  Large set of accessories to customize your panels
-  Robustness to withstand harsh environments

Fiche technique du produit

ZBYM2166

Image of product / Alternate images

Alternative



**Fiche technique du
produit**

ZBYM2166



