## **SIEMENS**

Data sheet 3SB2304-2H



Lampholder, Wedge base W2 x 4.6 d, with incandescent lamp 24 V, with holder

Figure similar

product brand name	SIRIUS	
product designation	lampholder	
product type designation	3SB2	
Contact block/ lampholder		
socket design	W2 x 4.6d	
number of lampholders	1	
General technical data		
product function EMERGENCY STOP function	No	
product component		
<ul><li>diode</li></ul>	No	
<ul> <li>lamp transformer</li> </ul>	No	
<ul> <li>light source</li> </ul>	Yes	
<ul><li>series resistor</li></ul>	No	
suitability for integration	front element	
protection class IP		
<ul> <li>of the enclosure</li> </ul>	IP00	
<ul> <li>of the terminal</li> </ul>	IP00	
vibration resistance according to IEC 60068-2-6	20 200 Hz: 5g	
reference code according to IEC 81346-2	P	
Substance Prohibitance (Date)	07/01/2006	
operating voltage		
• at AC		
— at 50 Hz rated value	5 60 V	
— at 60 Hz rated value	5 60 V	
<ul> <li>at DC rated value</li> </ul>	5 60 V	
Supply voltage		
type of voltage of the supply voltage of the light source	AC/DC	
supply voltage of the light source at AC		
<ul> <li>at 50 Hz rated value</li> </ul>	24 V	
<ul> <li>at 60 Hz rated value</li> </ul>	24 V	
supply voltage 1 of the light source at DC rated value	24 V	
relative negative tolerance of the supply voltage	-15 %	
relative positive tolerance of the supply voltage	10 %	
Auxiliary circuit		
number of NC contacts for auxiliary contacts	0	
number of NO contacts for auxiliary contacts	0	
number of CO contacts for auxiliary contacts	0	
operational current at DC-13		
at 24 V rated value	3 A	
Connections/ Terminals		

type of electrical connection	tab terminals	
Lamp		
type of light source	filament lamp	
color of the light source	clear	
Ambient conditions		
ambient temperature		
<ul> <li>during operation</li> </ul>	-25 +60 °C	
<ul><li>during storage</li></ul>	-40 +80 °C	
Installation/ mounting/ dimensions		
fastening method	front plate mounting	
height	19 mm	
width	19 mm	
depth	46 mm	
Certificates/ approvals		
General Product Approval		Declaration of Conformity













other

Confirmation

## Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SB2304-2H

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SB2304-2H

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3SB2304-2H

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax\_de.aspx?mlfb=3SB2304-2H&lang=en

last modified: 1/27/2022 🖸