



## RS Pro High Temperature Grease #251-3722 (AUS)

### RS Components

Chemwatch: 5421-81

Version No: 2.1.1.1

Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: 1

Issue Date: 21/08/2020

Print Date: 07/09/2020

L.GHS.AUS.EN

#### SECTION 1 Identification of the substance / mixture and of the company / undertaking

##### Product Identifier

|                               |  |
|-------------------------------|--|
| Product name                  | RS Pro High Temperature Grease #251-3722 (AUS) |
| Synonyms                      | Not Available                                  |
| Other means of identification | Not Available                                  |

##### Relevant identified uses of the substance or mixture and uses advised against

|                          |            |
|--------------------------|------------|
| Relevant identified uses | Lubricant. |
|--------------------------|------------|

##### Details of the supplier of the safety data sheet

|                         |  |
|-------------------------|--|
| Registered company name | RS Components  |
| Address                 | 25 Pavesi Street Smithfield NSW 2164 Australia                 |
| Telephone               | +1 300 656 636   |
| Fax                     | +1 300 656 696   |
| Website                 | <a href="http://www.au.rs-online.com">www.au.rs-online.com</a> |
| Email                   | Not Available  |

##### Emergency telephone number

|                                   |                              |
|-----------------------------------|------------------------------|
| Association / Organisation        | CHEMWATCH EMERGENCY RESPONSE |
| Emergency telephone numbers       | +61 2 9186 1132              |
| Other emergency telephone numbers | +61 1800 951 288             |

Once connected and if the message is not in your preferred language then please dial 01

#### SECTION 2 Hazards identification

##### Classification of the substance or mixture

**NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.**

##### ChemWatch Hazard Ratings

|              | Min | Max |
|--------------|-----|-----|
| Flammability | 1   |     |
| Toxicity     | 0   |     |
| Body Contact | 1   |     |
| Reactivity   | 0   |     |
| Chronic      | 0   |     |

0 = Minimum  
1 = Low  
2 = Moderate  
3 = High  
4 = Extreme

|                    |                |
|--------------------|----------------|
| Poisons Schedule   | Not Applicable |
| Classification [1] | Not Applicable |

##### Label elements

|                     |                |
|---------------------|----------------|
| Hazard pictogram(s) | Not Applicable |
| Signal word         | Not Applicable |

##### Hazard statement(s)

## RS Pro High Temperature Grease #251-3722 (AUS)

Not Applicable

**Precautionary statement(s) Prevention**

Not Applicable

**Precautionary statement(s) Response**

Not Applicable

**Precautionary statement(s) Storage**

Not Applicable

**Precautionary statement(s) Disposal**

Not Applicable

**SECTION 3 Composition / information on ingredients****Substances**

See section below for composition of Mixtures

**Mixtures**

| CAS No        | %[weight] | Name                                       |
|---------------|-----------|--|
| Not Available | 100       | Ingredients determined not to be hazardous |

**SECTION 4 First aid measures****Description of first aid measures**

|                     |  |
|---------------------|--|
| <b>Eye Contact</b>  | If this product comes in contact with eyes: <ul style="list-style-type: none"> <li>▶ Wash out immediately with water.</li> <li>▶ If irritation continues, seek medical attention.</li> <li>▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>  |
| <b>Skin Contact</b> | If skin or hair contact occurs: <ul style="list-style-type: none"> <li>▶ Flush skin and hair with running water (and soap if available).</li> <li>▶ Seek medical attention in event of irritation.</li> </ul>  |
| <b>Inhalation</b>   | <ul style="list-style-type: none"> <li>▶ If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>▶ Other measures are usually unnecessary.</li> </ul>  |
| <b>Ingestion</b>    | <ul style="list-style-type: none"> <li>▶ <b>If swallowed do NOT induce vomiting.</b></li> <li>▶ If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>▶ Observe the patient carefully.</li> <li>▶ Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>▶ Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>▶ Seek medical advice.</li> </ul> |

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5 Firefighting measures****Extinguishing media**

- ▶ Alcohol stable foam.
- ▶ Dry chemical powder.
- ▶ BCF (where regulations permit).
- ▶ Carbon dioxide.

**Do not** use water jets.**Special hazards arising from the substrate or mixture**

|                             |             |
|-----------------------------|-------------|
| <b>Fire Incompatibility</b> | None known. |
|-----------------------------|-------------|

**Advice for firefighters**

|                              |  |
|------------------------------|--|
| <b>Fire Fighting</b>         | <ul style="list-style-type: none"> <li>▶ Alert Fire Brigade and tell them location and nature of hazard.</li> <li>▶ Wear breathing apparatus plus protective gloves.</li> <li>▶ Prevent, by any means available, spillage from entering drains or water courses.</li> <li>▶ Use water delivered as a fine spray to control fire and cool adjacent area.</li> </ul>   |
| <b>Fire/Explosion Hazard</b> | <ul style="list-style-type: none"> <li>▶ Combustible.</li> <li>▶ Slight fire hazard when exposed to heat or flame.</li> <li>▶ Heating may cause expansion or decomposition leading to violent rupture of containers.</li> <li>▶ On combustion, may emit toxic fumes of carbon monoxide (CO).</li> </ul> Combustion products include:<br>carbon dioxide (CO <sub>2</sub> )<br>other pyrolysis products typical of burning organic material. |
| <b>HAZCHEM</b>               | Not Applicable   |

**SECTION 6 Accidental release measures****Personal precautions, protective equipment and emergency procedures**

See section 8

Continued...

## RS Pro High Temperature Grease #251-3722 (AUS)

## Environmental precautions

See section 12

## Methods and material for containment and cleaning up

|              |  |
|--------------|--|
| Minor Spills | <ul style="list-style-type: none"> <li>▶ Clean up all spills immediately.</li> <li>▶ Avoid contact with skin and eyes.</li> <li>▶ Wear impervious gloves and safety goggles.</li> <li>▶ Trowel up/scrape up.</li> </ul> Slippery when spilt.   |
| Major Spills | <ul style="list-style-type: none"> <li>▶ Clear area of personnel and move upwind.</li> <li>▶ Alert Fire Brigade and tell them location and nature of hazard.</li> <li>▶ Control personal contact with the substance, by using protective equipment.</li> <li>▶ Prevent spillage from entering drains, sewers or water courses.</li> </ul> Slippery when spilt. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## SECTION 7 Handling and storage

## Precautions for safe handling

|                   |   |
|-------------------|---|
| Safe handling     | <ul style="list-style-type: none"> <li>▶ Limit all unnecessary personal contact.</li> <li>▶ Wear protective clothing when risk of exposure occurs.</li> <li>▶ Use in a well-ventilated area.</li> <li>▶ Avoid contact with incompatible materials.</li> </ul> |
| Other information | <ul style="list-style-type: none"> <li>▶ Store in original containers.</li> <li>▶ Keep containers securely sealed.</li> <li>▶ No smoking, naked lights or ignition sources.</li> <li>▶ Store in a cool, dry, well-ventilated area.</li> </ul>                 |

## Conditions for safe storage, including any incompatibilities

|                         |   |
|-------------------------|---|
| Suitable container      | <ul style="list-style-type: none"> <li>▶ Polyethylene or polypropylene container.</li> <li>▶ Packing as recommended by manufacturer.</li> <li>▶ Check all containers are clearly labelled and free from leaks.</li> </ul> |
| Storage incompatibility | <ul style="list-style-type: none"> <li>▶ Avoid reaction with oxidising agents</li> </ul>  |

## SECTION 8 Exposure controls / personal protection

## Control parameters

Occupational Exposure Limits (OEL)

## INGREDIENT DATA

Not Available


## Emergency Limits

| Ingredient                                     | Material name | TEEL-1        | TEEL-2        | TEEL-3        |
|--|---------------|---------------|---------------|---------------|
| RS Pro High Temperature Grease #251-3722 (AUS) | Not Available | Not Available | Not Available | Not Available |

| Ingredient                                     | Original IDLH | Revised IDLH  |
|--|---------------|---------------|
| RS Pro High Temperature Grease #251-3722 (AUS) | Not Available | Not Available |

## MATERIAL DATA

## Exposure controls

|                                  |  |
|----------------------------------|--|
| Appropriate engineering controls | <p>Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.</p> <p>The basic types of engineering controls are:</p> <p>Process controls which involve changing the way a job activity or process is done to reduce the risk.</p> <p>Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.</p> |
| Personal protection              |   |
| Eye and face protection          | <ul style="list-style-type: none"> <li>▶ Safety glasses with side shields</li> <li>▶ Chemical goggles.</li> <li>▶ Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.</li> </ul>   |
| Skin protection                  | See Hand protection below  |
| Hands/feet protection            | Wear general protective gloves, eg. light weight rubber gloves.  |
| Body protection                  | See Other protection below   |

Continued...

## RS Pro High Temperature Grease #251-3722 (AUS)

## Other protection

No special equipment needed when handling small quantities.

**OTHERWISE:**

- ▶ Overalls.
- ▶ Barrier cream.
- ▶ Eyewash unit.

## SECTION 9 Physical and chemical properties

## Information on basic physical and chemical properties

|  |   |   |                |
|--|---|---|----------------|
| Appearance                                   | Light brown grease with oil like odour. |   |                |
| Physical state                               | Non Slump Paste                         | Relative density (Water = 1)            | Not Available  |
| Odour  | Not Available                           | Partition coefficient n-octanol / water | Not Available  |
| Odour threshold                              | Not Available                           | Auto-ignition temperature (°C)          | Not Available  |
| pH (as supplied)                             | Not Available                           | Decomposition temperature               | Not Available  |
| Melting point / freezing point (°C)          | Not Available                           | Viscosity (cSt)                         | Not Available  |
| Initial boiling point and boiling range (°C) | Not Available                           | Molecular weight (g/mol)                | Not Applicable |
| Flash point (°C)                             | 230 (COC)                               | Taste                                   | Not Available  |
| Evaporation rate                             | Not Available                           | Explosive properties                    | Not Available  |
| Flammability                                 | Not Applicable                          | Oxidising properties                    | Not Available  |
| Upper Explosive Limit (%)                    | Not Available                           | Surface Tension (dyn/cm or mN/m)        | Not Available  |
| Lower Explosive Limit (%)                    | Not Available                           | Volatile Component (%vol)               | Not Available  |
| Vapour pressure (kPa)                        | Not Available                           | Gas group                               | Not Available  |
| Solubility in water                          | Not Available                           | pH as a solution (1%)                   | Not Available  |
| Vapour density (Air = 1)                     | Not Available                           | VOC g/L                                 | Not Available  |

## SECTION 10 Stability and reactivity

|                                    |  |
|------------------------------------|--|
| Reactivity                         | See section 7  |
| Chemical stability                 | <ul style="list-style-type: none"> <li>▶ Unstable in the presence of incompatible materials.</li> <li>▶ Product is considered stable.</li> <li>▶ Hazardous polymerisation will not occur.</li> </ul> |
| Possibility of hazardous reactions | See section 7  |
| Conditions to avoid                | See section 7  |
| Incompatible materials             | See section 7  |
| Hazardous decomposition products   | See section 5  |

## SECTION 11 Toxicological information

## Information on toxicological effects

|              |   |
|--------------|---|
| Inhaled      | The material is not thought to produce adverse health effects following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. |
| Ingestion    | Ingestion may result in nausea, abdominal irritation, pain and vomiting   |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.   |
| Eye          | The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.   |
| Chronic      | Prolonged or repeated skin contact may cause drying with cracking, irritation and possible dermatitis following.  |

|  |               |               |
|--|---------------|---------------|
| RS Pro High Temperature Grease #251-3722 (AUS)   | TOXICITY      | IRRITATION    |
|  | Not Available | Not Available |
| <b>Legend:</b> 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. * Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances |               |               |

|                                   |   |                          |   |
|-----------------------------------|---|--------------------------|---|
| Acute Toxicity                    | ✗ | Carcinogenicity          | ✗ |
| Skin Irritation/Corrosion         | ✗ | Reproductivity           | ✗ |
| Serious Eye Damage/Irritation     | ✗ | STOT - Single Exposure   | ✗ |
| Respiratory or Skin sensitisation | ✗ | STOT - Repeated Exposure | ✗ |

Continued...

## RS Pro High Temperature Grease #251-3722 (AUS)

Mutagenicity **✗**Aspiration Hazard **✗**

**Legend:** **✗** – Data either not available or does not fill the criteria for classification  
**✓** – Data available to make classification

## SECTION 12 Ecological information

## Toxicity

| RS Pro High Temperature Grease #251-3722 (AUS)   | Endpoint      | Test Duration (hr) | Species       | Value         | Source        |
|--|---------------|--------------------|---------------|---------------|---------------|
|  | Not Available | Not Available      | Not Available | Not Available | Not Available |
| <b>Legend:</b> Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data |               |                    |               |               |               |

**DO NOT** discharge into sewer or waterways.

## Persistence and degradability

| Ingredient | Persistence: Water/Soil               | Persistence: Air                      |
|------------|---------------------------------------|---------------------------------------|
|            | No Data available for all ingredients | No Data available for all ingredients |

## Bioaccumulative potential

| Ingredient | Bioaccumulation                       |
|------------|---------------------------------------|
|            | No Data available for all ingredients |

## Mobility in soil

| Ingredient | Mobility                              |
|------------|---------------------------------------|
|            | No Data available for all ingredients |

## SECTION 13 Disposal considerations

## Waste treatment methods

| Product / Packaging disposal | <ul style="list-style-type: none"> <li>Recycle wherever possible or consult manufacturer for recycling options.</li> <li>Consult State Land Waste Management Authority for disposal.</li> <li>Bury residue in an authorised landfill.</li> <li>Recycle containers if possible, or dispose of in an authorised landfill.</li> </ul> |
|------------------------------|--|
|------------------------------|--|

## SECTION 14 Transport information

## Labels Required

| Marine Pollutant | NO             |
|------------------|----------------|
| HAZCHEM          | Not Applicable |

**Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

**Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

**Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

**Transport in bulk according to Annex II of MARPOL and the IBC code**

Not Applicable

## SECTION 15 Regulatory information

**Safety, health and environmental regulations / legislation specific for the substance or mixture**

## National Inventory Status

| National Inventory            | Status |
|-------------------------------|--------|
| Australia - AIIC              | Yes    |
| Australia Non-Industrial Use  | Yes    |
| Canada - DSL                  | Yes    |
| Canada - NDSL                 | Yes    |
| China - IECSC                 | Yes    |
| Europe - EINEC / ELINCS / NLP | Yes    |
| Japan - ENCS                  | Yes    |
| Korea - KECI                  | Yes    |
| New Zealand - NZIoC           | Yes    |
| Philippines - PICCS           | Yes    |

Continued...

## RS Pro High Temperature Grease #251-3722 (AUS)

| National Inventory  | Status |
|---|--------|
| USA - TSCA  | Yes    |
| Taiwan - TCSI   | Yes    |
| Mexico - INSQ   | Yes    |
| Vietnam - NCI   | Yes    |
| Russia - ARIPS  | Yes    |
| <b>Legend:</b> Yes = All CAS declared ingredients are on the inventory<br>No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |        |

## SECTION 16 Other information

|               |            |
|---------------|------------|
| Revision Date | 21/08/2020 |
| Initial Date  | 21/08/2020 |

## SDS Version Summary

| Version | Issue Date | Sections Updated  |
|---------|------------|---|
| 2.1.1.1 | 21/08/2020 | Acute Health (skin), Chronic Health, Environmental, Fire Fighter (extinguishing media), Fire Fighter (fire/explosion hazard), First Aid (swallowed), Ingredients, Instability Condition, Spills (major), Spills (minor), Storage (storage incompatibility), Storage (storage requirement), Storage (suitable container) |

## Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

## Definitions and abbreviations

PC—TWA: Permissible Concentration-Time Weighted Average  
PC—STEL: Permissible Concentration-Short Term Exposure Limit  
IARC: International Agency for Research on Cancer  
ACGIH: American Conference of Governmental Industrial Hygienists  
STEL: Short Term Exposure Limit  
TEEL: Temporary Emergency Exposure Limit  
IDLH: Immediately Dangerous to Life or Health Concentrations  
OSF: Odour Safety Factor  
NOAEL :No Observed Adverse Effect Level  
LOAEL: Lowest Observed Adverse Effect Level  
TLV: Threshold Limit Value  
LOD: Limit Of Detection  
OTV: Odour Threshold Value  
BCF: BioConcentration Factors  
BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.