



## Tripods

Tripods ensure excellent shots when persons move, in case of long distances, (self-) portraits or horizontal tilts and vertical pans. If you use several cameras together with one tripod, every

camera should be equipped with a quick-release plate. This saves much time.

TRIPODS

SUPPORTS



### Omega Carbon

- Particularly solid, stable tripod with reinforced, round legs
- Light carbon construction with die casting details
- Quick-release plate with safety latch and locking screw
- Thanks to the quick-release system with extra-large camera support and video pin, the camera can be changed without any problems
- Supports loads of up to 4 kg
- Colour: black

### Equipment:

- Robust 3D precision ball head with separate ball and panorama blocking as well as friction adjustment
- 4-section tripod legs (3x extendible)
- Non-slip foam grip at the tripod legs against cold and for a secure grip
- Gradually expandable tripod legs (3x)
- Handy, large quick-action leg locks to fix the leg length
- **Spirit level with exact graduation integrated into the tripod head**
- Compass
- Black tripod case
- Allen key for adjustment of the quick-action leg locks

	Height/ cm:	Weight:	Diameter legs		Qty	CB
Omega Carb. III	68.5 - 174	2500 g	28 mm	004292	4	CB
Replacement quick-release plate 53 x 53 cm				004294	6	BC

### Carbon II

- Retracting central column (32 cm) with weighting hooks for better ground adhesion
- Rubber feet and retracting steel spikes for absolutely secure positioning



## Omega Carbon

- Particularly solid, stable tripod with reinforced, round legs
- Light carbon construction with die casting details
- Quick-release plate with safety latch and locking screw
- Thanks to the quick-release system with extra-large camera support and video pin, the camera can be changed without any problems
- Supports loads of up to 4 kg
- Colour: black

## Equipment:

- Robust 3D precision ball head with separate ball and panorama blocking as well as friction adjustment
- 4-section tripod legs (3x extendible)
- Non-slip foam grip at the tripod legs against cold and for a secure grip
- Gradually expandable tripod legs (3x)
- Handy, large quick-action leg locks to fix the leg length
- Spirit level with exact graduation integrated into the tripod head
- Compass
- Black tripod case
- Allen key for adjustment of the quick-action leg locks

## Carbon III

- Completely removable central column, can be used as fully functioning monopod (min. height: 54 cm/ max. height: 158 cm, incl. head)
- Rotating central column for macro photography (retroposition)
- Rubber feet with ball joint and retracting steel spikes for absolutely secure positioning

	Height/ cm:	Weight:	Diameter legs		Qty	
Omega Carb. III	71 - 202	3200 g	32 mm	004293	4	CB
Replacement quick-release plate 53 x 53 cm				004294	6	BC



	Height/ cm:	Weight:	Diameter legs		Qty	
Omega Prem. I	56.5 - 141	2500 g	32 mm	<b>004260</b>	4	CB
Omega Prem. II	62.5 - 148	3100 g	32 mm	<b>004261</b>	4	CB
Replacement quick-release plate 42 x 53 cm				<b>004262</b>	6	BC

## Omega Premium

- Particularly solid, stable tripod with reinforced, round legs
- Thanks to the quick-release system with extra-large camera support and video pin, the camera can be changed without any problems
- Supports loads of up to 4 kg
- Colour: silver/anthracite

## Equipment:

- Multifunctional 3D pan head with adjustment possibilities in three levels (bending, turning and tilting); the camera is perpendicular at lightning speed
- Locking grip for vertical tilts and horizontal pans
- 3-section aluminium tripod leg (2x extendible)
- Non-slip foam grip on the tripod legs against cold and for a secure grip
- Large, handy quick-action leg locks to fix the leg length
- **Spirit level with exact graduation integrated into the tripod head**
- Black tripod case

## Premium I/II

- **Continuous adjustment of interlocked central column by means of crank, locking into position by traction screw**
- 4260: rubber feet for secure positioning
- 4261: rubber feet with ball joint (adapt themselves to the ground) and retracting steel spikes, for absolutely secure positioning



	Height/ cm:	Weight:	Diameter legs		Qty	
Omega Prem. III	70 - 173	3800 g	30 mm	<b>004263</b>	4	CB
Replacement quick-release plate 42 x 53 cm				<b>004262</b>	6	BC

## Premium III

- **Completely removable central column, can be used as fully functional monopod (height: min. 54 cm/max. 158 cm incl. head)**
- Rotating central column for macro photography (retroposition)
- Gradually expandable tripod legs (3x)
- Rubber feet with ball joint (adapt themselves to the ground) and retracting steel spikes, for absolutely secure positioning



004272



## Gamma

- Compact, reliable tripod with metal square channel legs
- Continuous height adjustment of central column by means of crank, locking into position by ring or by traction screw (Gamma 79), additional securing through air-pressure brake
- Thanks to the quick-release system "Click", standard equipment with large camera support and video pin, the camera can be changed without any problems

## Equipment:

- Lockable leg braces and rubber feet for secure positioning
- Large, handy quick-action leg locks to fix the leg length
- Spirit level with exact graduation integrated into tripod head
- Practical handle
- 3-section tripod leg (2x extendible)



	Height/ cm:	Weight:	Diameter legs		Qty	
Gamma 72	64.5 - 151.5	1370 g	25 mm	<b>004272</b>	6	CB
Gamma 74	67.5 - 160	1520 g	29 mm	<b>004274</b>	6	CB
Replacement quick-release plate				<b>004376</b>	6	BC 30

## Gamma 3-D

- Colour: silver
- Multifunctional 3D pan head with adjustment possibilities in three levels (bending, turning and tilting); the camera is perpendicular at lightning speed
- Easy fixing through light turning at the handle



004279



	Height/ cm:	Weight:	Diameter legs		Qty	
Gamma 79	67.5 - 160	1600 g	29 mm	<b>004279</b>	6	CB
Replacement quick-release plate				<b>004376</b>	6	BC 30

## Gamma 2-D video

- Colour: silver
- 2D tripod head with fluid effect, for excellent horizontal tilts and vertical pans
- Adjustable panning handle for right- or left-handed persons



### Tripod Star Pro 58 – 59

- For photography and video
- 3-section tripod leg (2x extendible)
- 3-way head with quick-release attachment and spirit level
- With crank for continuous height adjustment of central column
- Non-slip foam grip on the tripod legs
- With rubber feet
- Supports loads of up to 4 kg
- Includes a case
- Colour: silver

	Height/ cm:	Weight:	Diameter legs			Qty	CB
Star 58	66 - 160	1750 g	30 mm	3D	<b>004158</b>	8	CB
Star 59	66 - 180	1850 g	30 mm	3D	<b>004159</b>	6	CB
Quick-release plate					<b>004154</b>	6	BC 34



### Star 61 – 63

- Tripod made of aluminium
- Continuous height adjustment of central column by means of crank, locking into position possible
- Thanks to the quick-release system, the camera can be changed without any problems
- Supports loads of up to 4 kg
- Colour: champagne

#### Equipment:

- Lockable leg braces and rubber feet for secure positioning
- Functional quick-action leg locks fix the selected leg length
- Spirit level integrated into tripod head (only Star 63)
- Tripod bag
- Handle and weighting hook
- 3-section tripod leg (2x extendible)

	Height/ cm:	Weight:	Diameter legs			Qty	CB
Star 61	60 - 153	1220 g	20 mm	3D	<b>004161</b>	6	CB
Star 62	64 - 160	1500 g	23 mm	3D	<b>004162</b>	6	CB
Star 63	66 - 166	1740 g	28.7 mm	3D	<b>004163</b>	6	CB
Replacement quick-release plate 60x50 mm, weight: 36 g					<b>004154</b>	6	BC 34



### Star 5

- Tripod made of aluminium
- Continuous height adjustment of central column by means of crank, locking into position possible
- Colour: champagne

#### Equipment:

- Lockable leg braces and rubber feet for secure positioning
- Functional quick-action leg locks fix the selected leg length
- Spirit level integrated into tripod head; tripod bag
- 4-section tripod leg (3x extendible)

	Height/ cm:	Weight:	Diameter legs			Qty	CB
Star 5	36.5 - 106.5	520 g	16.8 mm	3D	<b>004105</b>	15	CB



	Height/ cm:	Weight:	Diameter legs			Qty	CB
Star 8 Light	37 - 115	510 g	18 mm		<b>004149</b>	20	CB

## Star 8 "Light"

- Tripod made of aluminium
- The height of the central column can be adjusted, locking into position possible
- Colour: silver

### Equipment:

- Rubber feet for secure positioning
- Functional quick-action leg locks fix the selected leg length
- 4-section tripod leg (3x extendible)



	Height/ cm:	Weight:	Diameter legs			Qty	CB
Star 75	42.5 - 125	620 g	198mm	3D	<b>004175</b>	15	CB

## Star 75

- Tripod made of aluminium
- Continuous height adjustment of the central column, locking into position possible
- Thanks to the quick-release system, the camera can be changed without any problems
- Colour: champagne

### Equipment:

- Leg braces and rubber feet for secure positioning
- Functional quick-action leg locks fix the selected leg length
- Spirit level integrated into tripod head
- Tripod bag
- 4-section tripod leg (3x extendible)



	Height/ cm:	Weight:	Diameter legs			Qty	CB
Star 700	42.5 - 125	620 g	198mm	3D	<b>004133</b>	15	CB

## Star 700 EF Digital

- Tripod made of aluminium
- Continuous height adjustment of the central column, locking into position possible
- Colour: champagne

### Equipment:

- Leg braces and rubber feet for secure positioning
- Functional quick-action leg locks fix the selected leg length
- Spirit level integrated into tripod head
- Tripod bag
- 4-section tripod leg (3x extendible)

# Supports

TRIPODS | MONOPODS | MINI TRIPODS | CAR TRIPODS | TRIPOD ACCESSORIES |



004194



Height/ cm:	Weight:	Diameter legs		Qty	CB
37 - 125	800 g	20 mm	<b>004194</b>	6	CB
Replacement quick-release plate			<b>004192</b>	6	BC 34

## Traveller

- Compact, simple tripod with round legs
- Multifunctional 3D pan head with adjustment possibilities in three levels (bending, turning and tilting); the camera is perpendicular at lightning speed
- Continuous height adjustment of central column by means of crank, locking into position possible
- Thanks to the quick-release system, the camera can be changed without any problems

## Equipment:

- Lockable leg braces and rubber feet for secure positioning
- Functional quick-action leg locks fix the selected leg length
- Colour: transparent look
- Spirit level integrated into tripod head
- 5-section tripod leg (4x extendible; telescope)



Height/ cm:	Weight:	Diameter legs		Qty	CB
36.5 - 136	900 g	19 mm	<b>004195</b>	6	CB
Replacement quick-release plate			<b>004192</b>	6	BC 34

- Colour: black-silver
- 6-section tripod leg (5-part extensible; telescope)

TRIPODS

SUPPORTS



## Monopods

Unipods (also called monopods) are important if tripods cannot be used for reasons of space (not enough storage space or unfavourable nature of soil). The versatile one-legged supports allow smaller

apertures and longer exposure times (than it is possible if you use your hands) and ensure therefore a better focus depth of the photos.

### Traveller

- 8-section tripod leg (7x extendible)
- Round profile
- Functional rapid-clamping levers fix the selected leg length
- Quick-release plate with video pin
- Carrying loop with belt clip
- Colour: black/silver



Height/cm:	Weight:	Diameter legs				
35 - 145	400 g	19 mm	2D	<b>004107</b>	Qty 6	CB

### Star 8

- 5-section tripod leg (4x extendible)
- Round profile
- Padded handle
- Carrying loop
- Colour: black/silver



Height/cm:	Weight:	Diameter legs				
40 - 141	250 g	18 mm	3D	<b>004148</b>	Qty 6	CB

### Star 78

- 4-section tripod leg (3x extendible)
- Round profile
- Functional quick-action leg locks fix the selected leg length
- Camera spirit level
- Thanks to the quick release system, the camera can be exchanged without any problems
- Ball-bearing base
- Incl. bag
- Colour: champagne



Height/cm:	Weight:	Diameter legs				
61 - 178	665 g	26.7 mm	3D	<b>004178</b>	Qty 10	CB

Replacement quick-release plate	<b>004154</b>	Qty 6	BC	34
---------------------------------	---------------	-------	----	----



## Mini Tripods

Do you have enough space? Of course, there is always enough space for a mini tripod. On the one hand you can put it in every bag, on the other hand you can set it up everywhere you don't have much space (e.g. in a

shelf, on a cupboard etc.). Shots with delayed-action shutter release are optimally aligned and smaller apertures or longer exposure times without flash are not blurred due to camera shake.



### Special Tripods

- For compact photo and video cameras
- With A 1/4" threaded mount

12 pieces in a display box	004333	Qty 18	BC 49
	004334	MB 12	CB

### "Micro-Pod" Mini/Table Tripod

- With ball tilt head
- 2-section tripod legs (1x extendible)
- Incl. tripod cap with keyring
- Rubber feet for non-slip positioning
- Height: 7.1 - 9.5 cm
- Weight: 21 g
- Dimensions (folded): 2.2/7.1 cm
- Colour: silver



### Mini/Table Tripod with Suction Foot

- With ball tilt head
- Suction foot for cameras up to 500 g
- Can also be used as car tripod
- Diameter of the suction foot: 7 cm
- Height: 11.5 cm
- Weight: 109 g
- Colour: silver/black

004043	Qty 20	BC X
--------	-----------	---------



### Clamp and Table Tripod

- For clamping and putting up
- With ball-and-socket joint and camera screw
- Non-slip due to foam pad
- Height: 5 cm
- Opens to max. (table thickness) 2.3 cm
- Weight: 37 g
- Colour: black

004336	Qty 10	BC 49
--------	-----------	----------



### Bottle Pod

- Pod attachment for bottles
- The rubber attachment is put over the neck of a bottle (max. diameter: 3 cm)
- Ball head with removable quick-release coupling (clamping screw)
- Eyelet for carrying loop
- Weight: 46 g
- Colour: black

004332	Qty 20	BC 49
--------	-----------	----------





004048



004049

12 pieces in a display box

004048	Qty	BC
	10	X
004049	MB	CB
	12	

### "Traveller Mini" Mini/Table Tripod

- For compact photo and video cameras
- With ball tilt head
- With A 1/4" threaded mount
- 3-section tripod legs (2x extendible)
- Height: 18-29 cm
- Weight: 215 g
- Dimensions (folded): 17.5/4 cm
- Colour: silver



004061	Qty	BC
	10	X

### "Traveller Multi" Table and Distance Tripod

- Table tripod with removable telescopic tube
- For compact photo and video cameras (up to max. 500 g)
- The table tripod and the telescopic tube can be used together or separately
- Sturdy, removable ball tilt head made of metal (with A 1/4" threaded mount and B 1/4" threaded hole)
- Colour: black/silver

#### Table tripod:

- 3-section tripod legs (2x extendible)
- Improved stability as the angle of the tripod legs can be adjusted (e.g. if the telescopic tube is used)
- Rubber feet for non-slip, secure positioning
- Height: approx. 12-30 cm (with ball head)
- Max. height with telescopic tube and ball head: approx. 77 cm
- With A 1/4" threaded mount
- Weight: 270 g

#### Telescopic tube

- For extending the tripod, can also be used separately (e.g. during concerts, for self-portraits and difficult-to-access motifs, e.g. underbody of a vehicle etc.)
- 4-section tripod leg (3x extendible)
- With A 1/4" threaded mount
- Non-slip foam grip
- Height: approx. 20-51 cm (with ball head)
- Weight: 167 g



9 pieces in a display box

004055	Qty	BC
	10	X
004056	MB	CB
	9	

### "Traveller Compact" Mini/Table Tripod

- For compact photo and video cameras
- With ball tilt head
- 3D pan head
- 3-section tripod legs (2x extendible)
- Rubber feet for secure positioning
- Height: 21.5-43 cm
- Dimensions (folded): 23/6 cm
- Weight: 268 g
- Colour: black/silver



004060	Qty	CB
	10	

### "Traveller Compact Maxi" Mini/Table Tripod

- For compact photo and video cameras
- With ball tilt head
- Multifunctional 3D pan head (universal adjustment possibility in three levels through bending, turning, tilting)
- 8-section tripod legs (7x extendible)
- Rubber feet for secure positioning
- Height: 24-100 cm
- Dimensions (folded): 24/4.5 cm
- Weight: 420 g, colour: silver



## Mini/Table Tripods

- For compact photo and video cameras
- With A 1/4" threaded mount

### Ball S

- With ball tilt head
- 2-section tripod legs (1x extendible)
- Due to the quick-release system, the camera can be exchanged without any problems
- Height: 9-11 cm
- Weight: 90 g
- Dimensions (folded): 2.9 x 12.5 cm
- Colour: silver/black

004038 Qty 6 BC 33



### Ball M

- With ball tilt head
- 3-section tripod legs (2x extendible)
- With quick-release plate
- Height: 7-14 cm
- Weight: 140 g
- Dimensions (folded): 2.9 x 12.5 cm
- Colour: silver

004046 Qty 15 BC 33



## Mini/Table Tripods with Tilting Camera Plate

- For compact photo and video cameras
- With A 1/4" threaded mount

### Uni L

- 2D head incl. video pin
- Height: 11.5-16 cm
- Dimensions (folded): 13/3.4 cm
- Weight: 110 g, colour: silver
- 2-section tripod legs (1x extendible; telescope)

12 pieces in a display box

004027 MB 12 CB



### Star Mini

- 2D head incl. video pin
- 2-section tripod legs (1x extendible)
- Height: 7-9.5 cm
- Dimensions (folded): 3.4 x 9.0 cm
- Weight: 43 g

6 pieces per colour in a display box

004014 MB 18 CB



### Fips

- With 3D tilt function
- 2-section tripod legs
- "Click" locking into position of the extendible legs, for secure positioning
- Ergonomic grip for positioning of the camera
- Height: 9 - 11 cm
- Dimensions (folded): 13 x 3 x 4.5 cm
- Colour: black/silver

004070 Qty 80 CB



### Mini/Table Tripods with Flexible Legs

- For compact photo and video cameras
- With A 1/4" threaded mount



#### Flexi M

- With clip for attaching the tripod to a camera case or to a belt etc.
- Adjustable legs
- Height: max. 12 cm
- Weight: 58 g
- Colour: black

	<b>004010</b>	Qty 20	BC 33
20 pieces in a display box	<b>004024</b>	MB 20	CB



028864



028867

### TrackPack Mini Tripod Set

- Consisting of:
- Mini tripod no. 4024
  - Camera case (inside dimensions: 8.5 x 4.5 x 14.5 cm), incl. carrying strap and front pocket for a film roll (set I) or memory cards (set II, ideal for digital)
  - Total weight: 165 g

Set I	<b>028864</b>	Qty 48	HT
Set II	<b>028867</b>	Qty 1	HT



#### Flexi L

- With knurled thumb screw and adjustable legs
- Height: max. 13 cm
- Weight: 70 g
- Colour: black

	<b>004011</b>	Qty 20	BC 33
--	---------------	-----------	----------



### Clamp/Table Tripods

- With ball-and-socket joint and camera screw with A 1/4" threaded mount

#### Type 1

- 2 screw-in legs
- Height: 13 cm
- Opens to max. (table thickness) 3.5 cm
- Weight: 145 g
- Colour: black

	<b>004001</b>	Qty 6	BC 35
--	---------------	----------	----------



#### Type 3

- 2 screw-in legs
- Height: 15 cm
- Opens to max. (table thickness) 4 cm
- Weight: 270 g
- Colour: black

	<b>004003</b>	Qty 6	BC 35
--	---------------	----------	----------



## Car Tripod

Direct access to new experience requires eye level, immediacy and creativity. Private road movies describe in a direct way what - otherwise - could practically not be expressed in words. Those who experiment with

shots (film/photo) in a vehicle or during the drive already have the exciting and new perspectives at eye level.




### Car Tripod

- With special suction cup for use on smooth surfaces and A 1/4" threaded mount
- For cameras up to 1.7 kg
- Height: 25.5 cm
- Colour: black

### Universal

- Bearing surface: 13.5/9 cm
- Weight: 730 g

004040 Qty 22 CB



### Click

- With quick-release coupling Click and sprung video pin for easy attaching and detaching of the camera
- Bearing surface: 13.5/9 cm
- Weight: 810 g

004041 Qty 22 CB

Replacement quick-release plates

004360 Qty 22 CB



## Tripod Accessories

Quick-release plates are often durably attached to cameras so that one tripod can be used for more cameras; if the camera is changed, they are simply disengaged/clicked in. Ball-and-socket heads allow a

variable and three-dimensional camera guide. Camera screws help to fix e.g. medium-format cameras on a tripod with 1/4" threaded mount.

### Quick-Release Plates

- For photo and video cameras
- Colour: black

### Photo/Video Set, 2 parts

- Lower part with A 1/4" tripod socket
- Camera platform with B 1/4" screw and sprung video pin (corresponds to item no. 4360)
- Spare camera platform which is also suitable: item no. 4361 (not included in the delivery package)



Set, 2 parts

004352 Qty 6 BC 34



### Quick-release lower section

- With A 1/4" tripod socket
- Suitable camera platforms: item no. 4306/4361 (not included in the delivery package)

004357 Qty 6 BC 34



### Photo/Video, 43 x 43 mm

- Camera platform with B 1/4" screw and sprung video pin
- **Made of reinforced plastic** – for light direct vision/SLR cameras and camcorders

004360 Qty 6 BC 43



### Photo/Video, 43 x 43 mm

- Camera platform with B 1/4" screw and sprung video pin
- **Made of aluminium die casting** – for medium-heavy SLR cameras and camcorders

004361 Qty 6 BC 43



### Set Compact, 2 parts

- Lower part with A 1/4" tripod socket
- Camera platform with B 1/4" screw and sprung video pin

005030 Qty 6 BC 43

## Quick-Release Plates

- For photo and video cameras
- Colour: black

### Click II

- Camera platform with B 1/4" screw and sprung video pin
- Made of reinforced plastic, for light direct vision/SLR cameras and camcorders



	<b>004376</b>	Qty 6	BC 30
--	---------------	----------	----------

## Replacement Quick-Release Plates



For Star 9	<b>004122</b>	Qty 6	BC 34
For Star 26, 27	<b>004129</b>	Qty 6	BC 34
For Omega Carbon II and III	<b>004294</b>	Qty 6	BC 34
For Star 55, 56, 57, 61, 62, 63 with video pin	<b>004154</b>	Qty 6	BC 34
For Traveller 3 D and 4190, 4191, 4106	<b>004192</b>	Qty 6	BC 30

## "Samsonite Trekking" Tripod Bag

- For safekeeping of tripods
- With additional pocket on the lid for accessories like camera screws or camera plates
- Zips with rain protection flap
- Colour: black



### Technical details:

- Inside dimensions: 69 x 13 x 13 cm
- Weight: 800 g

	<b>028431</b>	Qty 10	HT
--	---------------	-----------	----

## Ball Tilt Head

- For attachment to tripods
- Colour: black



Height 38 mm, diameter: 20 mm	<b>005011</b>	Qty 6	BC 43
-------------------------------	---------------	----------	----------

- Threaded stem (A) 1/4"
- Bottom thread (B) 1/4"
- Weight: 36 g



Height 50 mm, diameter: 30 mm	<b>005014</b>	Qty 6	BC 43
-------------------------------	---------------	----------	----------


- Threaded stem (A) 1/4"
- Bottom thread (B) 1/4"
- Weight: 114 g



Height 65 mm, diameter: 35 mm	<b>004321</b>	Qty 6	BC 35
-------------------------------	---------------	----------	----------

### Probball 35

- For lightweight SLR cameras
- Threaded stem (A) 1/4"
- Bottom thread (A) 3/8" incl. over thread 1/4"
- Weight: 150 g

	<p>10 pieces</p>	<p><b>005120</b> Qty 6 BC 43</p>	<p><b>Tripod Conversion Bushings</b>                      - Threaded hole A 1/4" &gt; threaded hole B 3/8"                      - Colour: silver</p>
	<p>5 pieces</p>	<p><b>005121</b> Qty 6 BC 33</p>	<p><b>Tripod Conversion Screws</b>                      - Diameter: 25 mm                      - Length: 8 mm                      - Colour: silver</p> <p>Threaded stem B 1/4" &gt; threaded hole A 3/8"</p>
	<p>5 pieces</p>	<p><b>005122</b> Qty 6 BC 33</p>	<p>Threaded stem B 3/8" &gt; threaded hole A 1/4"</p>
	<p>5 pieces</p>	<p><b>005124</b> Qty 6 BC 33</p>	<p><b>Metal Camera Screws</b>                      - Threaded stem A 1/4" &gt; threaded hole B 1/4"</p> <p>- Diameter: 25 mm                      - Length: 8 mm                      - Colour: silver</p>
	<p>Length: 11 mm, 5 pieces</p>	<p><b>005134</b> Qty 6 BC 33</p>	<p>- With plastic plate                      - Diameter: 30 mm                      - Colour: silver/black</p>
	<p>Length: 15 mm, 5 pieces</p>	<p><b>005131</b> Qty 6 BC 33</p>	
	<p></p>	<p><b>005132</b> Qty 6 BC 35</p>	<p><b>Thread Assortment</b>                      Contents of the set, 22 pieces:                      - 3 x tripod conversion screw B1/4-A3/8, no. 005121                      - 3 x tripod conversion screw B3/8-A1/4, no. 005122                      - 3 x threaded stem 15 mm, no. 005131                      - 3 x threaded stem 11 mm, no. 005134                      - 10 x tripod conversion bushing A1/4-B3/8, no. 005120</p>



### Panorama Kit, including software

- For horizontal and vertical panoramic pictures with very large viewing angle
- The scale produces a tilt after each photo until the desired panorama is available in partial pictures
- The partial pictures are put together by means of the software and form then a large panorama
- The panorama plate is screwed between the tripod and the camera
- Contents of the kit, 2 parts:
  - Panorama plate (B 1/4" thread) for 360° exposures, including a spirit level
  - Software (in 8 languages: D, GB, F, E, NL, I, P, S) to edit the photos

Height: 38 mm, diameter: 20 mm

005639

Qty BC  
20 35