

Product datasheet

Specifications



Batch of 10 connection Jumper for Screwless terminal block

LGYT4A01

Main

Range	Lineryg
Product or component type	Jumper
Accessory / separate part category	Connection accessory Spare part
Quantity per set	Set of 10

Complementary

Product compatibility	Terminal block
Device application	To connect an other terminal block
[In] rated current	63 A
[Ue] rated operational voltage	440 V AC
Colour	Yellow

Environment

Ambient air temperature for operation	-25...60 °C
---------------------------------------	-------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1 cm
Package 1 Width	8 cm
Package 1 Length	16 cm
Package 1 Weight	120 g
Unit Type of Package 2	S03
Number of Units in Package 2	50
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	6.7 kg
Unit Type of Package 3	P12
Number of Units in Package 3	400
Package 3 Height	45 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	68.6 kg

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	2f760a08-b7ef-4260-b7b6-69e4399d3265
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins