

# Cable entry grommets for cable entries Multi-CS, for cables diameters 13-14 mm

NSYCEJDL13

## Main

Range	PanelSeT	
Product or component type	Grommet	
Accessory / separate part category	Cable management accessory	
Device application	Multi-purpose	
Quantity per set	Set of 4	

## Complementary

Material	TPE (thermoplastic elastomer)	
Cable entry number	1 x 1314 mm	
Net weight	0.011 kg	

### **Environment**

IP degree of protection	IP65 conforming to IEC 60529	
Flame retardance	V0 conforming to UL 94	
Ambient air temperature for operation	-30100 °C	
resistance to chemical agents	Good resistance to fuels Good resistance to mineral oils and greases Good resistance to weak acids and bases Good resistant to alcohols	

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	9.000 cm
Package 1 Length	3.750 cm
Package 1 Weight	12.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	4
Package 2 Height	3.000 cm
Package 2 Width	9.000 cm
Package 2 Length	15.000 cm
Package 2 Weight	48.000 g

Unit Type of Package 3	CAR
Number of Units in Package 3	80
Package 3 Height	20.000 cm
Package 3 Width	20.000 cm
Package 3 Length	30.000 cm
Package 3 Weight	1.092 kg

## **Contractual warranty**

Warranty 18 mois



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability

Q	Environmental	footprint
Q	Environmental	footprint

Environmental Disclosure Product Environmental Profile

#### **Use Better**

<b>⊗</b> Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)

#### **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No