



Switches > Tactile Switches



Actuator Style: **Round Actuator**
Product Orientation: **Vertical**
Operating Temperature Range: **-40 – 85 °C**

Features

Product Type Features

Illuminated	With
Actuator Style	Round Actuator

Body Features

Product Orientation	Vertical
---------------------	----------

Usage Conditions

Operating Temperature Range	-40 – 85 °C
-----------------------------	-------------

Packaging Features

Packaging Method	Loose Piece
------------------	-------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)



Candidate List Declared Against: JUNE 2024 (241)
Does not contain REACH SVHC

Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2311403-3
CAP, SQ, ILLUMINATED TACT SWITCH, RED



TE Part # 2311403-2
CAP, SQ, ILLUMINATED TACT SWITCH, BLACK



TE Part # 2311403-4
CAP, SQ, ILLUMINATED TACT SWITCH, BLUE



TE Part # 2311403-1
CAP, SQ, ILLUMINATED TACT SWITCH, GREEN

Customers Also Bought



TE Part #1-643075-0
10P MTA100 MOLDED COVER



TE Part #2213831-2
BASE ASSY, 80MM, VENTED, SEALED



TE Part #1-1418469-1
6POS, AMP MCP1.5K, REC. HSG, CODA



TE Part #1-2141324-1
6POS, MCON 1.2 LL TAB SEALED COD A



TE Part #3-641126-5
05P MTA100 HDR ASY FL/STR LF

TE Part #CAT-H3399-CH8172
Heavy Duty Sealed Connector Series Housings

TE Part #2-967325-3
2,5MM BU-GEH 2P,GR

TE Part #5-1419102-4
T9AP5D52-12

Documents

Product Drawings

CAP,RD, ILLUMINATED TACT SWITCH, BLACK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2311402-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2311402-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2311402-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

Illuminated Tactile Switch flyer

English