



Connectors > Circular Connectors > Standard Circular Connectors



Number of Positions: 7
Shell Base Material: **Brass**
Polarization Code: **N**
Circular Connector Insulation Material Type: **LCP (Liquid Crystal Polymer)**
Circular Connector Shell Size: **M11**

Features

Product Type Features

Connector Product Type	Connector Assembly
Circular Connector Type	Receptacle
Shell Type	Metal

Configuration Features

Number of Positions	7
Contacts Preloaded	Yes

Body Features

Shell Base Material	Brass
Circular Connector Insulation Material Type	LCP (Liquid Crystal Polymer)

Contact Features

Contact Layout Arrangement	Circular
----------------------------	----------

Mechanical Attachment

Mating Retention Type	Threaded Coupling
Mating Alignment	With
Polarization Code	N
Mating Alignment Type	Keyed
Mating Retention	With

Housing Features



Circular Connector Shell Size	M11
Alignment Keyed	145°

Usage Conditions

Operating Temperature Range	-50 – 150 °C[-58 – 302 °F]
-----------------------------	----------------------------

Packaging Features

Packaging Quantity	30
--------------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Pb (3.7%) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with tin/lead solder

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought







TE Part #138037-000
TXR21AB00-1812AI




TE Part #3-839564-1
LEAD, SGL END ASSY, LGH




TE Part #542811-000
TXR21AB00-1207AI




TE Part #216007-005
55A0111-20-6




TE Part #871247-000
55/0112-22-9




TE Part #500997-000
TXR40AB90-2012AI




TE Part #087463-000
TXR21AB00-1206AI



TE Part #830395-1
LGH 1/2 RECEPT (PLTD)



TE Part #223494-003
202K153-25/225-CS-1858-0



TE Part #131250-006
222K132-25/225-CS-1858-0

Documents

Product Drawings
Push-Pull 7P Rece PS S-Tail Cont KIT/N
Japanese

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_2174225-1_A.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_2174225-1_A.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_2174225-1_A.3d_stp.zip
English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications



Application Specification

Japanese