



## NT 35/1 Tact (110V)

Multi-purpose wet & dry vacuum cleaner with Tact automatic filter clean system for heavy duty dust extraction.

### 1 Tact system (Auto Filter Clean System)

- The filter cleans itself with powerful blasts of air. This automatic process guarantees constantly high suction power. Further benefits: low maintenance costs, long filter service life.

### 2 On-board practical storage

- Large on-board storage area for tool and accessory storage.

## NT 35/1 Tact (110V)

- Tact - Auto Filter Clean System
- Accessory / suction hose storage
- On-board practical storage

### Technical data

<b>Order Number</b>	1.184-854.0	
<b>EAN code</b>	886622000600	
<b>Air flow</b>	<b>l/s</b>	58
<b>Vacuum</b>	<b>mbar / kPa</b>	221 / 22,1
<b>Container capacity</b>	<b>l</b>	35
<b>Max. rated input power</b>	<b>W</b>	max. 1200
<b>Standard nominal size</b>		35
<b>Sound level</b>	<b>dB(A)</b>	65
<b>Container material</b>		Plastic
<b>Quantity of motors</b>		1
<b>Frequency</b>	<b>Hz</b>	50-60
<b>Voltage</b>	<b>V</b>	110-127
<b>Weight</b>	<b>kg</b>	11,5
<b>Dimensions (L x W x H)</b>	<b>mm</b>	520 × 380 × 580

### Equipment

<b>Suction hose</b>	<b>m</b>	2,5	<b>Maintenance -free suction fans</b>	<b>piece(s)</b>	1
<b>Filter bag</b>		Fleece			
<b>Wet and dry floor tool</b>	<b>mm</b>	300			
<b>Crevice nozzle</b>		■			
<b>Auto shutdown when max. level is reached</b>		■			
<b>Eco filter system</b>		■			
<b>Flat pleated filter</b>		Paper			
<b>Bend</b>		■			
<b>Safety class</b>		II			
<b>Caster with brake</b>		■			
<b>Filter cleaning</b>		Tact Filter Clean			

■ Included in delivery.

# ACCESSORIES FOR NT 35/1 TACT (110V)

## 1.184-854.0

**KÄRCHER**



		Order Number	Quantity	ID	Length	Width	Price	Description	
<b>Flat pleated filter (paper)</b>									
Flat filter only for replacement Kaerche	1	6.904-367.0	1 piece(s)					Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.	■
<b>Plastic bend</b>									
Plastic bend	2	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	■
	3	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
	4	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□
	5	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	□
Elbow antistatic packaged NW35 2K	6	2.889-147.0	1 piece(s)	ID 35					□
Elbow electrically conducting packaged N	7	2.889-148.0	1 piece(s)	ID 35					□
Elbow complete packaged NW35 2K	8	2.889-168.0	1 piece(s)	ID 35					□
Elbow packaged NW35 2K	9	2.889-170.0	1 piece(s)	ID 35					□
Elbow packaged NW40 1K	10	2.889-171.0							□
Elbow electrically conducting packaged N	11	2.889-172.0							□
<b>All-purpose nozzles (wet/dry)</b>									
Floor tool DN35	12	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	■
Floor tool DN40-370	13	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN40	14	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	15	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool DN35	16	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	□
Floor tool packaged NW35 360mm	17	2.889-152.0	1 piece(s)	ID 35		360 mm			□
Floor tool packaged NW40 360mm	18	2.889-153.0	1 piece(s)	ID 40		360 mm			□
	19	6.907-408.0							□
<b>Crevice nozzles</b>									
Crevice nozzle DN35	20	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■
Crevice nozzle	21	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR NT 35/1 TACT (110V)

## 1.184-854.0

**KÄRCHER**



		<b>Order Number</b>	<b>Quantity</b>	<b>ID</b>	<b>Length</b>	<b>Width</b>	<b>Price</b>	<b>Description</b>	
Crevice nozzle DN40	22	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	<input type="checkbox"/>
	23	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	<input type="checkbox"/>
Crevice nozzle DN35	24	6.906-240.0	1 piece(s)	ID 35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	<input type="checkbox"/>
Crevice nozzle wet and dry packaged NW35	25	2.889-159.0	1 piece(s)	ID 35	225 mm				<input type="checkbox"/>
Crevice nozzle wet and dry packaged NW40	26	2.889-160.0	1 piece(s)	ID 40	225 mm				<input type="checkbox"/>
<b>Suction tubes metal</b>									
Suction tube DN35	27	6.900-514.0	1 piece(s)	ID 35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	<input checked="" type="checkbox"/>
Suction tube	28	6.900-275.0	1 piece(s)	ID 40	0,5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	<input type="checkbox"/>
<b>Suction hoses complete (Clip-system)</b>									
Suction hose C DN35	29	4.440-626.0	1 piece(s)	ID 35	2,5 m			2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.	<input checked="" type="checkbox"/>
<b>Fleece filter bags (3 ply)</b>									
Fleece filter bags, x 5	30	6.907-479.0	5 piece(s)						<input checked="" type="checkbox"/>
Fleece filter bags, x 5	31	6.904-351.0	5 piece(s)					3-ply tear-resistant fleece filter bags (dust class M). For dry pick up, suitable for the following models: NT 361 Eco, Eco TE, TE-A and NT 361 Eco M, NT 35/1 Eco, Eco Te, Eco M. Contents: x5	<input type="checkbox"/>
<b>Nozzle sets</b>									
Nozzles set DN35	32	2.860-116.0	1 piece(s)	ID 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	<input type="checkbox"/>
<b>Flat pleated filter (PES)</b>									
Flat pleated filter (PES)	33	6.904-360.0	1 piece(s)					Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	<input type="checkbox"/>
<b>Coarse filter for wet pickup</b>									
Coarse dirt filter for wet pick up	34	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	<input type="checkbox"/>
<b>Membrane filter / fabric filter</b>									
Membrane filter/fabric filter	35	6.904-212.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.	<input type="checkbox"/>
<b>HEPA filter for dust class H</b>									
HEPA surface filter	36	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	<input type="checkbox"/>
<b>Paper filter (2 ply)</b>									
Paper filter bags, 300 pcs	37	6.904-224.0	300 piece(s)					BIA-C dust class M approved. Large-scale consumer pack.	<input type="checkbox"/>
Paper filter bags	38	6.904-259.0	5 piece(s)					5 paper filter bags (BIA-C dust class M) with reinforced outer ply (e.g. cement dust). For all NT 361 Eco models (except Eco H).	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR NT 35/1 TACT (110V)

## 1.184-854.0

**KÄRCHER**



		Order Number	Quantity	ID	Length	Width	Price	Description	
<b>Plastic sacks for dust-free disposal</b>									
Plastic sacks for dust-free disposal	39	6.596-886.0	10 piece(s)					PE plastic sack.	<input type="checkbox"/>
<b>Special filter bags, wet filter bags</b>									
Special filter bag, wet filter bag	40	6.904-171.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	<input type="checkbox"/>
<b>Bend stainless</b>									
Bend, stainless steel ID 35	41	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	<input type="checkbox"/>
Bend, stainless steel ID 40	42	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	<input type="checkbox"/>
<b>Bend metal</b>									
Bend, DN 35, metal	43	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).	<input type="checkbox"/>
Bend, DN 40, metal	44	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).	<input type="checkbox"/>
<b>All-purpose brushes</b>									
All-purpose brush	45	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	<input type="checkbox"/>
<b>Rubber tool</b>									
Rubber nozzle, ID 40	46	4.763-057.0	1 piece(s)	40				Rubber.	<input type="checkbox"/>
<b>Rubber suction tools, nose 45°</b>									
Rubber suction tools, nose 45°	47	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	48	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
<b>Combi-nozzles (dry)</b>									
Combination floor tool (dry)	49	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
Combi-nozzle (dry), DN 35	50	6.906-639.0	1 piece(s)	ID 35		262 mm		Plastic with stainless steel soleplate, switchable. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
<b>Pipe dusting nozzles</b>									
BRUSH	51	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
	52	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
<b>Suction brushes</b>									
Suction brush DN35	53	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
<b>Turbo nozzle</b>									
Upholstery nozzle TURBO	54	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
Floor tool TURBO DN 35/32	55	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>
<b>Suction tubes stainless steel</b>									
Suction tube, ID 40	56	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0,5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube	57	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1,0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Set suction tube stainless steel NW35 55	58	2.889-192.0							<input type="checkbox"/>
Suction tube, DN 35	59	6.902-154.0	1 piece(s)	ID 35	0,5 m				<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR NT 35/1 TACT (110V)

## 1.184-854.0

**KÄRCHER**



60



63



65-68, 70-72



69



73



74-77



78



79-81

		Order Number	Quantity	ID	Length	Width	Price	Description	
<b>Suction tubes plastic</b>									
Suction tube, DN 35	60	6.900-384.0	1 piece(s)	ID 35	0,5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	<input type="checkbox"/>
Suction tube, DN 61	61	6.900-224.0						Plastic	<input type="checkbox"/>
<b>Extension tube, metal</b>									
Extension tube, metal, ID 35	62	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length.	<input type="checkbox"/>
<b>Suction hoses</b>									
Hose packaged NW35 2.5m	63	2.889-133.0	1 piece(s)	ID 35	2,5 m				<input type="checkbox"/>
Hose packaged NW35 2.0m	64	2.889-161.0							<input type="checkbox"/>
<b>Suction hoses (Clip-system)</b>									
Suction hose	65	6.906-241.0	1 piece(s)	35	4 m			4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
	66	6.906-275.0	1 piece(s)	35	2,5 m			2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
Suction hose (clip system), C 35, el.	67	6.906-500.0	1 piece(s)	35	4 m			4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
Suction hose	68	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	<input type="checkbox"/>
	69	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection.	<input type="checkbox"/>
	70	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	<input type="checkbox"/>
Suction hose (clip system), C 40, 10 m, el.	71	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.	<input type="checkbox"/>
Suction hose (clip system), C 35	72	6.906-242.0	1 piece(s)	C- 35	10 m			Electrically conductive, 10 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	<input type="checkbox"/>
<b>Suction hoses (without connectors)</b>									
Suction hose, DN 32 and 35 (without connectors)	73	6.389-838.0		32	10 m			Standard (not T 201 with ESB 28).	<input type="checkbox"/>
<b>Connecting sleeves</b>									
Connecting sleeve, ID 27, el.	74	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electrically conductive.	<input type="checkbox"/>
Adapter, DN 32/35, with internal thread	75	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>
Adapter, DN 40 with internal thread	76	6.900-286.0	1 piece(s)	ID 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	<input type="checkbox"/>
Connecting sleeve, ID 61, with female thread	77	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides	<input type="checkbox"/>
<b>Y-adaptor kit</b>									
Y-adaptor kit	78	2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.	<input type="checkbox"/>
<b>Connecting sleeve C-DN (clip on taper), EL (electroconductive)</b>									
C-ID 35 adapter	79	5.407-112.0	1 piece(s)	ID 35				Connects C 35 hose for ID 35, electrically conductive.	<input type="checkbox"/>
C 40 adapter	80	5.407-109.0	1 piece(s)	ID 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
C-DN 40 adapter	81	5.407-111.0	1 piece(s)	ID 40				Connects C 40 hose for ID 40, electrically conductive.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR NT 35/1 TACT (110V)

## 1.184-854.0

**KÄRCHER**



		Order Number	Quantity	ID	Length	Width	Price	Description		
<b>Adapter for electric power tools, clip on, el.</b>										
Adapter for electric power tools, C 35, el.	82	5.453-048.0	1 piece(s)	ID 35				Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums.	<input type="checkbox"/>	
Connecting sleeve for electric tool C 35, el.	83	5.453-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>	
Adapter for electric power tools, C 35, el.	84	5.453-050.0	1 piece(s)	ID 35				Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>	
Connecting sleeve for electric tool C 35, el.	85	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	<input type="checkbox"/>	
Connecting sleeve for electric tools C 35, el.	86	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>	
Sleeve electrically conducting packaged	87	2.889-151.0	1 piece(s)	ID 35					<input type="checkbox"/>	
<b>Adapter for electric power tools, screwable</b>										
Adapter for electric power tools, screwable, ID 35	88	2.639-129.0	1 piece(s)	ID 35				Plastic, adaptable from ID 26-36.	<input type="checkbox"/>	
Power tool adapter, threaded, DN 35	89	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>	
Adapter for electric power tools, screwable, ID 35	90	5.453-026.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.	<input type="checkbox"/>	
Power tool adapter, threaded, DN 35	91	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	<input type="checkbox"/>	
	92	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	<input type="checkbox"/>	
<b>Adapter (tube -&gt; nozzle)</b>										
Adapter ID 35 - 40 (tube -> nozzle)	93	6.902-084.0	1 piece(s)	ID 35				From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	<input type="checkbox"/>	
<b>Reducing sleeves</b>										
Reducer	94	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	<input type="checkbox"/>	
<b>Reducer (tube -&gt; nozzle)</b>										
Reducer	95	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>	
Reducer from ID 35 to 32	96	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>	
<b>Set reducing / extension sleeves</b>										
Set reducing / extension sleeves	97	2.860-117.0	1 piece(s)					ID 40/35, ID 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>	
<b>Target group specific vacuum cleaner accessory sets</b>										
Universal kit for industrial and commercial use	98	2.637-595.0		ID 35				Accessory kit for industrial and commercial use.	<input type="checkbox"/>	
Boiler cleaning kit	99	2.638-852.0		ID 35				Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.	<input type="checkbox"/>	
Building trade kit	100	2.637-352.0		ID 40				Building and ancillary trade accessory kit.	<input type="checkbox"/>	
Professional cleaning kit ID 40	101	2.637-353.0		ID 40				Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).	<input type="checkbox"/>	

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR NT 35/1 TACT (110V) 1.184-854.0



		<b>Order Number</b>	<b>Quantity</b>	<b>ID</b>	<b>Length</b>	<b>Width</b>	<b>Price</b>	<b>Description</b>	
Horse grooming kit, ID 35	102	2.637-248.0		ID 40				Horse brush (6.903-046.0), curry comb/rubber curry comb (6.903-047.0 and 6.903-048.0), suction hose 4 m (4.440-391.0).	<input type="checkbox"/>
NT vacuum cleaner kit, DN 40, el.	103	2.638-147.0		ID 40				Wet and dry vacuum cleaner kit, electrically conductive, DN 40.	<input type="checkbox"/>
<b>UBS non-conductive media</b>									
ABS non-conductive media	104	2.641-560.0	1 piece(s)					For switching off when vacuuming non-conductive fluids such as oils and greases.	<input type="checkbox"/>
<b>Other</b>									
Drilling dust tool	105	2.679-000.0	1 piece(s)						<input type="checkbox"/>
CS 40 Me	106	2.863-026.0	1 piece(s)						<input type="checkbox"/>

■ Included in delivery. □ Available accessories.



# ACCESSORIES FOR NT 35/1 TACT (110V)

## 1.184-854.0



		Order Number	Quantity	ID	Length / width	Price	Description	
<b>Other nozzles</b>								
45° rubber suction nozzle	1	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	<input type="checkbox"/>

Included in delivery.
  Available accessories.

# ACCESSORIES FOR NT 35/1 TACT (110V) 1.184-854.0

		Order Number					Price	Description	
<b>Suction tubes</b>									
	1	6.900-274.0						metal	<input type="checkbox"/>

■ Included in delivery.     Available accessories.