SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Safety data sheet according to Regulation (EC) 2020/878

Revision date 25/07/2023 **Revision Number** 1.34

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name RS Pro Contact Cleaner Lubricant

Product Code(s) 136-8550, ZP

Safety data sheet number 01455

Unique Formula Identifier (UFI) AKVC-Q0SK-100G-59X5

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Lubricant

Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

Supplier

RS Components Ltd
Birchington Road
Corby
Northants
NN17 9RS
+44 (0) 845 850 9900
RCustomerServicesUK@rs-components.com

RS Components Ltd
Glenview Industrial Estate
Herberton Road
Rialto
Dublin 12
+353 (0) 1 415 3100
enquiries.ie@rs-components.com

For further information, please contact

E-mail address RCustomerServicesUK@rs-components.com

1.4. Emergency telephone number

Emergency Telephone POISON INFORMATION CENTRE (Beaumont Hospital, Republic of Ireland only) +353 (0)1 809 2166 (08:00 - 22:00)

Emergency Telephone -

+44 1235 239670 (24hr)

+44 (0) 1865 407333 (24hr)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aerosols	Category 1 - (H222, H229)
Specific target organ toxicity — single exposure	Category 3 - (H336)
Category 3 Narcotic effects	
Chronic aquatic toxicity	Category 2 - (H411)

2.2. Label elements

Contains pentane, Propan-2-ol



Signal word
Danger

Hazard statements
H222 - Extremely flammable aerosol
H229 - Pressurised container: May burst if heated
H336 - May cause drowsiness or dizziness
H411 - Toxic to aquatic life with long lasting effects
EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - EU (§28, 1272/2008)
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 - Do not spray on an open flame or other ignition source.
P251 - Do not pierce or burn, even after use.
P261 - Avoid breathing spray.
P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
pentane 109-66-0	60-100	01-2119459286-30-0000	203-692-4	Aquatic Chronic 2 (H411) Asp. Tox. 1 (H304) STOT SE 3 (H336) Flam. Liq. 2 (H225)	-	-	-
Carbon Dioxide 124-38-9	1-5	No data available	204-696-9	Press. Gas (Comp.) (H280)	-	-	-
Propan-2-ol 67-63-0	1-5	01-2119457558-25-0000	200-661-7	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	-	-	-
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate 2082-79-3	<0.1	No data available	218-216-0	-	-	-	-
Benzotriazole 95-14-7	<0.1	01-2119979079-20-0000	202-394-1	Aquatic Chronic 2 (H411) Eye Irrit. 2 (H319) Acute Tox. 4 (H302)	-	-	-
Diphenylamine 122-39-4	<0.1	No data available	204-539-4	Aquatic Chronic 1 (H410) STOT RE 2 (H373) Aquatic Acute 1 (H400) Acute Tox. 3 (H311) Acute Tox. 3 (H301) Acute Tox. 3 (H331)	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate
No information available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
pentane 109-66-0	2000	3000	364	No data available	No data available
Propan-2-ol 67-63-0	1870	4059	No data available	30.1002	No data available
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate 2082-79-3	5000	2000	No data available	No data available	No data available
Benzotriazole 95-14-7	560	10000	1.4325	No data available	No data available
Diphenylamine 122-39-4	1120	2000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No.

1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Inhalation Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Keep out of drains, sewers, ditches and waterways. Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Flood with water to complete polymerization and scrape off floor.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid contact with skin and eyes. Avoid breathing vapours or mists. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals. Store locked up. Keep out of the reach of children. Store away from other materials.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
pentane 109-66-0	TWA: 1000 ppm TWA: 3000 mg/m³	TWA: 600 ppm TWA: 1800 mg/m³ STEL 1200 ppm STEL 3600 mg/m³	TWA: 600 ppm TWA: 1800 mg/m³ STEL: 750 ppm STEL: 2250 mg/m³	TWA: 1000 ppm TWA: 3000.0 mg/m³	TWA: 1000 ppm TWA: 3000 mg/m³
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³ STEL 10000 ppm STEL 18000 mg/m³	TWA: 5000 ppm TWA: 9131 mg/m³ STEL: 30000 ppm STEL: 54784 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³
Propan-2-ol 67-63-0	-	TWA: 200 ppm TWA: 500 mg/m³ STEL 800 ppm STEL 2000 mg/m³	TWA: 200 ppm TWA: 500 mg/m³ STEL: 400 ppm STEL: 1000 mg/m³	STEL: 1225.0 mg/m³ TWA: 980.0 mg/m³	TWA: 400 ppm TWA: 999 mg/m³ STEL: 500 ppm STEL: 1250 mg/m³
Diphenylamine 122-39-4	-	TWA: 0.7 ppm TWA: 5 mg/m³ STEL 1.4 ppm STEL 10 mg/m³ H*	TWA: 10 mg/m³	TWA: 10 mg/m³	TWA: 10 mg/m³ STEL: 20 mg/m³

Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
pentane 109-66-0	TWA: 1000 ppm TWA: 3000 mg/m³	TWA: 2000 mg/m³ Ceiling: 4500 mg/m³	TWA: 500 ppm TWA: 1500 mg/m³ STEL: 1000 ppm STEL: 3000 mg/m³	TWA: 1000 ppm TWA: 3000 mg/m³	TWA: 500 ppm TWA: 1500 mg/m³ STEL: 630 ppm STEL: 1900 mg/m³
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m³	TWA: 9000 mg/m³ Ceiling: 45000 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³ STEL: 10000 ppm STEL: 18000 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³	TWA: 5000 ppm TWA: 9100 mg/m³
Propan-2-ol 67-63-0	-	TWA: 500 mg/m³ Ceiling: 1000 mg/m³	TWA: 200 ppm TWA: 490 mg/m³	TWA: 150 ppm TWA: 350 mg/m³	TWA: 200 ppm TWA: 500 mg/m³

		D*	STEL: 400 ppm STEL: 980 mg/m³	STEL: 250 ppm STEL: 600 mg/m³	STEL: 250 ppm STEL: 620 mg/m³
Diphenylamine 122-39-4	-	TWA: 10 mg/m³ Ceiling: 20 mg/m³ D*	TWA: 5 mg/m³ STEL: 10 mg/m³	TWA: 10 mg/m³	TWA: 5 mg/m³ STEL: 10 mg/m³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
pentane 109-66-0	TWA: 1000 ppm TWA: 3000 mg/m³	TWA: 1000 ppm TWA: 3000 mg/m³	TWA: 1000 ppm TWA: 3000 mg/m³ Peak: 2000 ppm Peak: 6000 mg/m³	TWA: 1000 ppm TWA: 2950 mg/m³ STEL: 1000 ppm STEL: 2950 mg/m³	TWA: 3000 mg/m³ TWA: 1000 ppm
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m³	TWA: 5000 ppm TWA: 9100 mg/m³	TWA: 5000 ppm TWA: 9100 mg/m³ Peak: 10000 ppm Peak: 18200 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³ STEL: 5000 ppm STEL: 54000 mg/m³	TWA: 9000 mg/m³ TWA: 5000 ppm
Propan-2-ol 67-63-0	STEL: 400 ppm STEL: 980 mg/m³	TWA: 200 ppm TWA: 500 mg/m³	TWA: 200 ppm TWA: 500 mg/m³ Peak: 400 ppm Peak: 1000 mg/m³	TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³	TWA: 500 mg/m³ TWA: 200 ppm STEL: 1000 mg/m³ STEL: 400 ppm b*
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate 2082-79-3	-	TWA: 20 mg/m³	TWA: 20 mg/m³ Peak: 40 mg/m³	-	-
Benzotriazole 95-14-7	-	-	*	-	-
Diphenylamine 122-39-4	TWA: 10 mg/m³	TWA: 5 mg/m³ H*	TWA: 5 mg/m³ Peak: 10 mg/m³ *	TWA: 10 mg/m³ STEL: 20 mg/m³	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
pentane 109-66-0	TWA: 1000 ppm STEL: 3000 ppm	TWA: 667 ppm TWA: 2000 mg/m³	TWA: 1000 ppm TWA: 2951 mg/m³	TWA: 1000 ppm TWA: 3000 mg/m³ STEL: 300 mg/m³	TWA: 1000 ppm TWA: 3000 mg/m³
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m³ STEL: 15000 ppm STEL: 27000 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³ STEL: 30000 ppm STEL: 54000 mg/m³ Simple asphyxiant	TWA: 5000 ppm TWA: 9000 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³
Propan-2-ol 67-63-0	TWA: 200 ppm STEL: 400 ppm Sk*	-	TWA: 200 ppm TWA: 492 mg/m³ STEL: 400 ppm STEL: 983 mg/m³	TWA: 350 mg/m³ STEL: 600 mg/m³	STEL: 250 ppm STEL: 600 mg/m³ TWA: 150 ppm TWA: 350 mg/m³
Benzotriazole 95-14-7	-	-	-	TWA: 5 mg/m³	-
Diphenylamine 122-39-4	TWA: 10 mg/m³ STEL: 20 mg/m³	-	TWA: 10 mg/m³	-	STEL: 12 mg/m³ TWA: 4 mg/m³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
pentane 109-66-0	TWA: 1000 ppm TWA: 3000 mg/m³	TWA: 1000 ppm TWA: 3000 mg/m³	TWA: 600 ppm TWA: 1800 mg/m³	TWA: 250 ppm TWA: 750 mg/m³ STEL: 312.5 ppm STEL: 937.5 mg/m³	TWA: 3000 mg/m³
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³ STEL: 6250 ppm STEL: 11250 mg/m³	STEL: 27000 mg/m³ TWA: 9000 mg/m³
Propan-2-ol 67-63-0	-	-	-	TWA: 100 ppm TWA: 245 mg/m³ STEL: 150 ppm STEL: 306.25 mg/m³	STEL: 1200 mg/m³ TWA: 900 mg/m³ skóra*
Diphenylamine	-	-	-	TWA: 5 mg/m³	TWA: 8 mg/m³

122-39-4				STEL: 10 mg/m³	
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
pentane 109-66-0	TWA: 1000 ppm TWA: 3000 mg/m³	TWA: 1000 ppm TWA: 3000 mg/m³ STEL: 1000 mg/m³	TWA: 1000 ppm TWA: 3000 mg/m³	TWA: 1000 ppm TWA: 3000 mg/m³ STEL: 2000 ppm STEL: 6000 mg/m³	TWA: 1000 ppm TWA: 3000 mg/m³
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m³ STEL: 30000 ppm	TWA: 5000 ppm TWA: 9000 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³ STEL: 10000 ppm STEL: 18000 mg/m³	TWA: 5000 ppm TWA: 9150 mg/m³
Propan-2-ol 67-63-0	TWA: 200 ppm STEL: 400 ppm	TWA: 81 ppm TWA: 200 mg/m³ STEL: 203 ppm STEL: 500 mg/m³	TWA: 200 ppm TWA: 500 mg/m³ Ceiling: 1000 mg/m³	TWA: 200 ppm TWA: 500 mg/m³ STEL: 400 ppm STEL: 1000 mg/m³	TWA: 200 ppm TWA: 500 mg/m³ STEL: 400 ppm STEL: 1000 mg/m³
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate 2082-79-3	-	-	-	TWA: 20 mg/m³ STEL: 40 mg/m³	-
Diphenylamine 122-39-4	TWA: 10 mg/m³	TWA: 4 mg/m³ STEL: 6 mg/m³	-	TWA: 5 mg/m³ STEL: 10 mg/m³ K*	TWA: 10 mg/m³

Chemical name	Sweden	Switzerland	United Kingdom
pentane 109-66-0	Vägledande KGV: 750 ppm Vägledande KGV: 2000 mg/m³ NGV: 600 ppm NGV: 1800 mg/m³	TWA: 600 ppm TWA: 1800 mg/m³ STEL: 1200 ppm STEL: 3600 mg/m³	TWA: 600 ppm TWA: 1800 mg/m³ STEL: 1800 ppm STEL: 5400 mg/m³
Carbon Dioxide 124-38-9	Vägledande KGV: 10000 ppm Vägledande KGV: 18000 mg/m³ NGV: 5000 ppm NGV: 9000 mg/m³	TWA: 5000 ppm TWA: 9000 mg/m³	TWA: 5000 ppm TWA: 9150 mg/m³ STEL: 15000 ppm STEL: 27400 mg/m³
Propan-2-ol 67-63-0	Vägledande KGV: 250 ppm Vägledande KGV: 600 mg/m³ NGV: 150 ppm NGV: 350 mg/m³	TWA: 200 ppm TWA: 500 mg/m³ STEL: 400 ppm STEL: 1000 mg/m³	TWA: 400 ppm TWA: 999 mg/m³ STEL: 500 ppm STEL: 1250 mg/m³
Diphenylamine 122-39-4	Vägledande KGV: 12 mg/m³ NGV: 4 mg/m³	TWA: 10 mg/m³ H*	TWA: 10 mg/m³ STEL: 20 mg/m³

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Propan-2-ol 67-63-0	-	-	-	50 mg/L - blood (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift	-
Diphenylamine 122-39-4	-	10 g/dL Hemoglobin (blood - not provided) 12 g/dL Hemoglobin (blood - not provided) 79 - 97 fL mean corpuscular volume (blood - not provided) 3.2 million/µL Erythrocytes (blood -	-	-	-

		not provided) 3.8 million/µL Erythrocytes (blood - not provided) 4000 Leukocytes/µL (blood - not provided) 13000 Leukocytes/µL (blood - not provided) 130000 Thrombocytes/µL (blood - not provided) 150000 Thrombocytes/µL (blood - not provided) <=50 U/l (- Serum transaminases SGOT not provided) <=35 U/l (- Serum transaminases SGOT not provided) <=50 U/l (- Serum transaminases SGPT not provided) <=35 U/l (- Serum transaminases SGPT not provided) <=66 U/l (- Serum transaminases GGT not provided) <=39 U/l (- Serum transaminases GGT not provided) (urine - one time yearly urine cytological examination)			

Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Propan-2-ol 67-63-0	-	-	-	25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L - BAT (end of exposure or end of shift) urine 25 mg/L - BAT (end of exposure or end of shift) blood	25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift)

Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII
Propan-2-ol 67-63-0	-	40 mg/L (urine - Acetone end of shift at end of workweek)	-	40 mg/L - urine (Acetone) - end of shift at end of workweek

Chemical name	Latvia	Luxembourg	Romania	Slovakia
Propan-2-ol 67-63-0	-	-	50 mg/L - urine (Acetone) - end of shift	-

Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Propan-2-ol 67-63-0	25 mg/L - blood (Acetone) - at the end of the work shift 25 mg/L - urine (Acetone) - at the end of the work shift	40 mg/L (urine - Acetone end of workweek)	25 mg/L (urine - Acetone end of shift) 0.4 mmol/L (urine - Acetone end of shift) 25 mg/L (whole blood - Acetone end of shift) 0.4 mmol/L (whole blood - Acetone end of shift)	-

Derived No Effect Level (DNEL) - Workers No information available

Chemical name	Oral	Dermal	Inhalation
pentane 109-66-0	-	432 mg/kg bw/day [4] [6]	3000 mg/m³ [4] [6]
Poly[oxy(methyl-1,2-ethanediyl)],α-butyl-ω-hydroxy- 9003-13-8	-	0.83 mg/kg bw/day [4] [6]	2.9 mg/m³ [4] [6]
Propan-2-ol 67-63-0	-	888 mg/kg bw/day [4] [6]	500 mg/m³ [4] [6]
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	-	0.08 mg/kg bw/day [4] [6]	0.6 mg/m³ [4] [6]
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate 2082-79-3	-	1.28 mg/kg bw/day [4] [6]	3.6 mg/m³ [4] [6]
Benzotriazole 95-14-7	-	1.08 mg/kg bw/day [4] [6]	19 mg/m³ [4] [6]

Derived No Effect Level (DNEL) - General Public No information available.

Chemical name	Oral	Dermal	Inhalation
pentane 109-66-0	214 mg/kg bw/day [4] [6]	-	643 mg/m³ [4] [6]
Poly[oxy(methyl-1,2-ethanediyl)],α-butyl-ω-hydroxy- 9003-13-8	0.42 mg/kg bw/day [4] [6] 2.5 mg/kg bw/day [4] [7]	-	-
Propan-2-ol 67-63-0	26 mg/kg bw/day [4] [6]	-	89 mg/m³ [4] [6]
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.04 mg/kg bw/day [4] [6]	-	0.14 mg/m³ [4] [6]
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate 2082-79-3	0.64 mg/kg bw/day [4] [6]	-	0.65 mg/m³ [4] [6]
Benzotriazole 95-14-7	0.54 mg/kg bw/day [4] [6] 0.54 mg/kg bw/day [4] [7]	-	9.55 mg/m³ [4] [6]

Predicted No Effect Concentration (PNEC) No information available.

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
pentane 109-66-0	230 µg/L	880 µg/L	230 µg/L	-	-
Poly[oxy(methyl-1,2-ethanediyl)],α-butyl-ω-hydroxy- 9003-13-8	0.333 mg/L	3.33 mg/L	0.0333 mg/L	-	-
Propan-2-ol 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L	-	-
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.0338 mg/L	0.51 mg/L	0.00338 mg/L	-	-
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate 2082-79-3	0.04 mg/L	0.3 mg/L	0.004 mg/L	-	-
Benzotriazole 95-14-7	0.0194 mg/L	0.158 mg/L	0.0194 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
pentane 109-66-0	1.2 mg/kg sediment dw	1.2 mg/kg sediment dw	3600 µg/L	0.55 mg/kg soil dw	-
Poly[oxy(methyl-1,2-ethanediyl)],α-butyl-ω-hydroxy- 9003-13-8	5.02 mg/kg sediment dw	0.502 mg/kg sediment dw	100 mg/L	0.809 mg/kg soil dw	-
Propan-2-ol 67-63-0	552 mg/kg sediment dw	552 mg/kg sediment dw	2251 mg/L	28 mg/kg soil dw	160 mg/kg food
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.446 mg/kg sediment dw	0.0446 mg/kg sediment dw	10 mg/L	1.76 mg/kg soil dw	-
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate 2082-79-3	149000 mg/kg sediment dw	14900 mg/kg sediment dw	10 mg/L	29700 mg/kg soil dw	-
Benzotriazole 95-14-7	0.2204 mg/kg sediment dw	0.2204 mg/kg sediment dw	0.1 mg/L	0.03 mg/kg soil dw	-

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Safety glasses with side shields are recommended for medical or industrial exposures.

Hand protection Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Aerosol
Appearance	Aerosol
Colour	Colourless light yellow
Odour	Characteristic.
Odour threshold	No information available

Property	**Values**	**Remarks • Method**
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	-48 °C	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	640 cSt @ 20°C	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	0.665 @ 20°C/68°F	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regards to physical hazard classes

Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidizing.

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data
Sensitivity to mechanical impact None.
Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. May cause irritation.

Skin contact Repeated exposure may cause skin dryness or cracking.

Ingestion Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	53,430.30 mg/kg
ATEmix (dermal)	3,491.80 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapour)	31.40 mg/l
ATEmix (inhalation-dust/mist)	364.851 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
pentane	> 2000 mg/kg (Rat)	= 3000 mg/kg (Rabbit)	= 364 g/m³ (Rat) 4 h
Propan-2-ol	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 1811 mg/m³ (Rat) 4 h
Benzotriazole	= 560 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	= 1910 mg/m³ (Rat) 3 h
Diphenylamine	= 1120 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
pentane	-	LC50: =9.87mg/L (96h, Oncorhynchus mykiss) LC50: =11.59mg/L (96h, Pimephales promelas) LC50: =9.99mg/L (96h, Lepomis macrochirus)	-	EC50: =9.74mg/L (48h, Daphnia magna)
Propan-2-ol	EC50: >1000mg/L (96h, Desmodesmus subspicatus) EC50: >1000mg/L (72h, Desmodesmus subspicatus)	LC50: =9640mg/L (96h, Pimephales promelas) LC50: =11130mg/L (96h, Pimephales promelas) LC50: >1400000µg/L (96h, Lepomis macrochirus)	-	EC50: =13299mg/L (48h, Daphnia magna)
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	EC50: >30mg/L (72h, Desmodesmus subspicatus)	LC50: >100mg/L (96h, Lepomis macrochirus)	-	-
Benzotriazole	EC50: =15.4mg/L (96h, freshwater algae)	LC50: =39mg/L (96h, Oncorhynchus mykiss)	-	EC50: =141.6mg/L (48h, water flea)
Diphenylamine	EC50: =1.5mg/L (72h, Scenedesmus subspicatus)	LC50: 3.47 - 4.14mg/L (96h, Pimephales promelas)	-	EC50: 1.69 - 2.46mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
pentane	3.45
Propan-2-ol	0.05
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	6
Diphenylamine	3.4

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
pentane	The substance is not PBT / vPvB
Propan-2-ol	The substance is not PBT / vPvB PBT assessment does not apply
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	The substance is not PBT / vPvB PBT assessment does not apply
Benzotriazole	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number UN1950
14.2 UN proper shipping name AEROSOLS, FLAMMABLE (CONTAINS pentane)
14.3 Transport hazard class(es) 2.1
14.4 Packing group None
14.5 Environmental hazards Yes
14.6 Special precautions for user
Special Provisions None

IMDG

14.1 UN number or ID number UN1950
14.2 UN proper shipping name AEROSOLS, FLAMMABLE (CONTAINS pentane)
14.3 Transport hazard class(es) 2.1
14.4 Packing group None
14.5 Environmental hazards Yes
14.6 Special precautions for user
Special Provisions None
EmS-No F-D, S-U
14.7 Maritime transport in bulk according to IMO instruments No information available

RID

14.1 UN number or ID number UN1950
14.2 UN proper shipping name AEROSOLS, FLAMMABLE (CONTAINS pentane)
14.3 Transport hazard class(es) 2.1
14.4 Packing group None

14.5 Environmental hazards Yes
14.6 Special precautions for user
Special Provisions None

ADR
14.1 UN number or ID number UN1950
14.2 UN proper shipping name AEROSOLS, FLAMMABLE (CONTAINS pentane)
14.3 Transport hazard class(es) 2.1
14.4 Packing group None
14.5 Environmental hazards Yes
14.6 Special precautions for user
Special Provisions None
Tunnel restriction code (D)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	French RG number
pentane - 109-66-0	RG 84
Propan-2-ol - 67-63-0	RG 84
Diphenylamine - 122-39-4	RG 15,RG 15bis

Water hazard class (WGK) obviously hazardous to water (WGK 2)

European Union
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:
This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Propan-2-ol - 67-63-0	Use restricted. See item 75.	-
Diphenylamine - 122-39-4	Use restricted. See item 75.	-

Persistent Organic Pollutants
Not applicable

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex Number
Diphenylamine - 122-39-4	I.1 I.2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009
Not applicable

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Carbon Dioxide - 124-38-9	Plant protection agent

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Carbon Dioxide - 124-38-9	Product-type 9: Fibre, leather, rubber and polymerised materials preservatives Product-type 14: Rodenticides

	Product-type 15: Avicides Product-type 18: Insecticides, acaricides and products to control other arthropods Simplified procedure - Category 6
Propan-2-ol - 67-63-0	Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals Product-type 4: Food and feed area Product-type 1: Human hygiene

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3
H225 - Highly flammable liquid and vapour
H280 - Contains gas under pressure; may explode if heated
H301 - Toxic if swallowed
H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H311 - Toxic in contact with skin
H319 - Causes serious eye irritation
H331 - Toxic if inhaled
H336 - May cause drowsiness or dizziness
H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H411 - Toxic to aquatic life with long lasting effects

Legend
SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable aerosol	On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine’s PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 25/07/2023

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)
Disclaimer
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet