

# 4 THREADED BARS 630A L1400/ LINERGY BS BB

LVS04174

EAN Code: 3606481870308

### Main

Range	Linergy
Range of product	Linergy
Product or component type	Busbar
product name	Linergy BS
Range compatibility	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P enclosure
Busbar description	Flat bar
Quantity per set	Set of 4

## Complementary

Installation direction	Vertical, operating position: rear	
installation description	Floor-standing duct - width 300 mm Wall-mounted duct - width 300 mm	
[le] rated operational current	630 A at 35 °C	
[lcw] rated short-time withstand current	25 kA (1 s) for 4 supports	
[lpk] rated peak withstand current	55 kA	
Busbar cross section	32 x 8 mm	
Length	1400 mm	
Width	32 mm	
Depth	8 mm	
Net weight	12.54 kg	
Colour	Natural	
Type of busbar connection	M6 threaded hole	
Connection pitch	Connection each 25 mm	

## **Environment**

Standards	IEC 61439-1 IEC 61439-2
Product certifications	ASTA

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	2.0 cm
Package 1 Width	17.0 cm
Package 1 Length	154.0 cm
Package 1 Weight	12.65 kg
Unit Type of Package 2	P2M
Number of Units in Package 2	48
Package 2 Height	30.0 cm
Package 2 Width	120.0 cm
Package 2 Length	200.0 cm
Package 2 Weight	635.0 kg

# **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

## 

Environmental Disclosure

Product Environmental Profile

#### **Use Better**


Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
Halogen content performance	Halogen free plastic parts product
PVC free	Yes

### **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

## **Technical Illustration**

### **Dimensions**



- All dimensions are approximate and are in a Also see technical documentation.