

# Product datasheet

Specifications



## bench trunking unit - 2 gang

Local distributor code:

20146261

CVBU2W

❗ Discontinued on: 15 Oct 2024

EAN Code: 3606480488023

❗ Discontinued

### Main

Range of product	Mita
Product or component type	Bench trunking
Device presentation	Empty
Colour tint	Satin silver/white
Quantity per set	Set of 1

### Complementary

Device composition	base uPVC (unplasticized polyvinyl chloride) white lid uPVC (unplasticized polyvinyl chloride) white end cap
Trunking dimension	100 x 100 mm
Front opening size	87 mm
fixing mode	Screw-fixed
Material	Aluminium anodized UPVC (unplasticized polyvinyl chloride)
Number of gangs	2 gangs
Product compatibility	conforming to BS wiring device
Length	200 mm
Height	100 mm
Width	100 mm

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	12.000 cm
Package 1 Width	12.000 cm
Package 1 Length	23.000 cm
Package 1 Weight	597.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	23.800 cm
Package 2 Width	30.000 cm

Package 2 Length	41.500 cm
Package 2 Weight	6.370 kg
Unit Type of Package 3	PAM
Number of Units in Package 3	320
Package 3 Height	115.000 cm
Package 3 Width	120.000 cm
Package 3 Length	100.000 cm
Package 3 Weight	223.840 kg

## Contractual warranty

Warranty	18 months
----------	-----------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

#### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	90215406-b6bf-44f8-b463-8540d32a6f6b
REACH Regulation	<a href="#">REACH Declaration</a>

### Use Again

#### Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No