PRODUCT INFORMATION





INTERROLL FLOWAY CARTON WHEEL FLOW

COMPACT, DYNAMIC, EFFICIENT

ALWAYS ON A ROLL..



Floway track

Floway tracks from Interroll have what it takes to convey featherweights as well as heavyweights, reliably and quietly from the input end to various order-picking stations – year in, year out, maintenance free.

- Floway track cannot open under heavy loads.
- High capacity rollers made from high density polyethylene.
- Galvanized frame profile will not distort under load.



- Wheels rotate on steel stub axles.
- Operating temperature: -30°F to 105°F
- Max. load per wheel, static: 26 Ibs, dynamic (moving 1.6 ft/sec: 18 Ibs.



WELL BUILT AND EXTREME



Removable loading plate and full-length guides.



Assembly, disassembly and modifications of tracks and full-length guides require no tools.



Fixed loading plate.



The Universal connector accomodates installation of the Interroll Floway beds to any rack manufacturer's uprights.



Entry-guides.

Carton Flow Storage

It doesn't matter whether you want to feed fast movers in trays, cartons or hard plastic totes our Floway system guides them all. With a wide range of configurations and components it is possible to implement even the most complex of storage and stock-picking set-ups. The Floway system is easy to assemble and maintenance-free and pays for itself in next to no time.

Available with square fronts, angled fronts and ergonomic picking curves for easy integration of conveyor systems.

The angled front offers optimum visibility and access for easy removal of products.

LY VERSATILE...





Floway System with integrated conveyor and ergonomically designed front.



Floway System retrofitted in standard pallet racking.

Space and time saving distribution for all kinds of goods.

Interroll Floway:

- Drastically reduces walking distances over conventional pick paths
- Improves picking performance up to 65%
- Saves floor space, as only two aisles are needed, one for picking and one for stock replinishment
- Provides automatic and accurate stock rotation and control on a First-In-First-Out basis
- Requires no energy
- Requires no maintenance
- Standard pallet racking systems can be used for reserve stock



Beds with end stop.



Beds with 5° drop-out tray.



Beds with 15° drop-out tray.



Beds with adjustable drop-out tray 0°/30°.



A conventional system may need many aisles

Its two-aisle concept makes Floway a true space saver





SOMETHING TO BE PRO

References

Now we've shown you everything you can do with our Floway system, we'd like to show you some of the systems already in place. If this is of interest to you we will be only too pleased to discuss this in more detail. You will find who to contact on the last page.

Example: Pharmaceuticals

The quality of medical care in Europe is among the best in the world. A key reason for this is the rapid availability of lifesaving prescription drugs.

Hoffman La Roche set their sights on same-day dispatch of all orders received by 2:30 p.m. This includes individual packs as well as complete cartons. Using paperless technology, individual packs are picked from an easily accessible Floway storage lane, while cartons are picked – also using a paperless system – from a First-In-First-Out pallet flow storage system.

The product-segregated First-In-First-Out principle of the Floway order picking line and pallet flow storage system eliminates any chance of an accidental









UD OF...

product mix – which could have serious consequences. In conjunction with central computer control, this improves order picking up to 100%.

Client reference list:

- General Motors
- Motorola
- Staples
- Autozone
- Radio Shack
- Thrifty White Drug Stores
- Honda

- Landrover
- Dell
- KIA
- LG
- McKeson
- O'Reilly Auto Parts
- Saab
- Toyota
- Valeo
- L'Oréal
- Volvo
- Tractor Supply Company





Interroll is the most global provider of core products for material handling solutions. Headquartered in Sant'Antonino Switzerland, Interroll is present in more than 30 countries.

Additional sales contacts and addresses are available by visiting www.interroll.com

North American Manufacturing Center

Interroll Dynamic Storage Tel: 905-727-3399 ca.sales@interroll.com

Interroll Worldwide Headquarters

Interroll Holding AG Via Gorelle 3 P.O. Box 566 CH - 6592 Sant'Antonino Phone: +41 91 850 25 25 Fax: +41 91 850 25 55 info@interroll.com

Interroll reserves the right to modify the technical characteristics of all its products at any time.

Technical information, dimensions, data and characteristics are provided for reference only.