

# Circuit breaker accessory, PowerPacT H, terminal nut, for busbar, tap M6, CE standard, qty 2

S37426

Product availability: Non-Stock - Not normally stocked in distribution facility

#### Main

Range of Product	PowerPact H	
Product or Component Type	Nut	
Accessory / separate part	Connection accessory	

### Complementary

Mounting Support	Busbar	
Tightening torque	79.790.3 lbf.in (910.2 N.m)	
Thread type	M6	
Standards	CE	
Quantity per Set	Set of 2	

### Ordering and shipping details

Category	US10DE201103
Discount Schedule	0DE2
GTIN	785901988649
Returnability	Yes
Country of origin	US

## **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	0.39 in (1.0 cm)	
Package 1 Width	0.79 in (2.0 cm)	
Package 1 Length	1.57 in (4.0 cm)	
Package 1 Weight	1.376 oz (39.009 g)	
Unit Type of Package 2	S02	
Number of Units in Package 2	10	
Package 2 Height	5.91 in (15.0 cm)	
Package 2 Width	11.81 in (30.0 cm)	
Package 2 Length	15.75 in (40.0 cm)	
Package 2 Weight	29.8 oz (845.0 g)	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# **Contractual warranty**

Warranty

18 months

Apr 3, 2025



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

#### **Use Better**

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
California proposition 65	WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

#### **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.