

PRODUCT-DETAILS

## S2C-A1 S2C-A1 Shunt Trip



General Information	
Extended Product Type	S2C-A1
Product ID	2CDS200909R0001
EAN	4016779570992
Catalog Description	S2C-A1 Shunt Trip
Long Description	Remote opening of the device when a voltage is applied. Suitable for MCBs S200 series and

Technical	
Standards	CSA 22.2 No. 235 UL 1077
Function	Shunt Trip
Suitable For	\$200 \$200M \$200P \$200S \$200 MT \$200 MUC \$300P D\$200AC D\$200MAC D\$200MAC
Suitable for Product Class	Miniature Circuit Breaker Residual Current Device
Power Loss	0 W

S2C-A1 2

Product Net Height         85 mm           Product Net Depth / Length         69 mm           Length         0.133 kg           Ordering		
RedS Information	Environmental	
REACH Declaration	RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
A906475e-2b37-45cb-918c-db295dd158a2 Germany (DE)	RoHS Information	2CDK400627D2701
Conflict Minerals		
Dimensions		
Product Net Width         17.5 mm           Product Net Height         85 mm           Product Net Depth / Length         69 mm           Length         0.133 kg           Ordering         0.133 kg           Package Level 1 Units         bilister 1 piece           Package Level 1 Gross         0.138 kg           Weight         3210837           E-Number (Finland)         3210837           E-Number (Sweden)         2102510           Certificates and Declarations         2CDK400627D2701           Declaration of Conformity         9AKK108467A548           -UKCA         9AKK108467A5488           Installation         GHS2007006P0005           Instructions and Manuals         GHS2007006P0005           Popular Downloads         9AKK106930A8017           Data Sheet, Technical Information         9AKK106930A8017           Information         9AKK106930A8017           WEEE Category         5. Small Equipment (No External Dimension More Than 50 cm)           WEEE Category         5. Small Equipment (No External Dimension More Than 50 cm)           WEEE Category         5. Small Equipment (No External Dimension More Than 50 cm)           UNINSPSC         8536 50 80           UNINSPSC         9AKE 10250 Cm	Reporting Template	9AKK108468A3363
Product Net Width         17.5 mm           Product Net Height         85 mm           Product Net Depth / Length         69 mm           Length         0.133 kg           Ordering         0.133 kg           Package Level 1 Units         bilister 1 piece           Package Level 1 Gross         0.138 kg           Weight         3210837           E-Number (Finland)         3210837           E-Number (Sweden)         2102510           Certificates and Declarations         2CDK400627D2701           Declaration of Conformity         9AKK108467A548           -UKCA         9AKK108467A5488           Installation         GHS2007006P0005           Instructions and Manuals         GHS2007006P0005           Popular Downloads         9AKK106930A8017           Data Sheet, Technical Information         9AKK106930A8017           Information         9AKK106930A8017           WEEE Category         5. Small Equipment (No External Dimension More Than 50 cm)           WEEE Category         5. Small Equipment (No External Dimension More Than 50 cm)           WEEE Category         5. Small Equipment (No External Dimension More Than 50 cm)           UNINSPSC         8536 50 80           UNINSPSC         9AKE 10250 Cm		
Product Net Height         85 mm           Product Net Depth / Length         69 mm           Length         0.133 kg           Ordering	Dimensions	
Product Net Depth / Length         69 mm           Length         0.133 kg           Ordering           Package Level 1 Units         blister 1 piece           Package Level 1 Gross         0.138 kg           Weight         3218837           E-Number (Finland)         3218837           E-Number (Sweden)         202510           Certificates and Declarations           Declaration of Conformity         2CDK400627D2701           -CE         Declaration of Conformity           -UKCA         9AKK108467A5488           -UKCA         Installation           Instructions and Manuals         GHS2007006P0005           Popular Downloads         Popular Downloads           Data Sheet, Technical Information         9AKK106930A8017           Information         9AKK106930A8017           Classifications         ETIM 9           ECC01286 - Auxiliary device for distribution board devices ETIM 9         ECC001286 - Auxiliary device for distribution board devices ETIM 9           WEEE Category         5. Small Equipment (No External Dimension More Than 50 cm) WEEE Category         5. Small Equipment (No External Dimension More Than 50 cm) WEEE Category           CN8         8353 50 80 80 10 10 10 10 10 10 10 10 10 10 10 10 10	Product Net Width	17.5 mm
Description	Product Net Height	85 mm
Product Net Weight         0.133 kg           Ordering         Dackage Level 1 Units         bilister 1 piece           Package Level 1 Gross         0.138 kg           Weight         3210837           E-Number (Finland)         3210837           E-Number (Sweden)         2102510           Certificates and Declarations         Declaration of Conformity           Declaration of Conformity         9AKK108467A5488           -UKCA         9AKK108467A5488           Installation         GHS2007006P0005           Instructions and Manuals         GHS2007006P0005           Popular Downloads         9AKK106930A8017           Data Sheet, Technical Information         9AKK106930A8017           Information         9AKK106930A8017           WEEE Category         5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C /B2B         Business To Business CN8           CN8         8355 50 80         8355 50 80           UNSPSC         9121601           UEA Granular Category         4879 >> Shunt release (for power circuit breaker)		69 mm
Package Level 1 Units         blister 1 piece           Package Level 1 Gross         0.138 kg           Keight         3.210837           E-Number (Finland)         3.210837           E-Number (Sweden)         2.102510           Certificates and Declarations           Declaration of Conformity           CE         2.0000           Declaration of Conformity         9AKK108467A5488           -UKCA           Installation           Instructions and Manuals         GHS2007006P0005           Popular Downloads           Data Sheet, Technical Information           Classifications           ETIM 8         EC001286 - Auxiliary device for distribution board devices           ETIM 8         EC001286 - Auxiliary device for distribution board devices           ETIM 9         EC001286 - Auxiliary device for distribution board devices           ETIM 9         EC001286 - Auxiliary device for distribution board devices           EXEC Classory         5. Small Equipment (No External Dimension More Than 50 cm)           WEEE BZC / B2B         Business To Business           CN8         836 50 80 80           UNSPSC         39121601           EClass         V1.1.0 : Z7143502		0.133 kg
Package Level 1 Units         blister 1 piece           Package Level 1 Gross         0.138 kg           Keight         3.210837           E-Number (Finland)         3.210837           E-Number (Sweden)         2.102510           Certificates and Declarations           Declaration of Conformity           CE         2.0000           Declaration of Conformity         9AKK108467A5488           -UKCA           Installation           Instructions and Manuals         GHS2007006P0005           Popular Downloads           Data Sheet, Technical Information           Classifications           ETIM 8         EC001286 - Auxiliary device for distribution board devices           ETIM 8         EC001286 - Auxiliary device for distribution board devices           ETIM 9         EC001286 - Auxiliary device for distribution board devices           ETIM 9         EC001286 - Auxiliary device for distribution board devices           EXEC Classory         5. Small Equipment (No External Dimension More Than 50 cm)           WEEE BZC / B2B         Business To Business           CN8         836 50 80 80           UNSPSC         39121601           EClass         V1.1.0 : Z7143502	Ordering	
Package Level 1 Gross         0.138 kg           Weight         3210837           E-Number (Finland)         3210837           E-Number (Sweden)         2102510           Certificates and Declarations           Declaration of Conformity         2CDK400627D2701           -CE         Declaration of Conformity           -UKCA         9AKK108467A5488           Installation           Instructions and Manuals         GHS2007006P0005           Popular Downloads           Data Sheet, Technical Information         9AKK106930A8017           Classifications           ETIM 8         EC001286 - Auxiliary device for distribution board devices etim 9           EC01286 - Auxiliary device for distribution board devices with 9 EC001286 - Auxiliary device for distribution board devices with 9 EC001286 - Auxiliary device for distribution board sevices with 9 EC001286 - Auxiliary device for distribution board sevices with 9 EC001286 - Auxiliary device for distribution board sevices with 9 EC001286 - Auxiliary device for distribution board sevices with 9 EC001286 - Auxiliary device for distribution board sevices with 9 EC001286 - Auxiliary device for distribution board sevices with 9 EC001286 - Auxiliary device for distribution board sevices with 9 EC001286 - Auxiliary device for distribution board sevices with 9 EC001286 - Auxiliary device for distribution board sevices with 9 EC001286 - Auxiliary device for distribution board sevices with 9 EC001286 - Auxiliary device for distribution board sevices with 9 EC001286 -		blister 1 piece
E-Number (Finland) 3210837 E-Number (Sweden) 2102510  Certificates and Declarations  Declaration of Conformity 2CDK400627D2701 -CE 9AKK108467A5488 -UKCA 9AKK108467A5488 -UKCA 9AKK108467A5488 -UKCA 9AKK108467A5488  Installation  Instructions and Manuals GHS2007006P0005  Popular Downloads  Data Sheet, Technical 9AKK106930A8017 Information 9AKK106930A8017  Classifications  ETIM 8 EC001286 - Auxiliary device for distribution board devices ETIM 9 EC001286 - Auxiliary device for distribution board devices WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Business CN8 8536 50 80 UNSPSC 39121601 eClass V11.0: 27143502 UDEA Granular Category 4879 >> Shunt release (for power circuit breaker) Code (IGCC)		
E-Number (Sweden)  Certificates and Declarations  Declaration of Conformity 2CDK400627D2701 - CE  Declaration of Conformity 9AKK108467A5488 - UKCA  Installation  Instructions and Manuals GHS2007006P0005  Popular Downloads  Data Sheet, Technical 9AKK106930A8017 Information  Classifications  ETIM 8 EC001286 - Auxiliary device for distribution board devices ETIM 9 EC001286 - Auxiliary device for distribution board devices WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Business CN8 8536 50 80 UNSPSC 39121601  Class (V11.0: 27143502 UDEA Granular Category 4879 >> Shunt release (for power circuit breaker) Code (IGCC)	_	•
Certificates and Declarations  Declaration of Conformity 2CDK400627D2701 -CE 99AKK108467A5488 -UKCA 99AKK108467A5488 -UKCA 99AKK108467A5488  Installation Instructions and Manuals GHS2007006P0005  Popular Downloads  Data Sheet, Technical 9AKK106930A8017 Information 9AKK106930A8017  Classifications  ETIM 8 EC001286 - Auxiliary device for distribution board devices ETIM 9 EC001286 - Auxiliary device for distribution board devices WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Business CN8 8536 50 80 UNSPSC 939121601 eClass 1921 4879 >> Shunt release (for power circuit breaker) Code (IGCC)		
Declaration of Conformity - CE         2CDK400627D2701           Declaration of Conformity - UKCA         9AKK108467A5488           Installation         GHS2007006P0005           Popular Downloads         GHS2007006P0005           Data Sheet, Technical Information         9AKK106930A8017           Classifications         ETIM 8         EC001286 - Auxiliary device for distribution board devices           ETIM 9         EC001286 - Auxiliary device for distribution board devices           WEEE Category         5. Small Equipment (No External Dimension More Than 50 cm)           WEEE B2C / B2B         Business To Business           CN8         8536 50 80           UNSPSC         39121601           Class         V11.0 : 27143502           DEA Granular Category         4879 >> Shunt release (for power circuit breaker)	E-Number (Sweden)	2102510
-CE         Declaration of Conformity         9AKK108467A5488           -UKCA         9AKK108467A5488           Installation         Instructions and Manuals         GHS2007006P0005           Popular Downloads         Popular Downloads           Data Sheet, Technical Information         9AKK106930A8017           Classifications         ETIM 8         EC001286 - Auxiliary device for distribution board devices           ETIM 9         EC001286 - Auxiliary device for distribution board devices         ETIM 9           WEEE Category         5. Small Equipment (No External Dimension More Than 50 cm)         WEEE B2C / B2B           CN8         Business To Business           CN8         8536 50 80           UNSPSC         39121601           eClass         V11.0 : 27143502           IDEA Granular Category         4879 >> Shunt release (for power circuit breaker)           Code (IGCC)         4879 >> Shunt release (for power circuit breaker)	Certificates and Declarations	
Installation  Instructions and Manuals  Popular Downloads  Data Sheet, Technical 9AKK106930A8017  Information  Classifications  ETIM 8 EC001286 - Auxiliary device for distribution board devices ETIM 9 EC001286 - Auxiliary device for distribution board devices WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Business CN8 B336 50 80 UNSPSC 39121601  eClass V11.0 : 27143502 IDEA Granular Category Code (IGCC)		2CDK400627D2701
Popular Downloads  Data Sheet, Technical 9AKK106930A8017 Information  Classifications  ETIM 8 EC001286 - Auxiliary device for distribution board devices ETIM 9 EC001286 - Auxiliary device for distribution board devices WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Business CN8 B356 50 80 UNSPSC 39121601 eClass V11.0 : 27143502 IDEA Granular Category 4879 >> Shunt release (for power circuit breaker) Code (IGCC)	Declaration of Conformity _UKCA	9AKK108467A5488
Popular Downloads  Data Sheet, Technical 9AKK106930A8017 Information  Classifications  ETIM 8 EC001286 - Auxiliary device for distribution board devices ETIM 9 EC001286 - Auxiliary device for distribution board devices WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Business CN8 B356 50 80 UNSPSC 39121601 eClass V11.0 : 27143502 IDEA Granular Category 4879 >> Shunt release (for power circuit breaker) Code (IGCC)	Installation	
Popular Downloads  Data Sheet, Technical 9AKK106930A8017 Information  Classifications  ETIM 8 EC001286 - Auxiliary device for distribution board devices ETIM 9 EC001286 - Auxiliary device for distribution board devices WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Business CN8 8536 50 80 UNSPSC 39121601 eClass V11.0 : 27143502 IDEA Granular Category 4879 >> Shunt release (for power circuit breaker) Code (IGCC)		GHS2007006P0005
Data Sheet, Technical 9AKK106930A8017 Information  Classifications  ETIM 8 EC001286 - Auxiliary device for distribution board devices ETIM 9 EC001286 - Auxiliary device for distribution board devices WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) WEEE B2C / B2B Business To Business CN8 Business To Business CN8 8536 50 80 UNSPSC 39121601 eClass V11.0 : 27143502 IDEA Granular Category 4879 >> Shunt release (for power circuit breaker) Code (IGCC)	Instructions and Manuals	GH32007000F0003
InformationClassificationsETIM 8EC001286 - Auxiliary device for distribution board devicesETIM 9EC001286 - Auxiliary device for distribution board devicesWEEE Category5. Small Equipment (No External Dimension More Than 50 cm)WEEE B2C / B2BBusiness To BusinessCN88536 50 80UNSPSC39121601eClassV11.0 : 27143502IDEA Granular Category Code (IGCC)4879 >> Shunt release (for power circuit breaker)	Popular Downloads	
ETIM 8  EC001286 - Auxiliary device for distribution board devices  ETIM 9  EC001286 - Auxiliary device for distribution board devices  WEEE Category  5. Small Equipment (No External Dimension More Than 50 cm)  WEEE B2C / B2B  Business To Business  CN8  8536 50 80  UNSPSC  GUISS  UNSPSC  UNSPS		9AKK106930A8017
ETIM 8  EC001286 - Auxiliary device for distribution board devices  ETIM 9  EC001286 - Auxiliary device for distribution board devices  WEEE Category  5. Small Equipment (No External Dimension More Than 50 cm)  WEEE B2C / B2B  Business To Business  CN8  8536 50 80  UNSPSC  GUISS  UNSPSC  UNSPS	Observices	
ETIM 9  EC001286 - Auxiliary device for distribution board devices  WEEE Category  5. Small Equipment (No External Dimension More Than 50 cm)  WEEE B2C / B2B  Business To Business  CN8  8536 50 80  UNSPSC  Class  V11.0 : 27143502  IDEA Granular Category  Code (IGCC)		
WEEE Category         5. Small Equipment (No External Dimension More Than 50 cm)           WEEE B2C / B2B         Business To Business           CN8         8536 50 80           UNSPSC         39121601           eClass         V11.0 : 27143502           IDEA Granular Category Code (IGCC)         4879 >> Shunt release (for power circuit breaker)		
WEEE B2C / B2B         Business To Business           CN8         8536 50 80           UNSPSC         39121601           eClass         V11.0 : 27143502           IDEA Granular Category Code (IGCC)         4879 >> Shunt release (for power circuit breaker)		
CN8         8536 50 80           UNSPSC         39121601           eClass         V11.0 : 27143502           IDEA Granular Category Code (IGCC)         4879 >> Shunt release (for power circuit breaker)		
UNSPSC 39121601 eClass V11.0 : 27143502 IDEA Granular Category Code (IGCC) 4879 >> Shunt release (for power circuit breaker)		
eClass V11.0 : 27143502 IDEA Granular Category 4879 >> Shunt release (for power circuit breaker) Code (IGCC)		
IDEA Granular Category Code (IGCC)  4879 >> Shunt release (for power circuit breaker)		
Object Classification Code Q	IDEA Granular Category	
	Object Classification Code	Q

S2C-A1 3

## Categories

 $\text{Low Voltage Products and Systems} \rightarrow \text{Modular DIN Rail Products} \rightarrow \text{ABB VY} \rightarrow \text{Busbars and Accessories ABB VY} \rightarrow \text{Accessories ABB VY} \rightarrow \text{Acce$ 

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Miniature\ Circuit\ Breakers\ MCBs\ \rightarrow\ Miniature\ Circuit\ Breakers\ MCBs$  Accessories





