





10				9				8				7				6				5				4				3				2				1																											
TIN PLATING																15 MICROINCH GOLD																30 MICROINCH GOLD																TIN PLATING															
TRAY PACKAGING -2068320000-PK																TRAY PACKAGING -2068320000-PK																TRAY PACKAGING -2068320000-PK																T&R PACKAGING -2068320001-PK															
CKT	VRT HDR ASSY PN				POLARIZATION				COLOR				CKT	VRT HDR ASSY PN				POLARIZATION				COLOR				CKT	VRT HDR ASSY PN				POLARIZATION				COLOR				CKT	VRT HDR ASSY PN				POLARIZATION				COLOR															
2	206832-0201				A				BLACK				2	206832-0202				A				BLACK				2	206832-0203				A				BLACK				A	BLACK																							
	224246-0210				B				NATURAL					224246-0211				B				NATURAL					224246-0212				B				NATURAL																												
	224246-0220				C				RED					224246-0221				C				RED					224246-0222				C				RED																												
	224246-0230				D				BLUE					224246-0231				D				BLUE					224246-0232				D				BLUE																												
	224246-0240				E				YELLOW					224246-0241				E				YELLOW					224246-0242				E				YELLOW																												
4	206832-0401				A				BLACK				4	206832-0402				A				BLACK				4	206832-0403				A				BLACK						4	206832-0412				B				NATURAL													
	224246-0410				B				NATURAL					224246-0411				B				NATURAL					224246-0412				B				NATURAL																												
	224246-0420				C				RED					224246-0421				C				RED					224246-0422				C				RED																												
	224246-0430				D				BLUE					224246-0431				D				BLUE					224246-0432				D				BLUE																												
	224246-0440				E				YELLOW					224246-0441				E				YELLOW					224246-0442				E				YELLOW																												
6	206832-0601				A				BLACK				6	206832-0602				A				BLACK				6	206832-0603				A				BLACK						6	206832-0612				B				NATURAL													
	224246-0610				B				NATURAL					224246-0611				B				NATURAL					224246-0612				B				NATURAL																												
	224246-0620				C				RED					224246-0621				C				RED					224246-0622				C				RED																												
	224246-0630				D				BLUE					224246-0631				D				BLUE					224246-0632				D				BLUE																												
	224246-0640				E				YELLOW					224246-0641				E				YELLOW					224246-0642				E				YELLOW																												
8	206832-0801				A				BLACK				8	206832-0802				A				BLACK				8	206832-0803				A				BLACK				8	206832-0812				B				NATURAL															
	224246-0810				B				NATURAL					224246-0811				B				NATURAL					224246-0812				B				NATURAL																												
	224246-0820				C				RED					224246-0821				C				RED					224246-0822				C				RED																												
	224246-0830				D				BLUE					224246-0831				D				BLUE					224246-0832				D				BLUE																												
	224246-0840				E				YELLOW					224246-0841				E				YELLOW					224246-0842				E				YELLOW																												
10	206832-1001				A				BLACK				10	206832-1002				A				BLACK				10	206832-1003				A				BLACK				10	206832-1012				B				NATURAL															
	224246-1010				B				NATURAL					224246-1011				B				NATURAL					224246-1012				B				NATURAL																												
	224246-1020				C				RED					224246-1021				C				RED					224246-1022				C				RED																												
	224246-1030				D				BLUE					224246-1031				D				BLUE					224246-1032				D				BLUE																												
	224246-1040				E				YELLOW					224246-1041				E				YELLOW					224246-1042				E				YELLOW																												
12	206832-1201				A				BLACK				12	206832-1202				A				BLACK				12	206832-1203				A				BLACK				12	206832-1212				B				NATURAL															
	224246-1210				B				NATURAL					224246-1211				B				NATURAL					224246-1212				B				NATURAL																												
	224246-1220				C				RED					224246-1221				C				RED					224246-1222				C				RED																												
	224246-1230				D				BLUE					224246-1231				D				BLUE					224246-1232				D				BLUE																												
	224246-1240				E				YELLOW					224246-1241				E				YELLOW					224246-1242				E				YELLOW																												
14	206832-1401				A				BLACK				14	206832-1402				A				BLACK				14	206832-1403				A				BLACK				14	206832-1403				A				BLACK															
16	206832-1601				A				BLACK				16	206832-1602				A				BLACK				16	206832-1603				A				BLACK				16	206832-1603				A				BLACK															
18	206832-1801				A				BLACK				18	206832-1802				A				BLACK				18	206832-1803				A				BLACK				18	206832-1803				A				BLACK															
20	206832-2001				A				BLACK				20	206832-2002				A				BLACK				20	206832-2003				A				BLACK				20	206832-2003				A				BLACK															
22	206832-2201				A				BLACK				22	206832-2202				A				BLACK				22	206832-2203				A				BLACK				22	206832-2203				A				BLACK															
24	206832-2401				A				BLACK				24	206832-2402				A				BLACK				24	206832-2403				A				BLACK				24	206832-2403				A				BLACK															
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																															
DIMENSION UNITS				SCALE				CURRENT REV DESC:																molex V HDR ASSY BANDO MICRO-FIT + SOLUTION																																							
mm				NTS																																																											
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																															
ANGULAR TOL ± 0.5°																																																															
4 PLACES ±																																																															
3 PLACES ±								EC NO: 829920 DRWN: ZIXUAAQ 2025/07/29 CHK'D: XQZHANG 2025/07/29 APPR: XQZHANG 2025/07/29																PRODUCT CUSTOMER DRAWING																																							
2 PLACES ± 0.25																																																															
1 PLACE ± 0.36																																																															
0 PLACES ±																																																															
INITIAL REVISION: DRWN: SMAHAJANSHET 2018/05/08 APPR: NCSR 2019/04/02																																																															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION				DRAWING				SERIES				DOCUMENT NUMBER				DOC TYPE				DOC PART				REVISION																																			
								A3-SIZE				206832				2068320000-SD				PSD				000				C3																																			
DOCUMENT STATUS				P1				RELEASE DATE				2025/07/29 07:49:01																																																			
				9				8				7				6				5				4				3				2				1																											
FORMAT: master-lb-prod-A3 REVISION: J1 DATE: 2021/05/01																																																															

	10	9	8	7	6	5	4	3	2	1																																																																																																												
F	CKT	POLARIZATION "A"- BLACK	POLARIZATION "B"- NATURAL	POLARIZATION "C" - RED	POLARIZATION "D" - BLUE	POLARIZATION "E" - YELLOW						F																																																																																																										
	2																																																																																																																					
E	4											E																																																																																																										
	6																																																																																																																					
D	8											D																																																																																																										
	10																																																																																																																					
C	12											C																																																																																																										
B											B																																																																																																											
A											A																																																																																																											
<table><tr><td colspan="10">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="4" rowspan="2">CURRENT REV DESC:</td><td colspan="3" rowspan="2"> molex </td></tr><tr><td colspan="2">mm</td><td colspan="2">NTS</td></tr><tr><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="4" rowspan="5">EC NO: 829920 DRWN: ZIXUAQ 2025/07/29 CHK'D: XQZHANG 2025/07/29 APPR: XQZHANG 2025/07/29 INITIAL REVISION: DRWN: SMAHAJANSHET 2018/05/08 APPR: NCSR 2019/04/02</td><td colspan="3">V HDR ASSY BANDO MICRO-FIT + SOLUTION</td></tr><tr><td colspan="4">ANGULAR TOL ± 0.5 °</td><td colspan="3">PRODUCT CUSTOMER DRAWING</td></tr><tr><td colspan="2">4 PLACES ±</td><td colspan="2"></td><td colspan="3">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="2">3 PLACES ±</td><td colspan="2"></td><td colspan="3">2068320000-SD</td><td>PSD</td><td>000</td><td>C3</td></tr><tr><td colspan="2">2 PLACES ± 0.25</td><td colspan="2"></td><td colspan="3"></td><td colspan="3"></td></tr><tr><td colspan="2">1 PLACE ± 0.36</td><td colspan="2"></td><td colspan="4"></td><td colspan="3"></td></tr><tr><td colspan="2">0 PLACES ±</td><td colspan="2"></td><td colspan="4"></td><td colspan="3"></td></tr><tr><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION </td><td colspan="2">DRAWING A3-SIZE</td><td colspan="2">SERIES 206832</td><td>MATERIAL NUMBER SEE TABLE</td><td>CUSTOMER GENERAL MARKET</td><td>SHEET NUMBER 3 OF 4</td></tr></table>											THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex			mm		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 829920 DRWN: ZIXUAQ 2025/07/29 CHK'D: XQZHANG 2025/07/29 APPR: XQZHANG 2025/07/29 INITIAL REVISION: DRWN: SMAHAJANSHET 2018/05/08 APPR: NCSR 2019/04/02				V HDR ASSY BANDO MICRO-FIT + SOLUTION			ANGULAR TOL ± 0.5 °				PRODUCT CUSTOMER DRAWING			4 PLACES ±				DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION	3 PLACES ±				2068320000-SD			PSD	000	C3	2 PLACES ± 0.25										1 PLACE ± 0.36											0 PLACES ±											DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING A3-SIZE		SERIES 206832		MATERIAL NUMBER SEE TABLE	CUSTOMER GENERAL MARKET	SHEET NUMBER 3 OF 4
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																						
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex																																																																																																														
mm		NTS																																																																																																																				
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 829920 DRWN: ZIXUAQ 2025/07/29 CHK'D: XQZHANG 2025/07/29 APPR: XQZHANG 2025/07/29 INITIAL REVISION: DRWN: SMAHAJANSHET 2018/05/08 APPR: NCSR 2019/04/02				V HDR ASSY BANDO MICRO-FIT + SOLUTION																																																																																																														
ANGULAR TOL ± 0.5 °								PRODUCT CUSTOMER DRAWING																																																																																																														
4 PLACES ±								DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION																																																																																																									
3 PLACES ±								2068320000-SD			PSD	000	C3																																																																																																									
2 PLACES ± 0.25																																																																																																																						
1 PLACE ± 0.36																																																																																																																						
0 PLACES ±																																																																																																																						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING A3-SIZE		SERIES 206832		MATERIAL NUMBER SEE TABLE	CUSTOMER GENERAL MARKET	SHEET NUMBER 3 OF 4																																																																																																										
	9	8	7	6	5	4	3	2	1																																																																																																													



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC:	molex				
mm	NTS						
GENERAL TOLERANCES (UNLESS SPECIFIED)							
ANGULAR TOL	± 0.5 °		EC NO: 829920				
4 PLACES	±		DRWN: ZIXUAQ	2025/07/29	V HDR ASSY BANDO		
3 PLACES	±	CHK'D: XQZHANG	2025/07/29	MICRO-FIT + SOLUTION			
2 PLACES	± 0.25	APPR: XQZHANG	2025/07/29	PRODUCT CUSTOMER DRAWING			
1 PLACE	± 0.36	INITIAL REVISION:		DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
0 PLACES	±	DRWN: SMAHAJANSKET	2018/05/08	2068320000-SD	PSD	000	C3
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
			A3-SIZE	206832		GENERAL MARKET	4 OF 4