Printing date 06.07.2018

Version: 1

Revision: 04.08.2017

SECTION 1: Identification of the	substance/mixture and of the company/undertaking
· 1.1 Product identifier	
Trade name: Zep Commercial® Contracto	vrs Solvent & Degreaser
• Article number: 47140007 • 1.2 Relevant identified uses of the substand • Sector of Use SU21 Consumer uses: Private households	ce or mixture and uses advised against
Application of the substance / the mixture	
 1.3 Details of the supplier of the safety data Manufacturer/Supplier: ZEP UK Ltd Tanhouse Lane Widnes Cheshire, WA8 0RD United Kingdom Tel: +44 (0)151 422 1000 Fax: +44 (0)151 422 1011 (@: info@zep.co.uk web: www.zep.co.uk 	a sheet
ZEP Industries BV Vierlinghweg 30 4612 PN Bergen op Zoom The Netherlands Tel: (NL) + 31 164 250 100 (B) + 32 2 347 Fax:(NL) + 31 164 266 710 (B) + 32 2 347 @: sales@zepbenelux.com	
ZEP ITALIA SRL Via Netunese Km. 25.000 04011 Aprilia (LT) - Italy Tel: +39.06.926691 Fax: +39.06.92747061 @: tecnico@zepeurope.com Sito: www.zep.it	
Further information obtainable from: Customer Service NL: Tel: + 31 164 250 100 Fax: + 31 164 2 B: Tel: +32 2 347 0117 Fax: +32 2 347 13 IT: Tel: +39 069 266 91Fax: +39 06.927 4 UK: Tel: +44 151 422 1000 Fax: +44 151 4 I.4 Emergency telephone number: Customer Service NL: Tel: +31 164 250 100 Fax: +31 164 2 B: Tel: +32 2 347 0117 Fax: +32 2 347 13 IT: Tel: +31 069 266 91Fax: +39 06.927 4 UK: Tel: +44 151 422 1000 Fax: +44 151 42 UK: Tel: +44 151 422 1000 Fax: +44 151 42 EU: Tel. 112	95 70 61 422 1011 266 710 95 70 61
SECTION 2: Hazards identificatio	n
• 2.1 Classification of the substance or mixta • Classification according to Regulation (EC Asp. Tox. 1 H304 May be fatal if swallowe • 2.2 Label elements	C) No 1272/2008

2.2 Label elements
 Labelling according to Regulation (EC) No 1272/2008
 The substance is classified and labelled according to the CLP regulation.
 Hazard pictograms



(Contd. on page 2)

Printing date 06.07.2018

Version: 1

Revision: 04.08.2017

Trade name: Zep Commercial® Contractors Solvent & Degreaser

(Contd. of page 1)

۰,	Signal	word	Danger	
----	--------	------	--------	--

- · Hazard-determining components of labelling:
- Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics Hazard statements
- H304 May be fatal if swallowed and enters airways.
- · Precautionary statements
- *P102 Keep out of reach of children.*

P301+P310 IF SWALLOWED: Immediately call a doctor.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water/and soap

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

• Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

 EC number:
 926-141-6
 Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics</th>
 75-100%

 Reg.nr.:
 01-2119456620-43
 \$\$ Asp. Tox. 1, H304
 75-100%

Ingredients according to Detergents Regulation 648/2004/EC

For the wording of the listed hazard phrases refer to section 16.

Aliphatic hydrocarbons

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

≥30%

Printing date 06.07.2018

Version: 1

Revision: 04.08.2017

Trade name: Zep Commercial® Contractors Solvent & Degreaser

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Use only in well ventilated areas.

· Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor.
- · Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters	
· Ingredients with limit valu	es that require monitoring at the workplace:
34590-94-8 Dipropylene gl	lycol monomethyl ether (2.5-5%)
	Long-term value: 308 mg/m³, 50 ppm Sk
	Long-term value: 308 mg/m³, 50 ppm Skin
Additional information: T	he lists valid during the making were used as basis.
 8.2 Exposure controls Personal protective equipn General protective and hyg Keep away from foodstuffs, Wash hands before breaks of Respiratory protection: Filter AX Not necessary if room is we Protection of hands: 	gienic measures: beverages and feed. and at the end of work. ell-ventilated.
• Material of gloves The selection of the suitable manufacturer to manufactu	rial on consideration of the penetration times, rates of diffusion and the degradation e gloves does not only depend on the material, but also on further marks of quality and varies from arer. As the product is a preparation of several substances, the resistance of the glove material can ce and has therefore to be checked prior to the application.
• Penetration time of glove n The exact break through tin	<i>material</i> ne has to be found out by the manufacturer of the protective gloves and has to be observed.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

• For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

PVA gloves

- · Not suitable are gloves made of the following materials: Strong material gloves
- Eye protection: Goggles recommended during refilling
- · Body protection: Solvent resistant protective clothing

(Contd. on page 4)

(Contd. of page 2)

GB

Printing date 06.07.2018

Version: 1

Revision: 04.08.2017

Trade name: Zep Commercial® Contractors Solvent & Degreaser

(Contd. of page 3)

SECTION 9: Physical and chem	ical properties
9.1 Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Liquid
Colour:	Colourless
Odour:	Solvent-like
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	189 ℃
Flash point:	67 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	230 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	0.6 Vol %
Upper:	6 Vol %
Vapour pressure at 20 °C:	0.1 hPa
Density at 20 °C:	$0.8 g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	100.0 %
Swiss VOC:	3.00 %
Solids content:	0.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

Hydrocarl	bons, C11-C	C14, n-alkanes, isoalkanes, cyclics, <2% aromatics
Oral	LD50	>5,000 mg/kg (Rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (Rabbit) (OECD 402 (24 h))

(Contd. on page 5)

GB

Printing date 06.07.2018

Version: 1

Revision: 04.08.2017

(Contd. of page 4)

Trade name: Zep Commercial® Contractors Solvent & Degreaser

Inhalative LC50/8 h >5,000 mg/m3 (Rat) (OECD 403) Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard
- May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

EL50 (48 h) >1,000 mg/l (Daphnia magna (water flea)) (OECD 202)

OECD test 301 F 69 % (biodegradation in % after 28 days)

Readily Biodegradable

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal in accordance with administrative provisions

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDĞ, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex II o	f Marpol and	
the IBC Code	Not applicable.	

Printing date 06.07.2018

Version: 1

Revision: 04.08.2017

(Contd. of page 5)

Trade name: Zep Commercial® Contractors Solvent & Degreaser

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Reg. (EC) n. 1272/2008 - CLP; Reg. (EC) n. 1907/2006 - Reach; Reg. (EC) n. 2015/830 annex II of REACH; Reg. (EC) n. 648/04 (Detergents); Reg. (EC) n. 528/12 (Biocides BPR); Reg. (EC) n. 1223/2009 (Cosmetics); Dir. 06/08 ADR - RID - IMDG - IATA; Dir. 47/08 (Aerosols); Dir. 12/18 (Seveso III); Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

· Technical instructions (air):

Class	Share in %
NK	75-100

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

· Department issuing SDS:

Customer Service NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011 · Contact: Customer Service NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Asp. Tox. 1: Aspiration hazard - Category 1

(Contd. on page 7)

GB

Printing date 06.07.2018

Version: 1

Revision: 04.08.2017

Trade name: Zep Commercial® Contractors Solvent & Degreaser

(Contd. of page 6)

Ani	iex: Exposure scenario
Shoi	rt title of the exposure scenario
	the finished product.
	Commercial® Tar & Bitumen Remover
	or of Use
	1 Consumer uses: Private households / general public / consumers
	2 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Desc	ription of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Shee
Con	ditions of use
	ntion and frequency 5 workdays/week.
	sical parameters
	sical state Fluid
Con	centration of the substance in the mixture The substance is main component.
	I amount per time or activity
Acco	ording to directions for use.
Sma	ller than 10 g per application.
Othe	er operational conditions
Othe	er operational conditions affecting environmental exposure No special measures required.
Othe	er operational conditions affecting consumer exposure Keep out of the reach of children.
Othe	r operational conditions affecting consumer exposure during the use of the product Not applicable.
Risk	management measures
Wor	ker protection
Orga	unisational protective measures No special measures required.
Tech	nnical protective measures Ensure that suitable extractors are available on processing machines
Pers	onal protective measures
Do n	ot inhale gases / fumes / aerosols.
	ective gloves
	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Mea	sures for consumer protection Ensure adequate labelling.
	ironmental protection measures
	er No special measures required.
	osal measures Ensure that waste is collected and contained.
	osal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
	te type Partially emptied and uncleaned packaging
Guia	lance for downstream users No further relevant information available.