

TECHNICAL DATA SHEET

CONCEPT FORESTRY KIT



DESCRIPTION

Light, strong and comfortable helmet, complete with Forestry Mesh Visor and Ear Defenders.

SPECIFICATION

Helmet Option	Option	Weight
	Slip Ratchet, Wheel Ratchet, Vented & Kit	318gm (helmet)
Size	51 - 63cm, 170mm (135mm visible) length Forestry Visor	
Peak	Full (40mm)	



MATERIALS


Shell	ABS (Acrylonitrile-Butadiene-Styrene)
Cradle	6 Point Terylene webbing
Headband	LDPE (Low Density Polyethylene)
Sweatband	Dry-Tech (Polyester Fabric)
Forestry Visor	Nylon-coated metal mesh (size of holes:1.7mm sq)
Ear Defender Cup	ABS (Acrylonitrile-Butadiene-Styrene)
Ear Defender Foam	Open cell foam
Ear Defender Cushion	Foam filled PVC

COLOURS


Helmet and Ear Defenders	Orange
Colour Code	O
RAL	2003
Pantone	1505

Please note: the closest matching RAL colour is listed.


CORPORATE BADGING



Front	
↔↕	85 x 50mm
↔↕	25 x 60mm



Sides	
↔	80mm
↕	35mm



Rear	
↔↕	30 x 25mm
↔↕	100 x 20mm

EUROPEAN AND INTERNATIONAL STANDARDS WITH OPTIONS

Product	EN 397:2012 + A1:2012				Options outside the scope of EN 397		EN 50365:2002 (1000V a.c.) For use on low voltage insulations	ANSI/ISEA Z89.1-2014 Type 1			Options outside the scope of ANSI/ISEA	Ear Protection	Face Protection
	Lateral Deformation (LD)	- 30°C (Low Temperature)	Molten Metal (MM)	440V a.c. (Electrical Resistance)	1000V a.c. (Electrical Resistance)	- 40°C (Low Temperature)		Class C (Conductive 0V a.c.)	Class E (20,000V a.c.)	- 30°C (Low Temperature)	- 40°C (Low Temperature)	EN 352-3:2002 - Hearing Protectors	EN 1731:2016 Use against Mechanical Hazards (including Forestry)
Full Peak Slip Ratchet Vented Helmet S09COF	✓	✓	✓			✓	✓	✓			✓		
Ear Defender - Sana S730												✓	
Forestry Visor S59CE													✓

ACCESSORIES

Face	Combi helmet compatible with Connect & Euro range of Face Protection
Accessory Clips	Use S570 Connect or S565 Euro accessory clips
Eye	Clear S589 or Smoke Grey S589SE moulded Polycarbonate Eye shield with anti scratch/fog coating
Ear	Compatible with Centurion helmet mounted Sana S725 Black with green ring and Sana S734 Black with red ring Ear Defenders (supplied with S570 Connect and S565 Euro accessory clips)
Stickers	S30HIRS Silver High Intensity Reflective Sticker sets available. Material meets the specification requirements of EN 12899-1 Ra2
Sweatband	S31D Dry-Tech sweatband
Cradle with Slip Ratchet	S33/34 Terylene Cradle with Dry-Tech Sweatband
Cradle with Wheel Ratchet	S33/35 Terylene Cradle with Premium 'Twist2Fit' Wheel Ratchet and Dry-Tech Sweatband
Sana Ear Defender Attenuation	SNR = 30dB, H = 36dB, M = 28dB, L = 20dB
Unique Features	Internal card holder in helmet for identification or medical information (credit card size 54 x 85mm)

PACKAGING AND MAINTENANCE

Packaging	1 kit per box, size 29 x 23 x 17.5cm, box weight 0.8kg
Storage	Can be stored and transported in their original cartons at ambient temperature (0°C to + 30°C) May be stored in the dark for up to 5 years Do not store in direct/high heat or sunlight as this may distort the shell
Lifetime	The Centurion Forestry Kit has an in-use life of up to 5 years Excessive wear and tear can considerably reduce the lifespan of the product
Cleaning	Clean using warm soapy water and soft cloth
Disposal	Recycling is preferred when possible. Look out for the recycling symbol for material category

Product Codes and Bar codes

Product Code	Old product code	Description	Case bar code	Unit bar code
9947363	S25CCOF30	Forestry Visor with Concept Orange Vented Helmet, Slip ratchet and Sana 30 ear defenders	5056375428067	5056375428074
9947364	S25CCOFRL30	Forestry Visor with Concept Orange SecurePlus (4 pt Chinstrap) and Wheel Ratchet Vented Helmet and Sana 30 ear defenders	5056375428081	5056375428098
9947365	S25CCOL30	Forestry Visor with Concept Orange SecurePlus 4 pt Chinstrap Vented Helmet Slip ratchet and Sana 30 ear defenders	5056375428104	5056375428111

