SIEMENS

Data sheet

3SU1030-0AA10-0AA0



PUSHBUTTON, 22MM, ROUND, PLASTIC WITH METAL FRONT RING, BLACK, FLAT BUTTON, LATCHING, PUSH TO UNLATCH

rigure similar	
product brand name	SIRIUS ACT
Product designation	Commanding and signaling devices
Design of the product	Pushbutton

Actuator:		
Design of the operating mechanism		pushbutton with flat button
Manner of function of the actuating element		Latching
Product expansion optional Light source		No
Color		
 of the actuating element 		black
Material of the actuating element		plastic
Shape of the actuating element		round
Outer diameter of the actuating element	mm	29.45
Type of unlocking device		push-to-unlatch mechanism

Front ring:		
Product component front ring	Yes	
Design of the front ring	Standard	
Material of the front ring	Metal, matt	
Color of the front ring	sand gray	

General technical data:		
Vibration resistance		
• acc. to IEC 60068-2-6		10 500 Hz: 5g
Operating frequency maximum	1/h	1 800
Mechanical service life (switching cycles)		
• typical		500 000

Equipment marking	
• acc. to DIN EN 61346-2	S
● acc. to DIN EN 81346-2	S

Ambient conditions:		
Ambient temperature		
during operation	°C	-25 + 70
during storage	°C	-40 + 80

Installation/ mounting/ dimensions:		
Height	mm	29.45
Width	mm	29.45
Shape of the installation opening		round
Mounting diameter	mm	22

Certificates/ approvals:

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/industrymall


Cax online generator


http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU10300AA100AA0

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3SU10300AA100AA0/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...) http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU10300AA100AA0&lang=en





last modified: 09.03.2015