

# TeSys LE - enclosed DOL reversing starter - 12 A - 415 V AC coil

Local distributor code:

381827753 LE2D12N7

EAN Code: 3389110633634

## Main

Range	TeSys	
product name	TeSys LE	
Device short name	LE2D	
Product or component type	Enclosed DOL reversing starter	
Device application	Standard	
Utilisation category	AC-3	
Device composition	Thermal overload relay ordered separately Reversing contactor	
Motor power kW	3 kW at 220/230 V AC 50/60 Hz 7.5 kW at 500 V AC 50/60 Hz 7.5 kW at 660/690 V AC 50/60 Hz 5.5 kW at 380/400 V AC 50/60 Hz 5.5 kW at 415 V AC 50/60 Hz 5.5 kW at 440 V AC 50/60 Hz	
[Ith] Conventional free air thermal current	al 12 A	
[Uc] control circuit voltage	415 V AC 50/60 Hz	
Control type	Push-button stop/reset red O Selector switch 2 positions start I-II	

## Complementary

Cable entry number	2 ISO20 top 2 ISO25 top 2 ISO20 bottom 2 ISO25 bottom
Width	101 mm
Height	201 mm
Depth	160 mm
Net weight	2.1 kg

## **Environment**

Material	Polycarbonate	
IP degree of protection	IP65 conforming to IEC 60529	
IK degree of protection	IK07 conforming to IEC 60529	
Standards	IEC 60947-4-1	
Ambient air temperature for operation	-540 °C	
Environmental characteristic	Standard environment	

Product certifications UKCA

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	26.0 cm
Package 1 Width	29.0 cm
Package 1 Length	40.0 cm
Package 1 Weight	2.1 kg

# **Logistical informations**

Country of origin FR

# **Contractual warranty**

Warranty 18 months

1 Jul 2025



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	107
Environmental Disclosure	Product Environmental Profile

### **Use Better**

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

### **Use Again**

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins