

1652732

https://www.phoenixcontact.com/gb/products/1652732

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



RJ45 sleeve housing, design: RJ45, degree of protection: IP67, number of positions: 8, material: PA, cable outlet: straight, color: traffic grey A RAL 7042, Ethernet

Your advantages

- · Simple operation
- IP65/67
- · High-quality and inexpensive solution in the IP protection zone

Commercial data

Item number	1652732
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	ABNNAZ
Product key	ABNNAZ
Catalog page	Page 350 (C-2-2019)
GTIN	4017918952877
Weight per piece (including packing)	13.92 g
Weight per piece (excluding packing)	13.265 g
Customs tariff number	85389099
Country of origin	DE



1652732

https://www.phoenixcontact.com/gb/products/1652732

Technical data

Product properties

Product type	Sleeve housings
Туре	RJ45
Sensor type	Ethernet
Number of positions	8
No. of cable outlets	1
Cable outlet	straight
Insulation characteristics	
Overvoltage category	I I

E

Rated voltage (III/3)	72 V (DC)
-----------------------	-----------

Dimensions

Width	38.4 mm
Height	19.9 mm
Length	45 mm

Material specifications

Color	traffic grey A RAL 7042
Flammability rating according to UL 94	V0
Housing material	PA
Cable seal material	NBR
O-ring material	FPM

Cable/line

Mechanical properties

Mechanical data

Insertion/withdrawal cycles	≥ 1000
-----------------------------	--------

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP67
Ambient temperature (operation)	-40 °C 80 °C



1652732

https://www.phoenixcontact.com/gb/products/1652732

Classifications

ECLASS

	ECLASS-13.0	27440192
ETIM		
	ETIM 9.0	EC003556
UNSPSC		
	UNSPSC 21.0	31261500



1652732

https://www.phoenixcontact.com/gb/products/1652732

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol(CAS: 119-47-1)
SCIP	ec5ae543-8bba-46c8-9174-07965d2283c9

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT Ltd Halesfield 13, Telford Shropshire, TF7 4PG 01952 681700 info@phoenixcontact.co.uk