ULTRANITRIL 377

Prolonged contact (or immersion) | continous wear

Comfort and reinforced mechanical resistance for long-lasting chemical protection

SPECIFIC ADVANTAGES



Cut protection

• A long cuff for a better protection of the forearm



Comfort

• Suitable for long-term wear; comfortable textile support, seamless working surfaces



Durability

Optimised service life: high resistance to abrasion



Guaranteed quality

• Silicone free to prevent traces, defects on metal sheet and glass prior to painting



INDUSTRIES

- Automotive/mechanical industry
- Chemical industry
- Other industries

APPLICATIONS

- Chemical product blending
- Cleaning tanks
- Handling and transporting drums of chemical products
- Manipulating valves
- Manufacture and application of paints and varnishes
- Unloading fuel
- Heavy-duty packaging
- Industrial cleaning
- Print-press cleaning
- Automotive assembly



EN388



4122X





TYPE A



X1XXXX

AJKOPT

CATEGORY 3

DEXTERITY



0334

EN ISO 21420: 5/5

Edit 16/12/2024

ULTRANITRIL 377

Prolonged contact (or immersion) | continous wear

LEGENDS



MECHANICAL HAZARDS



PERFORMANCE LEVELS (X = NOT TESTED)


								*			
4	. •	1	2		2)	>	<			
0-4	4 0	-5	0-	4	0-	4	Α	-F P			
								Impact protection (optional)			
								Cut resistance according to ISO			
								13997			
						_					
						Puncture resistance					
				Tea	ar re	resistance					
		RI:		cut resistance							
		1									
_ /	Abrasion resistance										

EN407

THERMAL RISKS (HEAT AND FIRE)



PERFORMANCE LEVELS (X = NOT TESTED)



Small splashes of molten metal

Radiant heat resistant
Convective heat resistance
Contact heat resistance
Limited flame spread

EN ISO 374-1



CHEMICAL RISKS A: Methanol

- J: n-Heptane
- K: Sodium hydroxide 40%
- O: Ammonia 25%
- P: Hydrogen peroxide 30%
- T: Formaldehyde 37%

PRODUCT DETAILS

Interior finish	Textile support
Exterior finish	Smooth
Material	Nitrile
Cuff characteristic	Feston Cuff
Colour.s	Green
Length (cm)	38
Thickness (mm)	1.35
European sizes	8 9 10

LOGISTIC DETAILS

Packaging	1 pair/bag 5 pairs/box
	50 pairs/carton

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/02/19/0480
- Issued by the notified body nr: 0075 CTC 4, rue Hermann Frenkel 69367 Lyon Cedex 07- FRANCE
- Quality assurance certificat: 0334 Asqual 14 rue des Reculettes -75013 Paris -France

Edit 16/12/2024