

Part Number: <u>1501700008</u>

Product Description: Ditto Hermaphroditic Crimp

Housing, Positive Lock, 8 Circuit

Series Number: 150170

Status: Obsolete

Product Category: Connector Housings



Documents & Resources

Drawings

1501700008 sd.pdf

1501700008 stp.zip

Specifications

1501700000-AS-000.pdf

TS-150170-0000-001.pdf



Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	⊚ per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474
- chemSHERPA (xml)

<u>Substances of Interest</u>

PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Obsolete
Category	Connector Housings
Series	150170
Description	Ditto Hermaphroditic Crimp Housing, Positive Lock, 8 Circuit
Application	Power, Wire-to-Wire
Product Name	Ditto
UPC	889056215725

Agency

UL	E29179

Physical

1001	
Circuits (maximum)	8
Color - Resin	Natural (White)
Flammability	94V-0
Gender	Hermaphroditic
Glow-Wire Capable	No
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	1.954/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	3.00mm
Pitch - Termination Interface	3.00mm

Temperature Range - Operating	-40° to +105°C, -40° to +80°C, See
	Product Specification

Mates With / Use With

Mates with Part(s)

Description	Part Number
Ditto Hermaphroditic Crimp Housings	<u>150170</u>

Use with Part(s)

Description	Part Number
Ditto Hermaphroditic Crimp Terminals	<u>150200</u>
Ditto Terminal Position Assurance (TPA) Retainers	<u>150212</u>

This document was generated on Aug 04, 2025