

1554095

https://www.phoenixcontact.com/gb/products/1554095

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable connector, series: M23 PRO Signal, straight, screw locking mechanism, shielded: yes, note: can only be used in combination with the contact inserts listed under accessories; for safety notes and installation notes see reference item 1629213 (crimp version) or 1340700 (solder version)

Commercial data

Item number	1554095
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	ABRBHU
Product key	ABRABE
GTIN	4067923032842
Weight per piece (including packing)	104.7 g
Weight per piece (excluding packing)	98.74 g
Country of origin	DE



1554095

https://www.phoenixcontact.com/gb/products/1554095

Technical data

_	-			
N	. I a	~1	_	-

Product properties		
	Product type	Circular connector housing
	Series	M23 PRO Signal
	Application	Signal
	Туре	Cable connector housing
	Shielded	ves

Order contact inserts separately

Material specifications

Pg screw connection

Order information:

Seal material	FKM
Housing material	GD-Zn

none

straight

Connector

Туре

using	
Thread type	M23
Type of locking	Screw locking mechanism
Pg screw connection	none
Housing material	GD-Zn
Degree of protection (plugged in)	IP66/IP68 (2 m / 24 h) IP69K

Seal

External cable diameter	6 mm 10 mm
Seal material	FKM

Mechanical properties

Mechanical data

|--|

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP66/IP68 (2 m / 24 h)
Ambient temperature (operation)	-40 °C 105 °C (see to derating)
Altitude	2000 m




1554095

https://www.phoenixcontact.com/gb/products/1554095

Drawings

Dimensional drawing



Dimensional drawing, housing



1554095

https://www.phoenixcontact.com/gb/products/1554095

Classifications

ETIM 9.0

ECLASS

	ECLASS-13.0	27440224
ETI	М	

EC003556



1554095

https://www.phoenixcontact.com/gb/products/1554095

Environmental product compliance

EU RoHS

20 1.01.0	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT Ltd Halesfield 13, Telford Shropshire, TF7 4PG 01952 681700 info@phoenixcontact.co.uk