



Think ahead.

Tork Polishing Cloth



W1 - Wipers wall/floor
/standard system, W2 -
Wipers combi roll system, W3
- Wiper pak system

Article	197270
System	W1 - Wipers wall/floor /standard system, W2 - Wipers combi roll system, W3 - Wiper pak system
Colour	White
Core inside diameter	7.1 cm
Embossing	No
Number of sheets	450
Ply	1
Print	No
Roll diameter	25 cm
Roll length	171 m
Roll width	32 cm
Sheet length	38 cm

The low-lint Tork Polishing Cloth is ideal for polishing sensitive surfaces. The soft and flexible cloth releases polishing agents for a professional shine without leaving any traces. It can be used in either the Tork Floor or Wall Stand dispensers, which are developed for safety, efficiency and reliability or the Tork Maxi Centerfeed or Boxed Combi Roll Dispenser, which are designed for smoother single hand dispensing.

Key benefits:

- Professional quality cloth that leaves no scratches
- Perfect for working with sensitive surfaces due to extreme low-lint properties

Environmental

Tork Polishing Cloth

Viscose
Polyester

Viscose

Viscose fibres are produced from cellulose pulp. Cellulose is dissolved in alkaline solution by a chemical reaction with carbon disulphide and then spun to fibres in an acid spinning bath. The fibres are washed, dried and cut to intended fibre length.

Polyester

Polyester fibre is produced from terephthalic acid and ethylene glycol, which react through condensation to polyester resin. The molten resin is spun to fibres through spinnerets and cooled with air. The fibers are then cut to intended fiber length.
This product does not contain any silicone.

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Article creation date and latest article revision

Date of issue: 19-04-2019
Revision date: 25-08-2022

Production

This product is produced at SUAMEER mill, NL and certified according to ISO 9001 and ISO 14001 (Environmental management systems).

Disposal/destruction of used product

This product is mainly used for industrial processes. When used in industrial processes the product might through use be contaminated with different substances. This will determine how the used product will be handled/disposed of/destroyed. The product itself is suitable for incineration. If used in industrial processes contact local authorities before destruction.

Essity UK Ltd, Southfields Road,
Dunstable, Bedfordshire LU6 3EJ,
United Kingdom

This product is certified for FSC® with certificate number SA-COC-008266.

Environmental certification

Contact

Kirti Mistry
Essity UK Ltd
E-mail:
Kirti.Mistry@essity.com