

## Safety Data Sheet

according to UK REACH Regulation

### Varybond Regular Grade

Revision date: 08.07.2024

Product code: RG

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Varybond Regular Grade

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lubricants, greases, release products

#### Uses advised against

Reserved for industrial and professional use.

### 1.3. Details of the supplier of the safety data sheet

Company name: ITW LLC & Co. KG  
 Street: Am Eichenbach 14  
 Place: D-73054 Eisingen/Fils  
 Telephone: +49 800 6273002  
 E-mail: skrautmann@itwindustrialsolutions.com  
 Contact person: Produktsicherheit Mo. - Do. Telephone: ++49 800 6273002  
 8.00 - 16.30 Fr. 8.00 - 14.00  
 E-mail: info@itwindustrialsolutions.com  
 Internet: www.itwindustrialsolutions.com  
 Responsible Department: Produktsicherheit Mo. - Do. 8.00 - 16.30 Fr. 8.00 - 14.00  
 Deutschland: Vergiftungs-Informationen-Zentrale Freiburg 0761 19240  
 Swiss Toxicological Information Centre - Téléphone : +41 44 251 51 51 (in Switzerland dial 145)  
 United Kingdom : National Poisons Information Service - Phone number : 8448920111  
 Österreich : Vergiftungsinformationszentrale Vienna - Telefon-Nummer : +43 1 406 43 43  
 Schweiz : Tox Info Suisse - Telefon-Nummer : +41 44 251 51 51  
 España : Instituto Nacional de Toxicología - Teléfono : +34 91 562 04 20  
 România (Romania): Spitalul de Urgenta Floreasca 021 230 8000  
 România (Romania): Spitalul de Urgenta Floreasca 021 230 8000  
 CAV "Ospedale Pediatrico Bambino Gesù" – Roma Tel. (+39) 06.6859.3726  
 CAV "Azienda Ospedaliera Università di Foggia" – Foggia Tel. 800.183.459  
 CAV "Azienda Ospedaliera A. Cardarelli" – Napoli Tel. (+39) 081.545.3333  
 CAV Policlinico "Umberto I" – Roma Tel. (+39) 06.4997.8000  
 CAV Policlinico "A. Gemelli" – Roma Tel. (+39) 06.305.4343  
 CAV Azienda Ospedaliera "Careggi" U.O. Tossicologia Medica – Firenze Tel. (+39) 055.794.7819  
 CAV Centro Nazionale di Informazione Tossicologica – Pavia Tel. (+39) 0382.24.444  
 CAV Ospedale Niguarda – Milano Tel. (+39) 02.66.1010.29  
 CAV Azienda Ospedaliera Papa Giovanni XXIII – Bergamo Tel. 800.88.33.00  
 CAV Centro antiveleni Veneto – Verona Tel. 800.011.858  
 Slovakia: National Toxicological Information Centre Bratislava +421 2 5465 2307  
 Czech Republic: Ministry of Health of the Czech Republic Chemical Substances and Biocidal Products Unit +420 267 082 236  
 Slovakia: National Toxicological Information Centre Bratislava +421 2 5465 2307  
 Deutschland: ++49 800 6273002  
 Slovakia: National Toxicological Information Centre Bratislava +421

### 1.4. Emergency telephone number:

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

## Safety Data Sheet

according to UK REACH Regulation

### Varybond Regular Grade

Revision date: 08.07.2024

Product code: RG

Page 2 of 10

#### GB CLP Regulation

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### GB CLP Regulation

Pictograms:



##### Hazard statements

H411

Toxic to aquatic life with long lasting effects.

##### Precautionary statements

P391

Collect spillage.

P501

Dispose of contents/container to an appropriate recycling or disposal facility.

P273

Avoid release to the environment.

#### 2.3. Other hazards

Ergebnisse der PBT- und vPvB-Beurteilung

PBT: Nicht anwendbar.

PvB: Nicht anwendbar.

Results of PBT and vPvB assessment

PBT

Not applicable.

PvB

Not applicable.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
1314-13-2	zinc oxide			2,5-10 %
	215-222-5	030-013-00-7	01-2119463881-22	
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			
	Copper pigments			2,5-7 %
	231-159-6		01-2119480154-42	
	Flam. Sol. 2, Acute Tox. 3, Acute Tox. 4, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1; H228 H331 H302 H319 H400 H410			
7429-90-5	aluminium powder (stabilised)			2,5-10 %
	231-072-3	013-002-00-1	01-2119529243-45	
	Flam. Sol. 1, Water-react. 2; H228 H261			
68457-79-4	Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts			<1%
	270-608-0			
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 2; H315 H318 H411			

Full text of H and EUH statements: see section 16.

## Safety Data Sheet

according to UK REACH Regulation

### Varybond Regular Grade

Revision date: 08.07.2024

Product code: RG

Page 3 of 10

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1314-13-2	215-222-5	zinc oxide	2,5-10 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = > 5000 mg/kg	
	231-159-6	Copper pigments	2,5-7 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: LC50 = 0,7 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 400 mg/kg	
7429-90-5	231-072-3	aluminium powder (stabilised)	2,5-10 %
		oral: LD50 = 15900 mg/kg	

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

No special measures are necessary. In all cases of doubt, or when symptoms persist, seek medical advice.

##### After inhalation

Provide fresh air.

##### After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

##### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

##### After ingestion

If swallowed, immediately drink: Water. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Extinguishing powder. Carbon dioxide (CO<sub>2</sub>). Foam.

##### Unsuitable extinguishing media

Water. Water with tenside additive.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Co-ordinate fire-fighting measures to the fire surroundings.

#### Additional information

Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains. In case of fire: Wear self-contained breathing apparatus.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

## Safety Data Sheet

according to UK REACH Regulation

### Varybond Regular Grade

Revision date: 08.07.2024

Product code: RG

Page 4 of 10

#### General advice

Provide adequate ventilation. Wear personal protection equipment. Remove all sources of ignition.

#### For emergency responders

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### 6.4. Reference to other sections

No data available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Special danger of slipping by leaking/spilling product. Avoid contact with eyes and skin.

##### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

##### Advice on general occupational hygiene

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

##### Further information on handling

When using do not eat or drink.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Observe in addition any national regulations!

##### Hints on joint storage

Observe in addition any national regulations!

##### Further information on storage conditions

Storage temperature: 10-30°C

Storage humidity range: 30-50%

#### 7.3. Specific end use(s)

Lubricant, lubricants and release products

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7429-90-5	Aluminium metal, respirable dust	-	4		TWA (8 h)	WEL

##### Additional advice on limit values

No data available

#### 8.2. Exposure controls

## Safety Data Sheet

according to UK REACH Regulation

### Varybond Regular Grade

Revision date: 08.07.2024

Product code: RG

Page 5 of 10



#### Appropriate engineering controls

Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes and clothes. Wash hands before breaks and after work.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Tightly sealed safety glasses. EN 166

##### Hand protection

EN ISO 374 Tested protective gloves are to be worn: Butyl rubber. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Personal protection equipment

##### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

##### Environmental exposure controls

Clean contaminated articles and floor according to the environmental legislation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Paste
Colour:	dark grey
Odour:	characteristic
Odour threshold:	No data available

Flammability:

Flash point:

Solubility in other solvents

No data available

Density:

#### Test method

ISO 10156

210 °C

1,21 g/cm<sup>3</sup>

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

No data available

Oxidizing properties

No data available

#### Further Information

Keine weiteren relevanten Informationen verfügbar.

No further relevant information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## Safety Data Sheet

according to UK REACH Regulation

### Varybond Regular Grade

Revision date: 08.07.2024

Product code: RG

Page 6 of 10

#### 10.3. Possibility of hazardous reactions

No data available

#### 10.4. Conditions to avoid

Protect from moisture.

#### 10.5. Incompatible materials

Do not mix with acids. Do not mix with alkali.

#### 10.6. Hazardous decomposition products

No data available

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1314-13-2	zinc oxide				
	oral	LD50 > 5000 mg/kg	Rat	ECHA	
	dermal	LD50 >5000 mg/kg	Rat	ECHA	
	Copper pigments				
	oral	LD50 400 mg/kg	Ratte	ECHA	
	dermal	LD50 >2000 mg/kg	Ratte	ECHA	
	inhalation vapour	ATE 3 mg/l			
	inhalation (4 h) dust/mist	LC50 0,7 mg/l	Ratte	ECHA	
7429-90-5	aluminium powder (stabilised)				
	oral	LD50 15900 mg/kg	Ratte	ECHA	

##### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

No data available

##### Sensitising effects

Based on available data, the classification criteria are not met.

not sensitising.

##### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

No data available

## Safety Data Sheet

according to UK REACH Regulation

### Varybond Regular Grade

Revision date: 08.07.2024

Product code: RG

Page 7 of 10

#### STOT-single exposure

Based on available data, the classification criteria are not met.

No data available

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

No data available

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

No data available

#### Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### Practical experience

No data available

### 11.2. Information on other hazards

#### Other information

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ökologie Wasser: Giftig für Wasserorganismen, mit langfristiger Wirkung

Gewässergefährdend, kurzfristige (akut): Nicht eingestuft

Gewässergefährdend, langfristige (chronisch): Giftig für Wasserorganismen, mit langfristiger Wirkung

Ecology Water: Toxic to aquatic life with long lasting effects

Hazardous to the aquatic environment, short-term (acute): Not classified

Hazardous to the aquatic environment, long-term (chronic): Toxic to aquatic life with long lasting effects

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
1314-13-2	zinc oxide					
	Acute fish toxicity	LC50 mg/l	0,112	96 h	Fisch	ECHA
	Acute algae toxicity	ErC50	0,3 mg/l	96 h	Alge	ECHA
	Acute crustacea toxicity	EC50 mg/l	0,360	48 h	wirbellose Wasserlebewesen	ECHA

### 12.2. Persistence and degradability

Keine zusätzlichen Informationen vorhanden, No additional information available

### 12.3. Bioaccumulative potential

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] (64742-52-5)

### 12.4. Mobility in soil

Keine zusätzlichen Informationen vorhanden, No additional information available

## Safety Data Sheet

according to UK REACH Regulation

### Varybond Regular Grade

Revision date: 08.07.2024

Product code: RG

Page 8 of 10

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

Keine zusätzlichen Informationen vorhanden, No additional information available

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Keine zusätzlichen Informationen vorhanden, No additional information available

#### 12.7. Other adverse effects

Keine zusätzlichen Informationen vorhanden, No additional information available

#### Further information

Do not allow to enter into surface water or drains.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### List of Wastes Code - residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

##### List of Wastes Code - contaminated packaging

200139 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); Plastics

##### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

##### 14.1. UN number or ID number:

UN3077

##### 14.2. UN proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Zinkoxid)

##### 14.3. Transport hazard class(es):

9

##### 14.4. Packing group:

III

Hazard label:

9



Classification code:

M7

Special Provisions:

274 335 601

Limited quantity:

5 kg

Transport category:

3

Hazard No:

90

Tunnel restriction code:

E

##### Other applicable information (land transport)

E1

#### Inland waterways transport (ADN)

##### 14.1. UN number or ID number:

UN3077



## Safety Data Sheet

according to UK REACH Regulation

### Varybond Regular Grade

Revision date: 08.07.2024

Product code: RG

Page 9 of 10

**14.2. UN proper shipping name:**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)

**14.3. Transport hazard class(es):**

9

**14.4. Packing group:**

III

Hazard label:

9



Classification code:

M7

Special Provisions:

274 601

Limited quantity:

5 kg

**Other applicable information (inland waterways transport)**

E1

**Marine transport (IMDG)**

**14.1. UN number or ID number:**

UN3077

**14.2. UN proper shipping name:**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)

**14.3. Transport hazard class(es):**

9

**14.4. Packing group:**

III

Hazard label:

9



Marine pollutant:

Yes

Special Provisions:

274, 335

Limited quantity:

5 kg

EmS:

F-A, S-F

**Other applicable information (marine transport)**

E1

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:**

UN3077

**14.2. UN proper shipping name:**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)

**14.3. Transport hazard class(es):**

9

**14.4. Packing group:**

III

Hazard label:

9



Special Provisions:

A97 A158 A179

Limited quantity Passenger:

30 kg G

IATA-packing instructions - Passenger:

956

IATA-max. quantity - Passenger:

400 kg

IATA-packing instructions - Cargo:

956

IATA-max. quantity - Cargo:

400 kg

**Other applicable information (air transport)**

E1

: Y956

**14.5. Environmental hazards**

## Safety Data Sheet

according to UK REACH Regulation

### Varybond Regular Grade

Revision date: 08.07.2024

Product code: RG

Page 10 of 10

ENVIRONMENTALLY HAZARDOUS: Yes



#### 14.6. Special precautions for user

Keine weiteren relevanten Informationen verfügbar.  
No further relevant information available.

#### 14.7. Maritime transport in bulk according to IMO instruments

Keine weiteren relevanten Informationen verfügbar.  
No further relevant information available.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40

##### National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

### SECTION 16: Other information

#### Abbreviations and acronyms

Water-react: Substances and mixtures which in contact with water emit flammable gases  
Flam. Sol: Flammable solids  
Acute Tox: Acute toxicity  
Skin Irrit: Skin irritation  
Eye Dam: Eye damage  
Eye Irrit: Eye irritation  
Aquatic Acute: Acute aquatic hazard  
Aquatic Chronic: Chronic aquatic hazard

#### Relevant H and EUH statements (number and full text)

H228	Flammable solid.
H261	In contact with water releases flammable gases.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*