

Part Number: 1501700004

Product Description: Ditto Hermaphroditic Crimp

Housing, Positive Lock, 4 Circuit

Series Number: 150170

Status: Not Recommended For New Design **Product Category:** Connector Housings



Documents & Resources

Drawings

1501700004 sd.pdf

PK-150170-0000-000.pdf

1501700004 stp.zip

Specifications

1501700000-AS-000.pdf

TS-150170-0000-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

PFAS

EU RoHS Certificate of Compliance

<u>Additional Product Compliance Information</u>

Part Details

General

Status	Not Recommended For New Design
Category	Connector Housings
Series	150170
Description	Ditto Hermaphroditic Crimp Housing, Positive Lock, 4 Circuit
Application	Power, Wire-to-Wire
Product Name	Ditto
UPC	889056215688

Agency

UL	E29179
----	--------

Physical

Circuits (maximum)	4
Color - Resin	Natural (White)
Flammability	94V-0
Gender	Hermaphroditic
Glow-Wire Capable	No
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	1.151/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	3.00mm
Pitch - Termination Interface	3.00mm

Temperature Range - Operating	-40° to +105°C, -40° to +80°C, See
	Product Specification

Mates With / Use With

Mates with Part(s)

Description	Part Number
Ditto Hermaphroditic Crimp Housings	<u>150170</u>

Use with Part(s)

Description	Part Number
Ditto Hermaphroditic Crimp Terminals	<u>150200</u>
Ditto Terminal Position Assurance (TPA) Retainers	<u>150212</u>

This document was generated on Aug 05, 2025