



accessory for Switch disconnecter with fuses In-line design, pluggable current transformer 200/5 A, Cl. 0.5, 2.5 VA

Model				
product brand name		SETRON		
product designation		Current transformer		
design of the product		accessory for switch disconnector with fuses 3NJ6		
operating voltage		0.72 kV		
insulation voltage rated value		3 kV		
value range of the operating frequency		50/60 Hz		
Protection class				
protection class IP		IP20		
designation of overcurrent limiting factor		FS 5		
current				
• at input rated value				
overload capability for short-circuit current in normal operation		60 x Ipr/1 NO		
Mechanical Design				
height		65 mm		
width		44 mm		
depth		30 mm		
diameter of inlet opening		21 mm		
net weight		167 g		
Environmental conditions				
ambient temperature during operation				
• minimum				
• maximum				
		-10 °C		
		55 °C		
Approvals Certificates				
General Product Approval		EMC	Declaration of Conformity	Test Certificates

[Confirmation](#)



[Type Test Certificates/Test Report](#)

other

[Confirmation](#)

[Miscellaneous](#)

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NJ6930-3BF22>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NJ6930-3BF22>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NJ6930-3BF22

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

8/16/2023 

