



STREAM KEYBOARD

DATASHEET

CHERRY STREAM KEYBOARD

THE KEYBOARD – THE BEST STREAM OF ALL TIME!

The CHERRY STREAM KEYBOARD meets the highest standards and gives you an incomparable typing feel. Its mixture of design, elegance and purity gives it the potential to be a very popular keyboard for the office and at home.

This keyboard is characterized by its torsional rigidity, stability and slip resistance. Thanks to the maker's own SX scissor technology, typing is more precise and quieter than with the predecessor model. Particularly in the office environment, status LEDs in the keys and the lock button are invaluable. 10 additional keys make it easier to use the most important office and media functions.

CHERRY stands for the highest standards of reliability, durability and an incomparable typing feel. The CHERRY STREAM KEYBOARD improves what millions of satisfied users already appreciated in its predecessor. The classic has been updated for a new age.

Especially in the office environment, input devices are our daily companions and are in use for hours. The STREAM KEYBOARD sets new standards in this area and has the potential to become the most popular keyboard.

The mixture of conventional design, a pinch of elegance and simple purism make the keyboard the ideal companion in the office and at home that can suit many tastes. Thanks to the integrated metal plate, the STREAM KEYBOARD will impress users with its ideal torsional stiffness and stability despite its slim design. The two feet and eight rubber pads on the underside also ensure a firm stand when folded in and out.

CHERRY scissor technology has always been associated with an incomparable typing feel and uncompromising precision. During development, special attention was paid to noise created by typing. The noise development has been further reduced in comparison with the very quiet predecessor model. This makes the keyboard the first choice for offices with many workplaces or if you like to type quietly.

Our careful selection of materials ensures that the letters stand out clearly from the keys and that you can work in a fatigue-free manner.

The status LEDs for CAPS LOCK, NUM and SCROLL LOCK integrated directly into the key are a unique feature that is otherwise only found in much higher price ranges. The red status LEDs show you at first glance whether the caps lock key has been pressed.

Ten additional practical keys make work in Microsoft Office and multimedia applications easier. It includes six commonly used keys for controlling your multimedia player. In addition, the browser, email, and calculator functions give you easy access to frequently used commands at all times. A lock button allows users to log out at the push of a button before leaving their workstation. This is particularly invaluable in the office environment.

Despite these additional keys, no separate drivers are required. The STREAM KEYBOARD is a plug&play device.

In working environments, in particular, compliance with guidelines, quality and environmental goals is obligatory. For CHERRY, these goals are also part of its corporate philosophy. In addition,

the GS “Safety Tested” seal certifies that the product complies with all relevant European directives and regulations relating to health protection.

Are you looking for a reliable companion who will not let you down in your daily work or your private life? The CHERRY STREAM KEYBOARD is the perfect choice.



HIGHLIGHTS

- Extremely quiet keystrokes, unbeatable typing feel
- Durable key lettering, our own SX scissor mechanism
- 3 integrated status LEDs, perfect slip resistance, 10 Office & multimedia keys
- Flat overall height, focused on the essentials, GS approval

SCOPE OF DELIVERY

- Manual
- Keyboard

TECHNICAL DATA

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
-----------------	-----

Palm rest	Palm rest not available
USB-Hub	no
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

PRODUCT VARIANTS

PART NUMBER	LAYOUT	COLOUR
JK-8500AA-2		black/grey
JK-8500BE-2	BE (Belgium)	black
JK-8500CH-2	CH (Switzerland)	black/grey
JK-8500CHADSL		black/grey
JK-8500CN-2	CN (China)	black/grey
JK-8500CS-2	CS (Czech Republic / Slovak Republic)	black/grey
JK-8500DE-2	DE (Germany)	black
JK-8500DEADSL		black/grey
JK-8500ES-2	ES (Spain)	black/grey
JK-8500EU-2	EU (USA+ €-Symbol)	black/grey
JK-8500EUADSL		black/grey
JK-8500FR-2	FR (France)	black/grey
JK-8500FRADSL		black/grey
JK-8500GB-2	GB (United Kingdom)	black/grey
JK-8500HU-2	HU (Hungary)	black/grey
JK-8500IT-2	IT (Italy)	black/grey
JK-8500PN-2	PN (PanNordic)	black/grey
JK-8500PO-2	PO (Portugal)	black/grey
JK-8500SL-2	SL (Slovenia)	black/grey
JK-8500BE-0	BE (Belgium)	grey
JK-8500CH-0	CH (Switzerland)	white/grey
JK-8500CN-0	CN (China)	white/grey

PART NUMBER	LAYOUT	COLOUR
JK-8500CS-0	CS (Czech Republic / Slovak Republic)	white/grey
JK-8500DE-0	DE (Germany)	white/grey
JK-8500ES-0	ES (Spain)	white/grey
JK-8500EU-0	EU (USA+ €-Symbol)	white/grey
JK-8500FR-0	FR (France)	white/grey
JK-8500GB-0	GB (United Kingdom)	white/grey
JK-8500HU-0	HU (Hungary)	white/grey
JK-8500IT-0	IT (Italy)	white/grey
JK-8500PN-0	PN (PanNordic)	white/grey
JK-8500SL-0	SL (Slovenia)	white/grey

CHERRY STREAM KEYBOARD [JK-8500AA-2]



Product colour: Black

Part number	JK-8500AA-2
EAN	4025112090714

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500BE-2]



Layout: BE (Belgium)
Product colour: Black

Part number	JK-8500BE-2
EAN	4025112090318

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500CH-2]



Layout: CH (Switzerland)

Product colour: Black

Part number	JK-8500CH-2
EAN	4025112090257

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500CHADSL]



Product colour: Black

Part number	JK-8500CHADSL
EAN	4025112090332

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500CN-2]



Layout: CN (China)

Product colour: Black

Part number	JK-8500CN-2
EAN	4025112092213

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	104 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500CS-2]



Layout: CS (Czech Republic / Slovak Republic)

Product colour: Black

Part number	JK-8500CS-2
EAN	4025112091346

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500DE-2]



Layout: DE (Germany)

Product colour: Black

Part number	JK-8500DE-2
EAN	4025112090172
UPC	840183604295

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	2 years warranty
Product approvals	- cURus - GS - CE - FCC
Software support	CHERRY KEYS
Operating system	Windows 10
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Dye-sublimation + UV coating
Palm rest	Palm rest not available

USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	10 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500DEADSL]



Product colour: Black

Part number	JK-8500DEADSL
EAN	4025112090325

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500ES-2]



Layout: ES (Spain)

Product colour: Black

Part number	JK-8500ES-2
EAN	4025112090363
UPC	840183604301

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500EU-2]



Layout: EU (USA+ €-Symbol)

Product colour: Black

Part number	JK-8500EU-2
EAN	4025112090233
UPC	840183604325

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	104 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500EUADSL]



Product colour: Black

Part number	JK-8500EUADSL
EAN	4025112091414

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500FR-2]



Layout: FR (France)

Product colour: Black

Part number	JK-8500FR-2
EAN	4025112090196
UPC	840183604349

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500FRADSL]



Product colour: Black

Part number	JK-8500FRADSL
EAN	4025112090349

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500GB-2]



Layout: GB (United Kingdom)

Product colour: Black

Part number	JK-8500GB-2
EAN	4025112090219
UPC	840183604363

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500HU-2]



Layout: HU (Hungary)

Product colour: Black

Part number	JK-8500HU-2
EAN	4025112103810

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500IT-2]



Layout: IT (Italy)

Product colour: Black

Part number	JK-8500IT-2
EAN	4025112090295

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500PN-2]



Layout: PN (PanNordic)

Product colour: Black

Part number	JK-8500PN-2
EAN	4025112090271

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500PO-2]



Layout: P0 (Portugal)

Product colour: Black

Part number	JK-8500PO-2
EAN	4025112119231

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500SL-2]



Layout: SL (Slovenia)
Product colour: Black

Part number	JK-8500SL-2
EAN	4025112094156

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Pad Printing + UV coating
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500BE-0]



Layout: BE (Belgium)

Product colour: White

Part number	JK-8500BE-0
EAN	4025112090301

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Laser etching
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500CH-0]



Layout: CH (Switzerland)

Product colour: White

Part number	JK-8500CH-0
EAN	4025112090240

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Laser etching
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500CN-0]



Layout: CN (China)

Product colour: White

Part number	JK-8500CN-0
EAN	4025112092206

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Laser etching
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	104 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500CS-0]



Layout: CS (Czech Republic / Slovak Republic)

Product colour: White

Part number	JK-8500CS-0
EAN	4025112091339

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Laser etching
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500DE-0]



Layout: DE (Germany)

Product colour: White

Part number	JK-8500DE-0
EAN	4025112090165
UPC	840183604288

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Laser etching
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500ES-0]



Layout: ES (Spain)

Product colour: White

Part number	JK-8500ES-0
EAN	4025112090356

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Laser etching
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500EU-0]



Layout: EU (USA+ €-Symbol)

Product colour: White

Part number	JK-8500EU-0
EAN	4025112090226
UPC	840183604318

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Laser etching
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	104 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500FR-0]



Layout: FR (France)
Product colour: White

Part number	JK-8500FR-0
EAN	4025112090189
UPC	840183604332

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Laser etching
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500GB-0]



Layout: GB (United Kingdom)

Product colour: White

Part number	JK-8500GB-0
EAN	4025112090202
UPC	840183604356

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Laser etching
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500HU-0]



Layout: HU (Hungary)

Product colour: White

Part number	JK-8500HU-0
EAN	4025112109232

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Laser etching
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500IT-0]



Layout: IT (Italy)

Product colour: White

Part number	JK-8500IT-0
EAN	4025112090288

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Laser etching
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500PN-0]



Layout: PN (PanNordic)

Product colour: White

Part number	JK-8500PN-0
EAN	4025112090264

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Laser etching
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

STREAM KEYBOARD [JK-8500SL-0]



Layout: SL (Slovenia)
Product colour: White

Part number	JK-8500SL-0
EAN	4025112094149

PRODUCT INFORMATION

Model number	JK-85
Reliability	MTBF 90: > 10 Mio.
Warranty	1 additional year voluntary limited manufacturers warranty
Product approvals	- cURus - GS - CE - FCC - UKCA
Software support	CHERRY KEYS
Operating system	- Windows 7 - Windows 8 - Windows 10 - Windows 11
System Requirements-Hardware	USB-A
Dimensions inc. packaging	469 mm × 213 mm × 24 mm 1,008 g

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	40 °C

CABLE

Cable length	180 cm
--------------	--------

KEYBOARD

Keycap material	ABS
Key labeling	Laser etching
Palm rest	Palm rest not available
USB-Hub	no
Number of keys	105 + 10
Illumination	no
Adjustable feet	integrated
Status LEDs	in keys
Key technology	Scissor
Service life per key (in million strokes)	20 mio. actuations
Max. current consumption (mA) of keyboard	20 mA
Keyboard format	Full-size (100%)
Integrated metal plate	yes
Volume (dB) of keyboard	49 db
N-Key Rollover	no
Anti-ghosting	no
Key encryption	no
Internal memory	no

© Cherry Europe GmbH

Cherrystraße 2 · 91275 Auerbach/OPf. · Germany
cherry-world.com · cherry.de

Sales Support · Technischer Support · eHealth Support
+49 9643 - 2061 - 100
www.cherry.de/de-de/kontakt

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products. Properties are not guaranteed.